PREPLANTING SOIL APPLICATIONS -- DIRECT APPLICATION TO SOIL BROADCAST TREATMENTS

Apply as a uniform broadcast treatment of the surface of the soil (previously prepared for planting) at the rate per acre indicated, promptly follow with cultivation to mix the granules into the soil to a depth of 6 to 8 inches, perferably 7 to 14 days prior to planting or transplanting of the crops shown below. Properly applied broadcast preplanting soil treatments may be effective for more than one year; repeat applications as new infestations develop. Use the amount shown after each crop to control the insects named.

CORN — To control corn rootworns and seed corn maggot, 30 to 40 pounds per acre.

to control wireworms and white grubs, 50 to 80 pounds per acre.

TOBACCO — To control wireworms, white grubs, and green June beetle larvae, 50 to 60 pounds per acre.

POTATOES — To control wireworms and white grubs, 50 to 80 pounds per acre.

STRAWBERRIES — To control wireworms, 50 to 80 pounds per acre; to control white crubs, 100 pounds per acre.

IN-ROW TREATMENTS

Apply uniformly in a band 10 to 12 inches wide centered over the row, promptly work the insecticide into the top 6 inches of soil, preferably 7 days prior to planting and transplanting of the crops named below. In-row treatments should be repeated annually. Use the amount shown after each crop to control the insect named.

CORN — To control corn rootworms, and seed corn magot, 20 pounds per acre or 1 ounce per 136 square feet or 1 ounce per 136 feet of 12 inch band. To control wireworms and white grubs, 25 to 40 pounds per acre or 1 ounce per 82 square feet or 1 ounce per 82 feet, of 12 inch band. Do not feed treated forage to dairy animals or animals being finished for slaughter.

TOBACCO — To control wireworms and white grubs, 25 to 40 pounds per acre or 1 ounce per 82 square feet or 1 ounce per 82 feet of 12 inch band.

POTATOES — To control wireworms and white grubs, 25 to 40 pounds per acre or 1

ounce per 82 square feet or 1 ounce per 82 square feet of 12 inch band.

STRAWBERRIES — To control wireworms, 20 to 40 pounds or 1 ounce per 82 square feet or 1 ounce per 82 feet of 12 inch band; to control white grubs, 50 pounds per acre or 1 lb. per 870 square feet or 1 lb. per 870 feet of 12 inch band. Do not apply when fruit is present. REFERENCE TO WIREWORMS IN ABOVE SECTIONS DOES NOT INCLUDE CHLORDANE-RESISTANT WIREWORMS AND SOUTHERN POTATO WIREWORMS.

ORNAMENTAL TURF AND LAWNS

To control white grubs, Japanese beetle larvae and green June beetle larvae, and for reduction of earthworms, apply 50 to 80 pounds per acre uniformly distributed over the grass area and inimediately sprinkle or drench lawn to wash insecticide into the soil. Apply when insect damage is first noted, preferably in late summer or early fall when arubs and larvae are small.

To control ants, chiggers, sod webworms, crickets, cutworms, and earwigs in lawns, apply 30 to 40 pounds per acre directly into the grass when the insects first appear. Repeat as necessary.

Do not apply to lawns or turf areas when people or animals are on ther and do not allow drift of dust from treated areas. Keep children and pets off treated areas until insecticide has been washed into the soil and the grass has completely dried. Do not graze or feed forage from treated areas to livestock and poultry.

Birds feeding over treated lawn or ornamental turf may be harmed.

RATES FOR SMALL AREAS

WILE IN OWNER WIEND		
When amount p	er	Apply this amoun
acre is:		per 1.000 sq. ft.
20 Pounds		7 ounces
30 Pounds		11 ounces
40 Pounds		14 ounces
50 Pounds	NOTICE	18 ounces

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.

NET WEIGHT

5 LBS.

FC-564-A672

Frod. 1079

UNITED CO-OPERATIVES, INC.
ALLIANCE, OHIO 44601