


# TOMIC



## FAST INSECT KILLER

### ACTIVE INGREDIENTS:

Pyrethrins .....	0.052%
*Piperonyl Butoxide, Technical .....	0.260%
**Chlorpyrifos [0, 0-diethyl 0 (3,5,6-trichloro-2-pyridyl) phosphorothioate] ..	0.500%
Petroleum Distillate .....	98.736%
INERT INGREDIENTS .....	0.452%
	100.000%

\*Equivalent to 0.208% (butylcarbitol) (6-propylpiperonyl) ether and to 0.052% related compounds

\*\*U.S. Patent No. 3,244,586

# CONTROLS

Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs, and Brown Dog Ticks



**CAUTION: KEEP OUT OF THE REACH OF CHILDREN**

(See Side Panel for Additional Cautions)

**NET CONTENTS 1 GALLON (128 FL. OZ.)**

### USE PRECAUTIONS - Continued

This product is toxic to fish. Do not contaminate water by cleaning equipment or disposal of wastes. Do not reuse empty container. Destroy when empty and discard in safe place.

### CAUTION

HARMFUL IF SWALLOWED. COMBUSTIBLE: Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Do not smoke while using. Wash thoroughly after handling. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. If swallowed do not induce vomiting. Call a physician immediately.

PYRENONE<sup>®</sup> Insecticide Provides Flushing Action and Fast Knockdown PYRENONE - FMC trademark

Use In and Around Homes, Apartments, Garages, and Similar Residential Structures


Use Outdoors As An Aid in Reducing Annoyance from Flies and Mosquitoes Entering the Home

EPA Est. No. 01440 CA 1

Manufactured by

**TOMIC INSECTICIDE COMPANY**

241 S. Mednik Ave  
Los Angeles, California 90027  
EPA Reg. No. 01440-00005AA



**DANGER -- POISON -- PRECAUTIONS**

**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

**POISONOUS BY SKIN CONTACT**

Poisonous if touched by hand or spilled or splashed on skin, in eyes or clothing (liquid goes through clothes).



**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.



This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**CONTAINER DISPOSAL**

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.



**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**PARATHION (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing worn with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**+ FIRST AID TREATMENT +**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious), make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote — administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**POST TREATED AREA**

Consult your State Agricultural Service or Experiment Station regarding posting treated areas.

**POISON**  
See Side Panels  
for Antidote &  
Precautions



**DANGER**  
Keep Out of  
Reach of  
Children

**NOT FOR HOME USE.**

NET CONTENTS



**DANGER POISON. Keep Out of Reach of Children**  
See other precautions on this label