



SPECIMEN 17

UNICO Methyl Parathion-4 Emulsifiable Concentrate

DIRECTIONS FOR USE

This product is hazardous. It must be used in compliance with the warning information on this label. It should be used by trained operators only. DO NOT USE ADJACENT TO OR NEAR RESIDENCES OR OTHER BUILDINGS OCCUPIED BY HUMANS OR BENEFICIAL ANIMALS. DO NOT USE IN SMALL HOME PLANTINGS OF ALFALFA.

ALFALFA—To control alfalfa weevil, apply 1 to 2 pints (0.5 to 1.0 lb. methyl parathion) per acre in the quantity of water required for uniformly thorough spray coverage of alfalfa foliage. This product must be diluted or mixed with water prior to application. The quantity of water required per acre is usually 15 to 20 gallons for boom-type, low-volume ground sprayers and not less than 5 to 6 gallons for application by aircraft.

Begin applications in the spring when most of the tips show signs of recent feeding by adults or larvae. A second application usually will be required about 10 to 12 days after the first, prior to removal of the first cutting of alfalfa. If infestation persists at harvest, a third application should be made to the stubble within 1 to 2 days after all the hay has been removed from the field. Reduced effectiveness against adults and larvae of the alfalfa weevil may be expected when air temperature is lower than 60°F.

Do not apply to alfalfa within 15 days of harvest or grazing. Apply to alfalfa in bloom only in the evening or early morning when bees and other pollinating insects are not visiting the crop.



DANGER - POISON



ANTIDOTE—If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY! If on skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

METHYL PARATHION-4 EMULSIFIABLE CONCENTRATE

INGREDIENTS

ACTIVE INGREDIENTS:

- 0,0-dimethyl 0-p-nitrophenyl phosphorothioate*
- Aromatic petroleum derivative solvent (xylene-range)

INERT INGREDIENTS

Total

*Methyl parathion

CONTAINS 4 POUNDS METHYL PARATHION PER GALLON



DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

See Antidote and Remainder of Required WARNING Statements on Side Panel

USDA Reg. No. 1386-240

NET VOLUME

5 U.S. Gallons Liq

FC-484A-5-67

PROD

DISTRIBUTED BY

WARNING

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN! Do not get in eyes, on skin, or on clothing. Wear clean natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Treated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

NOTE TO PHYSICIAN—Methyl parathion inactivates the cholinesterase enzymes of the blood and tissues, evidenced by marked parasympathetic stimulation. Atropine is antidotal. A dosage of 1, 100 to 1 25 grain may be required every hour to control symptoms until the emergency has passed. If pulmonary secretions have accumulated, clear chest by postural drainage. Suck mucus from bronchi if necessary. Artificial respiration or oxygen administration may be necessary due to excessive bronchial secretions and muscular weakness. Observe patient continuously for 24 to 48 hours during acute emergency. Do not permit exposure to parathion or other phosphate insecticide until cholinesterase is regenerated as determined by blood tests.

This product is poisonous to wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply to areas or crops other than those for which directions are stated on this label. Do not apply when weather conditions favor drift of spray from area treated.

Container and unused chemical are dangerous. Do not reuse this container for any purpose. Clean application equipment and dispose of unused chemical and rinse solutions in a pit at least 18 inches deep on non-crop land in an isolated area located well away from water supplies.

DESTROY EMPTY CONTAINERS. If container is glass, break into small pieces in a previously prepared pit on non-crop land in an isolated area and cover deeply with soil. If container is metal, punch holes in top and bottom and burn in a hot fire, outdoors, in an isolated area. The smoke is poisonous. Stay well away from the smoke. Do not attempt to burn more than 5 containers at one time. Crush burned containers after cooling and bury deeply on non-crop land in an isolated area.

NOTICE

The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on the face hereof.

5-1-60
13,411-21/0

WARNING

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN! Do not get in eyes, on skin, or on clothing. Wear clean natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and hot water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

NOTE TO PHYSICIAN—Methyl parathion inactivates the cholinesterase enzymes of the blood and tissues, evidenced by marked parasympathetic stimulation. Atropine is antidotal. A dosage of 1/100 to 1/25 grain may be required every hour to control symptoms until the emergency has passed. If pulmonary secretions have accumulated, clear chest by postural drainage. Suck mucus from bronchi if necessary. Artificial respiration or oxygen administration may be necessary due to excessive bronchial secretions and muscular weakness. Observe patient continuously for 24 to 48 hours during acute emergency. Do not permit exposure to parathion or other phosphate insecticide until cholinesterase is regenerated as determined by blood tests.

This product is poisonous to wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply to areas or crops other than those for which directions are stated on this label. Do not apply when weather conditions favor drift of spray from area treated.

Container and unused chemical are dangerous. Do not reuse this container for any purpose. Clean application equipment and dispose of unused chemical and rinse solutions in a pit at least 18 inches deep on non-crop land in an isolated area located well away from water supplies.

DESTROY EMPTY CONTAINERS. If container is glass, break into small pieces in a previously prepared pit on non-crop land in an isolated area and cover deeply with soil. If container is metal, punch holes in top and bottom and burn in a hot fire, outdoors, in an isolated area. The smoke is poisonous. Stay well away from the smoke. Do not attempt to burn more than 5 containers at one time. Crush burned containers after cooling and bury deeply on non-crop land in an isolated area.

NOTICE

The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on the face hereof.

**METH
EMULSI**

ACTIVE INGREDIENTS
0,0-dimethyl 0-p-
Aromatic petrole
INERT INGREDIENTS

Total

CONTAINS 4 PO



DAN


KEEP O

See Antidote

Net Volume

FC-483A-5-67

UNITE



UNICO Methyl Parathion-4 Emulsifiable Concentrate

METHYL PARATHION-4 EMULSIFIABLE CONCENTRATE

DIRECTIONS FOR USE

This product is hazardous. It must be used in compliance with the warning information on this label. It should be used by trained operators only. DO NOT USE ADJACENT TO OR NEAR RESIDENCES OR OTHER BUILDINGS OCCUPIED BY HUMANS OR BENEFICIAL ANIMALS. DO NOT USE IN SMALL HOME PLANTINGS OF ALFALFA.

ALFALFA—To control alfalfa weevil, apply 1 to 2 pints (0.5 to 1.0 lb. methyl parathion) per acre in the quantity of water required for uniformly thorough spray coverage of alfalfa foliage. This product must be diluted or mixed with water prior to application. The quantity of water required per acre is usually 15 to 20 gallons for boom-type, low-volume ground sprayers and not less than 5 to 6 gallons for application by aircraft.

Begin applications in the spring when most of the tips show signs of recent feeding by adults or larvae. A second application usually will be required about 10 to 12 days after the first, prior to removal of the first cutting of alfalfa. If infestation persists at harvest, a third application should be made to the stubble within 1 to 2 days after all the hay has been removed from the field. Reduced effectiveness against adults and larvae of the alfalfa weevil may be expected when air temperature is lower than 60°F.

Do not apply to alfalfa within 15 days of harvest or grazing. Apply to alfalfa in bloom only in the evening or early morning when bees and other pollinating insects are not visiting the crop.

ACTIVE INGREDIENTS:

O,O-dimethyl O-p-nitrophenyl phosphorothioate*	45.4%
Aromatic petroleum derivative solvent (xylene-range)	48.6%
INERT INGREDIENTS	6.0%
Total	100.0%

*Methyl parathion

CONTAINS 4 POUNDS METHYL PARATHION PER GALLON

DANGER - POISON

KEEP OUT OF REACH OF CHILDREN

See Antidote and Remainder of Required WARNING

Statements on Side Panel

USDA Reg. No. 1386-240

Net Volume 1 U.S. Gallon Liquid

FC-483A-5-67

DISTRIBUTED BY

PROD. 608

DANGER - POISON

ANTIDOTE—If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY! If on skin: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

**UNITED CO-OPERATIVES, INC.
ALLIANCE, OHIO**