

Apply at the rate of 5 teaspoonfuls of Unico Chlordane Spray Concentrate to one quart of water. Equipment capable of delivering a "pin thin" stream of insecticide must be used.

**Subterranean Termites—Director for Non-Professional use to Control Subterranean Termites.**

First remove all wood and other cellulose material in contact with the soil. Prepare a water emulsion containing 1 percent chlordane by mixing 1 pint of this concentrate in 6 1/4 gallons of water (1 gallon in 50 gallons).

**Buildings Having Basements or Crawl Spaces**—Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, but not below, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet for each foot of depth. A trench 3 feet deep would require 12 gallons per 10 linear feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

**CAUTION**

Harmful if swallowed! Contact with skin causes toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Rinse equipment and containers and DISPOSE OF WASTES by burying at least 18 inches deep in non crop lands away from water supplies. Do not reuse container; smash or perforate and bury with wastes.

**NOTICE**

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.



**CHLORDANE  
Spray Concentrate**

<b>ACTIVE INGREDIENTS:</b>		<b>INGREDIENTS</b>	
Technical chlordane*	.....		46%
Petroleum distillate	.....		50%
<b>INERT INGREDIENTS</b>	.....		5%
<b>Total</b>	.....		<b>100%</b>
*Equivalent to 27% octachloro-4,7-methanotetrahydroindane and 18% related compounds.			
<b>CONTAINS 4 POUNDS CHLORDANE PER GALLON.</b>			

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN  
See Remainder of CAUTION Statement on Side Panel**

EPA Reg. No. 1386-460

**Net Volume 1 U.S. Quart Liquid**

H&G-77B-7-74 MANUFACTURED BY PROD. 2102

**UNICO Chlordane Spray Concentrate**

**DIRECTIONS FOR USE**

Mix with water as stated below and stir thoroughly. Some agitation is needed while spraying. If allowed to stand, reagituate before use.

**ORNAMENTAL TURF AND LAWNS**—To control chiggers, sod webworm, armyworms, grubs, and ants, use 3 tablespoonfuls mixed in 3 gallons of water to spray each 1,000 square feet of ornamental turf or lawn area (approximately equivalent to 2 quarts in sufficient water to spray 1 acre). Repeat as necessary.

To control imported fire ant, use 4 tablespoonfuls mixed in 3 gallons of water. Break open hard surface of mound and pour 3 capfuls of the mixture into each mound. Spray surrounding soils as for other ants. If ants survive, repeat in 2 weeks.

To control white grubs, Japanese beetle larvae, and green June beetle larvae, use 6 tablespoonfuls mixed in 3 gallons of water to spray each 1,000 square feet of ornamental turf or lawn area (approximately equivalent to 4 quarts in sufficient water to spray 1 acre). Apply in early spring or late fall, and repeat annually as necessary.

**KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL THE INSECTICIDE HAS BEEN WASHED INTO THE SOIL, EITHER BY RAINFALL OR THOROUGH SPRINKLING, AND THE GRASS HAS COMPLETELY DRIED.**

Do not graze or feed forage from treated areas to livestock and poultry.

Birds feeding over treated areas may be harmed.

**Applications Within Food Areas of Food Handling Establishments.**

Limited to crack and crevice treatment only—apply a small amount of material directly into cracks and crevices such as expansion joints, between different elements of construction or between equipment bases and the floor, wall voids, motor housings or hollow equipment legs where ants, roaches, crickets, centipedes, scorpions, silverfish and spiders hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. **AVOID CONTAMINATION OF FOOD OR FOOD PROCESSING SURFACES.**

Do not use this product near electrical switch boxes or conduit due to shock hazard.

**APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN CRACK OR CREVICE TREATMENT ARE NOT PERMITTED.**

**UNIVERSAL COOPERATIVES, INC.  
ALLIANCE, OHIO 44601**

OCT 17 1974