



UNICO Alfalfa Weevil Spray

DIRECTIONS FOR USE

Controls Alfalfa Weevil Larvae, Aphids, Leafhoppers, Spittlebug, and Clover Leaf Weevil on Alfalfa and Clover.

ALFALFA—To control alfalfa weevil larvae, use 2 to 3 quarts (1 to 1.5 lb. malathion and 1 to 1.5 lb. methoxychlor) per acre in the amount of water required for uniformly thorough spray coverage. Begin applications when larvae appear, usually in May or June, and before they cause serious damage. Repeat at 10 to 14-day intervals as necessary. In some areas, it may be necessary to spray the stubble after removal of the first cutting.

DO NOT APPLY WITHIN 7 DAYS OF HARVEST OR FEEDING.

DO NOT APPLY DURING FULL BLOOM.

CLOVER AND ALFALFA—To control aphids, spittlebug, leafhoppers, clover leaf weevil, alfalfa caterpillar, and grasshoppers, use 2 to 3 quarts per acre in the amount of water required for uniformly thorough spray coverage. Begin applications when insects first appear and repeat at 7 to 10-day intervals as necessary.

DO NOT APPLY WITHIN 7 DAYS OF HARVEST OR FEEDING. DO NOT APPLY DURING FULL BLOOM.

The amount of water required for uniformly thorough spray coverage is usually 15 to 20 gallons per acre for boom sprayers, although as little as 10 gallons per acre has been used successfully in some instances.

ALFALFA WEEVIL SPRAY

INGREDIENTS

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate)	22.4%
Methoxychlor, technical*	22.6%
Aromatic petroleum derivative solvent	50.1%
INERT INGREDIENTS	4.9%

Total 100.0%

*Equivalent to 19.8% 2,2-bis(p-methoxyphenyl)-1,1,1-trichlorethane and 2.8% other isomers and related compounds.

CONTAINS 2 POUNDS MALATHION AND
2 POUNDS TECHNICAL METHOXYCHLOR PER GALLON

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statements on Side Panel

EPA Reg. No. 1386-464

Net Volume

5 U.S. Gallons Liquid

FC-158A-4-72

PROD. 262

Manufactured By



ALFALFA WEEVIL SPRAY

INGREDIENTS

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate)	22.4%
Methoxychlor, technical*	22.6%
Aromatic petroleum derivative solvent	50.1%
INERT INGREDIENTS	4.9%

Total 100.0%

*Equivalent to 19.8% 2,2-bis(p-methoxyphenyl)-1,1,1-trichlorethane and 2.8% other isomers and related compounds.

CONTAINS 2 POUNDS MALATHION, AND
2 POUNDS TECHNICAL METHOXYCHLOR PER GALLON

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statements on Side Panel

EPA Reg. No. 1386-464

Net Volume

5 U.S. Gallons Liquid

FC-1358A-4-73

PROD. 262

Manufactured By

CAUTION

Harmful if swallowed. Avoid breathing vapor or spray mist. Avoid contact with skin; in case of skin contact, wash with soap and water. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

This product is toxic to fish. Keep out of any body of water. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of spray from area treated. Do not use where runoff may occur as a result of heavy rain. Clean application equipment and dispose of rinse solutions, wastes and unused chemical in a pit on non-crop land well away from water supplies.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. If container is glass, break into previously prepared pit on non-crop land well away from water supplies, and bury fragments deeply. If container is metal, punch holes in top and bottom, crush under wheels of heavy vehicle or with an axe, and bury crushed container in a pit on non-crop land well away from water supplies.

NOTICE

Use only for the purpose and in compliance with the limitations, cautions or warnings stated on this label.

