



Trademark

# DINITRO WEED KILLER

## INGREDIENTS

### ACTIVE INGREDIENTS:

Alkanolamine salts (of the ethanol and isopropanol series)	
of 4,6-dinitro-o-sec-butylphenol	51.0%
INERT INGREDIENTS	49.0%
Total	100.0%

CONTAINS THE EQUIVALENT OF 3 POUNDS 4,6-DINITRO-O-SEC-BUTYLPHENOL PER GALLON



## DANGER - POISON



KEEP OUT OF REACH OF CHILDREN

See Antidote Statement and Remainder of  
Required WARNING Statement on Side Panel  
USDA Reg. No. 1386-478

\*PREMERGE (R) — Trademark of the Dow Chemical Company

Net Volume U.S. Gallons Liquid



Manufactured for  
**Agri-Chemicals, Inc.**  
a Subsidiary of United States Steel Corporation  
P. O. Box 1685 Atlanta, Georgia

PEAS: **Preemergence**—Use 2 to 3 gallons in 25 to 40 gallons of water per acre as an over-all spray at time of planting. **Postemergence**—Use 2 to 3 quarts in 25 to 40 gallons of water per acre when peas are 2 to 8 inches tall and weeds are small. Do not apply after flower buds are visible. Do not graze animals on treated fields or feed treated hay to livestock within 40 days of application. When seedling grasses are a problem, use another weed killer in accordance with directions on its label.

PUMPKINS AND SQUASH: **Preemergence**—Apply 1 to 2 gallons per acre after planting but before emergence. Use the higher rate on heavy soils. CUCUMBERS: **Preemergence** Use 1 gallon per acre. Plant seeds at least one inch deep. Do not use on light sandy soils. Do not use if soil is to be covered with plant protectors. Do not use after emergence of seedlings of crops listed in this paragraph.

ALFALFA: Apply 1 to 1½ quarts in 20 to 40 gallons of water per acre as soon as chickweed appears in the late fall or early winter when the crop is dormant. If new seedlings of chickweed appear repeat. Use same treatment on new and old stands of alfalfa, red clover and ladino clover, but do not apply before crop seedlings have two or more true leaves. If chickweed is well developed, delay application until legumes are dormant and use 2 to 4 quarts in 40 to 60 gallons of water per acre. Spray when temperatures are above 50°F. (preferably above 60°F.). A second spraying may be required to obtain control of heavy weed growth. Do not graze treated areas before first cutting of hay.



## DANGER - POISON



### FIRST AID TREATMENT

### ANTIDOTE

SYMPTOMS OF POISONING: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, SEND FOR A PHYSICIAN.

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

If Swallowed, SEND FOR A PHYSICIAN AT ONCE. Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two teaspoonfuls of baking soda in a glass of water. Treat as in FIRST AID, above.

If Splashed in Eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. If Spilled on Skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use. NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

### WARNING

#### POISONOUS IF SWALLOWED OR ABSORBED THROUGH SKIN

Do Not Get in Eyes, on Skin, on Clothing. Do Not Breathe Vapor or Spray Mist. Do Not Take Internally. Do Not Wear Contaminated Clothing or Shoes. Keep Away from Heat and Open Flame. Keep Out of Reach of Farm Animals.

This product is likely to stain everything which it contacts. To avoid staining of carpets, rugs, and upholstery, keep contaminated clothing and shoes outdoors until cleaned.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Punch holes in top and bottom of metal containers, crush under wheels of heavy vehicle or with an axe and bury crushed containers in a pit on non-crop land well away from water supplies.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Fish may be killed. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of spray from area treated. Clean application equipment and dispose of containers, rinse solutions and unused chemical in a pit located on non-crop land well away from water supplies.

### NOTICE

USS Agri-Chemicals, Inc. can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil, or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

ACCEPTED WITH COMMENTS