

1386-480



THOROBRED "H-P" SPRAY

FLY SPRAY FOR HORSES AND PONIES

INGREDIENTS		
ACTIVE INGREDIENTS		100%
Petroleum base oil	98.9%	
Technical piperonyl butoxide*	1.0%	
Pyrethrins	.1%	
*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds		

Technical piperonyl butoxide and pyrethrins are constituents of PYRENONE, T.M. Reg. U.S. Pat. Off., F.M.C.

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Remainder of CAUTION Statement on Side Panel
EPA Reg. No. 1386-480

Net Volume 1 U.S. Gallon Liquid

FC-882C-8-72

PROD. 323

MANUFACTURED BY



CAUTION


Harmful if swallowed! Avoid contamination of feed, foodstuffs, water devices, and feed troughs.

Do not wet the skin of animals as this may cause blistering. Do not apply to plants or vegetation. Do not store or use near heat or open flame. This product is intended for use on horses and ponies only. The directions are not adequate for any other purpose.

DESTROY EMPTY CONTAINER. Do not reuse this container for any purpose. If container is glass, break into previously prepared pit on non-crop land in an isolated area well away from water supplies, and bury fragments deeply. If container is metal, punch holes in top and bottom, crush under wheels of heavy vehicle or with an axe and bury deeply in a pit on non-crop land located well away from water supplies.

NOTICE

Use only for the purpose and in compliance with the limitations, cautions or warnings stated on this label.



Thorobred "H-P" Spray

DIRECTIONS FOR USE

UNICO Thorobred "H-P" Spray should be applied in barn foggers and sprayers which dispense an atomized mist.

DIRECT SPRAYING OF HORSES—To protect horses against horn flies, house flies, stable flies, and mosquitoes, apply 1 fluid ounce as a finely atomized spray uniformly distributed over each animal. Use a good hand sprayer or electric sprayer to spray each animal, preferably from the rear, directing the spray along the sides, including the belly, flanks, and withers, down each leg, over the back, and around the poll. Hold nozzle of sprayer 2 to 3 feet away from animal so as to deposit droplets on the hair. **DO NOT WET THE HIDE.** Repeat daily, morning, and afternoon, as needed.

BARN FOGGING—To control house flies, stable flies, and horn flies on the horses and in the barn, apply as a fog or finely atomized mist over the horses in stables or in stalls. Use one fogger or sprayer unit for each 2,500 sq. ft. of barn area, placed above the animals and preferably near the center of the area. Doors and windows should be closed prior to fogging; openings may cause drafts and permit escape of the fog. Operate the unit until spray mist or fog is thoroughly distributed throughout the entire area; spray out 1 fl. oz. uniformly per 1,000 cu. ft. Do not ventilate the barn for 15 minutes after the unit has been stopped. **REPEAT DAILY, MORNING AND AFTERNOON, OR AS NEEDED.** Keep sprayer, container and nozzle, clean to ensure proper delivery of fog or spray mist.