6-11-70 1386-486



TO AT ACH

POTATOES-Aphids, Colorado potato bestle, leafhonners, tarnished plant bug, early blight, and late blight. Apply to foliage only. DO NOT APPLY WITHIN 1 DAY OF HARVEST.

RADISHES—Flea beetles. DO NOT APPLY WITHIN 3 DAYS OF HARVEST.

TOMATOES-Aphids, Colorado potato beetle, flea beetles, leathoppers, tomato fruit worm, tarnished plant bug, anthracnose, early blight, late blight, and Septoria leaf spot. DO NOT APPLY WITHIN 1 DAY OF HARVEST.

CAUTION

Harmful if inhaled or swallowed. May cause irritation of nose and throat. Do not breathe dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin and eyes. Wash thoroughly after handling and before eating or smoking. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily. Avoid contamination of feed and foodstuffs.

This product is poisonous to fish. Keep out of any body of water. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of dust from area treated. Clean application equipment and dispose of wastes and unused chemical in a pit on non-crop land well away from water supplies.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Burn empty container (paper) in a hot fire, outdoors, in an isolated area. The smoke may be hazardous. Stay well away from the smoke.

For the protection of honeybees, avoid use, if possible, during period when bees are visiting the plants or crop. When necessary to use dur ; such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

NOTICE

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.

Garden Dust A



INGREDIENTS

Carbaryl (1-naphthyl N-methylcarbamate)	3.0%
Zineb (zinc ethylene bisdithiocarbamate)	. 5.0%
Rotenone	1.0%
Other cube 'resins	1.6%
INERT INGREDIENTS .	89.4%
Total _	. 100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statement on Side Panel USDA Reg. No. 1386-486

NET WEIGHT (H&G-110)-8500-9-67

ACTIVE INGREDIENTS:

1 POUND

Prod. 2143

MANUFACTURED BY

UNICO GARDEN DUST A DIRECTIONS FOR USE

Use on crops listed below to control the insects and plant diseases indicated. Apply the dust during the early morning, preferably when the plants are wet with dew, or in late evening when the air is caim. Begin applications before diseases are apparent and before insects become numerous which is usually when the seedlings appear above ground or young plants are transplanted to the garden. Cover foliage evenly and thoroughly with a light film of dust. Apply at the rate of 30 pounds per acre (3/4 lb. per 1,000 sq. ft., or 3/4 lb. per 1,000 linear feet of row). Be sure to dust the underside of leaves. Repeat applications at 5 to 7-day intervals and after heavy rains to maintain protection during growing season.

CROPS, INSECTS, AND PLANT DISEASES

BEANS-Aphids, Mexican bean beetle, bean leaf beetle, leathoppers. DO NOT APPLY WITHIN 7 DAYS OF HARVEST.

BROCCOLI and CABBAGE-Imported cabbage worm, diamond back moth larvae, and Harlequin bug DO NOT APPLY WITHIN 7 DAYS OF HARVEST.

CARROTS--Flea beetles. DO NOT APPLY WITHIN 7 DAYS OF HARVEST IF TOPS ARE TO BE USED AS FOOD OR FEED; OTHERWISE, DO NOT APPLY WITHIN 1 DAY OF HARVEST.

CUCUMBER, MELONS, and SQUASH-Aphids, leafhoppers, melon worm, pickle worm, angular leaf spot, downy mildew, and anthracnose. DO NOT APPLY WITHIN 1 DAY OF HARVEST.

EGGPLANT-Aphids, flea beetles, tarnished plant bug. Alternaria leaf spot, and phomopsis. DO NOT APPLY WITHIN 1 DAY OF HARVEST.

GARDEN BEETS-Flea beetles. DO NOT APPLY WITH-IN 14 DAYS OF HARVEST IF TOPS ARE TO BE USED AS FOOD OR FEED; OTHERWISE, DO NOT APPLY WITHIN 3 DAYS OF HARVEST.

PEPPERS-Flea beetles, tranished plant bug, anthracnose and Cercospora. DO NOT APPLY WITHIN 1 DAY OF HARVEST.

UNITED CO-OPERATIVES, INC. ALLIANCE, OHIO