Pr 8 1386-49

13401175

AUS 20 1951

Ms. Nik Edighoffer Universal Cooperatives, Inc. 7801 Metro Parkway P.O. Box 460 Minneapolis, NN 55440

Dear Mr. Edighoffer:

Subject: Bean Dust

EPA Registration No. 1386-491

Your Submission of the Label and Confidential Statement of Formula With an "Application for Pesticide Amendment"

Dated June 23, 1989 in Response to the Rotenone

Registration Standard

A stamped copy of the label for this product is enclosed.

The Confidential Statement of Formula (CSF) for this product dated June 23, 1989 will be kept in the file for this product. A revised CSF may be required if changes are made in labels for manufacturing-use products supplying the active ingredients for this product.

Sincerely yours,

Phil Hutton

Product Manager (18)

Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

50579:I:Schroeder:C.Disk:KEVRIC:06/19/91:aw:WO:CL

CONCURRENCES									
SYMBOL									
SURNAME			} 	İ		[
DATE									
EPA Ferm	1320-1 (12-70)		-	<u></u>		!	OFFICI	AL FILE COPY	

BEAN DUST

Contains 1% Rotenone Insecticide for Beans and other listed Vegetables.



Active Ingredients:	۰. ا
Rotenone	1.0%
Other associated resins	2.0% 97.0%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Remainder of CAUTION Statement on Back Panel



BEST AVAILABLE CUPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. May cause irritation of nose and throat of some individuals. Avoid inhalation of dust. Do not contaminate feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: call a physician or Poison Control Center immediately. Give victim one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If Innaled: remove victim to fresh air. Apply respiration if indicated. If on Skin: wash with soap and water. If in Eyes: flush with water for at least 15 minutes. Contact a physician.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply to crops or areas other than those for which directions are stated in this label. Do not apply when weather conditions favor drift of dust from area treated. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control the insects on the crops listed below, apply 1 pound of dust per 1,000 square feet or 1 pound per 1,000 linear feet of row (40-45 pounds of dust per acre), using a mechanical applicator or duster to effect uniformly thorough coverage of the foliage, particularly the underside of the leaves:

BEANS-Mexican bean beetle and bean leaf beetle.

PEAS-Pea aphid.

CABBAGE, CAULIFLOWER, and BROCCOLI—Impacted cabbageworm and flea beetles.

CUCUMBER, MELONS, and SQUASH—Cucumber beetles (striped and spotted).

TOMATO, POTATO, PEPPERS, and EGGPLANT—Flea beetles and aphids. ASPARAGUS—Asparagus beetle.

RASPBERRIES—Raspberry fruitworm.

Begin applications when the insects first appear, or before damage is noticeable, and repeat at 5 to 7-day intervals as necessary through the growing season.

DO NOT APPLY TO THE ABOVE NAMED CROPS WITHIN 1 DAY OF HARVEST.

STORAGE AND DISPOSAL

STORAGE: Store product in original container and in a locked storage area. Do not store with or near feed or food products.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag, Discard bag in trash.

