



ANT AND ROACH Insecticide Bomb

Contains (R) BAYGON Insecticide
INGREDIENTS

ACTIVE INGREDIENTS:

o-Isopropoxyphenyl methylcarbamate* 0.50%

Petroleum distillate 82.19%

INERT INGREDIENTS 17.31%

Total 100.00%

BAYGON—TM Reg. U.S. Pat. Off. by Farbwerke Hoechst AG

Bayer A.G., Chemagro Corp. licensees

*U.S. Pat. 3,111,539

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statement on Side Panel

EPA Reg. No. 1386-535

Net Weight

12 Ounces

FC-844M-4-74

MANUFACTURED BY

PROD. 2181

UNICO Ant and Roach Insecticide Bomb

DIRECTIONS FOR USE

HOW TO USE—Remove protective cap. Point valve opening toward surface to be sprayed, away from people, plants, and pet animals. Hold can as nearly upright as possible while spraying. Press down on valve top with fingertip to release spray. Keep fingers away from the spray. Hold dispenser about 12 to 18 inches away from surface being sprayed. Apply spray until surfaces are lightly and uniformly wet, moving the spray stream rapidly to prevent excessive wetting of surfaces. Replace cap when not in use to protect valve.

Avoid excessive wetting of asphalt tile, rubber, and plastic materials. Do not apply to draperies, upholstery, wallpaper, or similar materials which may be stained.

ANTS—Apply to ant trails, around door sills and window frames, and wherever ants enter the house. Repeat as required.

ROACHES, WATER BUGS—Apply spray thoroughly to localized areas where insects might be hiding, such as along baseboards, cracks and seams in floor, under and behind sinks, cupboards, cabinets, refrigerator, and around pipes and drains. When driven out of hiding, spray directly onto the insects. Repeat as necessary.

SILVERFISH, CRICKETS, AND SPIDERS—Apply spray to localized areas where these pests occur. Repeat as required.

CLOVER MITES (In Residences)—Apply spray lightly to surfaces of interior infested areas and to outside surfaces of screens, doors, window frames, base of foundation walls, and other places where the mites may enter the house. Repeat as necessary.

DO NOT SPRAY FOODSTUFF OR PLANTS. DO NOT ALLOW CHILDREN TO CONTACT TREATED SURFACES UNTIL COMPLETELY DRY.

CAUTION

HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. Avoid breathing of spray mist; provide adequate ventilation of area being treated. Apply as a surface spray only. DO NOT USE FOR SPRAYING INTO AIR IN ANY AREA. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after using. Do not smoke or eat while using. If poisoning occurs following use, get medical attention promptly. Note To Physician: Morphine is antidotal.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Do not spray directly onto the skin of persons or animals. Remove birds, pets and cover fish bowls and aquaria before spraying in a room. Do not apply to plants. Do not allow children or pets to contact treated surfaces until thoroughly dry. Do not spray for more than 1½ minutes in any average room. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting. Never throw container into fire or incinerator.

NOTICE

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.