



Ant, Roach & Spider Insect Spray

ACCEPTED
Pressurized BAYGON® Insecticide
for localized spraying in
residences or small jobs

08-07-79

1396 ~ 535

Active ingredients
o-Isopropylphenyl methyl carbamate 0.50
Petroleum distillate 82.19%
Inert ingredients 17.31%
Total 100.00

BAYGON® TM Reg. U.S. Pat. Off. by Farbenfabriken Bayer
A.G., Chemische F. Ges. v. u. Pat. No. 1121693

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Remainder of CAUTION Statement on Label Panel
EPA Reg. No. 4386-585 EPA Est. 13891 ID. 1
NET WEIGHT 535 OZ. 15.25 L. A. 39
P. R. 44.064 C. 100.00



PEST DOCUMENTATION AVAILABLE

Ant, Roach & Spider Insect Spray

DIRECTIONS FOR USE

HOW TO USE—Remove cap. Point valve opening toward surface to be sprayed away from people, plants, and pets or animals. Hold can as nearly upright as possible when spraying. Press down on top with fingers to increase spray. Keep fingers away from the spray. Hold dispenser about 12 to 18 inches away from surface being treated. Apply spray onto surfaces as tightly and as firmly as possible, moving the spray stream rapidly to prevent excessive wetting of surfaces. Repeat as often as necessary.

Avoid excessive wetting of asphalt, tile, rubber, and plastic materials. Do not apply to materials, upholstery, wax paper, or similar materials which may be stained.

ANTS—Apply insecticide around doorways and window frames, and wherever ants enter the house. Repeat as required.

ROACHES, WATER BUGS—Apply spray thoroughly to localized areas wherever insects are found. Spray along baseboards, cracks and seams in floor, under furniture, and around refrigerators, refrigerator and around pipes and drains. When driven out, reapply spray to the same areas as necessary.

SILVERFISH, CRICKETS, AND SPIDERS—Apply spray to localized areas where these pests are found. Repeat as required.

CLOVER MITES (in Residential)—Apply spray lightly to localized areas of infestation around doors, windows, frames, base of foundation walls, and other places where them may enter the house. Repeat as necessary.

DO NOT SPRAY ON VEGETABLE PLANTS. DO NOT ALLOW CHILDREN TO CONTACT TREATED PLANTS UNTIL COMPLETELY DRY.

CAUTION

HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. Avoid breathing spray mist or fumes. If treated area is inhaled, move to untreated area. Apply as directed above. If skin contact occurs, RINSE WITH WATER, WASH WITH SOAP AND WATER IMMEDIATELY. If irritation continues, CALL A DOCTOR OR PHARMACIST. If eye contact occurs, RINSE EYES WITH WATER IMMEDIATELY. If irritation continues, CALL A DOCTOR OR PHARMACIST.

IF IN EYES—Rinse eyes with water for 15 minutes. If irritation continues, CALL A DOCTOR OR PHARMACIST. If irritation continues, CALL A DOCTOR OR PHARMACIST. If irritation continues, CALL A DOCTOR OR PHARMACIST.

IF INHALED—Move to fresh air. If irritation continues, CALL A DOCTOR OR PHARMACIST. If irritation continues, CALL A DOCTOR OR PHARMACIST.

IF SWALLOWED—DO NOT INDUCE VOMITING. Call a doctor or pharmacist immediately. If irritation continues, CALL A DOCTOR OR PHARMACIST.

Disposal

Do not spray on soil. Spray on lawns and grass areas. **NOTICE**—Do not spray on lawns and grass areas. **NOTICE**—Do not spray on lawns and grass areas.