

Dairy and Stock Fly Spray

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Back Panel For Additional Precautionary Statements

ACTIVE INGREDIENTS:


Dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate*	1.00%
2,2-dichlorovinyl dimethyl phosphate**23%
Related Compounds **02%
INERT INGREDIENTS***	98.75%
Total	100.00%

*CIODRIN® Insecticide. **Equivalent to 0.25% VAPONA® Insecticide.
***Contains Petroleum Distillates. CIODRIN® and VAPONA® Reg. TM of Shell Chemical Company.

Net Volume: 1 Gallon

EPA Reg. No. 1386-551
EPA Est. No. 1386-OH-1

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Products, Subpart 2
Requirements, Page 2-12, Article 2, and 2.1.1.1 in Section.



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Avoid inhalation of vapor or spray mist. Avoid contact with skin, eyes or clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate water, feed or foodstuffs. Harmful if swallowed; induce vomiting immediately and get medical attention. Atropine is antidotal; 2-PAM is also antidotal and may be administered in conjunction with atropine.

During space spraying indoors, mixing and loading operators must wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water. **If In Eyes:** Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIANS: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE, SPILL, POUR OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! Do not overapply. Use of more than the recommended rate per animal or use of coarse sprays may wet the hide and cause injury. Use only a fine spray mist at a distance of 2 - 3 feet as directed to deposit a light mist on the hair. Do not apply when animals are lathered or temperatures exceed 80° F.

Dairy and Stock Fly Spray contains CIODRIN® Insecticide and VAPONA® Insecticide (DDVP) in a petroleum oil base. It is a ready-to-use spray for application directly to lactating dairy cattle and beef cattle to control houseflies, horn flies, stable flies and mosquitoes, and to aid in control of face flies. Also may be used as a barn spray to control houseflies.

DIRECT SPRAYING OF LIVESTOCK—Apply as a finely atomized mist uniformly distributed over each animal (dairy cattle and beef cattle) at a rate not to exceed 2 fluid ounces daily per animal. Use good spray equipment to spray each animal, preferably from the rear, directing the spray along both sides, including the belly, flanks and withers, down each leg, over the back and around the poll so that droplets are deposited on the face. Hold nozzle of sprayer 2 to 3 feet away from animal so as to deposit droplets on the hair. **DO NOT WET THE HIDE.** Repeat daily as needed. For milking dairy animals, apply the spray 20 to 30 minutes before beginning to milk or after milking has been completed.

DO NOT SPRAY UDDERS OF LACTATING DAIRY ANIMALS.

BARN SPRAYING—To control houseflies in dairy barns, loading sheds, livestock barns and stables, apply 2 fluid ounces per 1,000 cubic feet as a finely atomized mist uniformly distributed throughout the area. To reduce air movement as much as possible, it is preferable to close windows and doors before spraying; leaving them closed for 10 minutes after spraying and then ventilate the area.

When used in enclosure remain in treated spraying. Ventilate reentering.

Repeat daily morning and afternoon spray if animal direct application within 8 hours remove such animals before spraying.

DO NOT USE IN HUMAN HABITABLE FEED, DRINKING WATER HANDLING EQUIPMENT. DO NOT USE IN ROOMS WHERE MILK IS PRODUCED.

DO NOT APPLY REGULARLY TO CALVES UNDER 6 MONTHS OF AGE. BRAHMAN CATTLE SHOULD BE TREATED AS THEY MAY SHOW SENSITIVITY TO ORGANIC PHOSPHATES.

STORAGE AND

STORAGE: Do not store near

PESTICIDE DISPOSAL: Do not store or feed by storage or disposal. Use of this product may be disposed of at a approved waste disposal facility.

CONTAINER DISPOSAL: Triplicate container for recycling or reuse and dispose of in a sanitary manner allowed by state and local authorities. Do not burn, stay out of smoke.

WARRANTY AND LIMITATION

Seller warrants that this material is as described in the chemical description and is represented by the poses stated on the label when used in accordance with the directions under normal conditions. Seller assumes the risk of any use of this product. Seller makes no other express or implied warranty, including any other express or implied warranty of Merchantability, and no agent or employee of Seller is authorized to do so except in writing with a separate written warranty. In no event shall Seller be liable for any amount of warranty exceed the purchase price of which a claim is made.