



# ROSE and FLORAL Spray Powder No. 2

## UNICO ROSE and FLORAL SPRAY POWDER NO. 2

### DIRECTIONS FOR USE

Mix 8 tablespoonfuls in 1 gallon of water (8 pounds in 100 gallons per acre). Apply as a spray to ROSES AND PERENNIAL ORNAMENTAL FLOWERING PLANTS listed below to control the insects and plant diseases indicated. Begin applications before diseases are apparent and before insects become numerous, which is usually when new growth is just starting in the spring on roses and perennial flowering plants, or when young plants are transplanted into the garden. Spray the foliage evenly and thoroughly, and be sure to spray the underside of all leaves. Repeat applications at 7 to 10 day intervals and after heavy rain to maintain protection through the growing season.

#### Use on

Aster	Dogwood	Lilac
Azalea	Eucalyptus	Peony
Arborvitae	Forsythia	Rhododendron
Buxwood	Gardenia	Rose
Camellia	Glaucous	Scapdragon
Chrysanthemum	Hemlock	Spiraea
Dahlia	Holly	Yew
Delphinium	Iris	Zinnia

to control aphids, ants, cat-tent caterpillars, tent caterpillars, flea beetles, fleahoppers, Japanese beetle adults, leafhoppers, lace bug, leafminers, plant bugs, thrips (exposed) and black spot, powdery mildew, Botrytis flower blight and certain other flower blights, leaf scorch, Didymella leaf spot, Septoria leaf spot and rust among the plant diseases.

For Botrytis Flower blight and similar flower blights on azalea and camellia, apply liberally to flowers and to soil and litter around the plants. For Botrytis blight and leaf spot on dogwood, apply at bud break and repeat as previously directed.

Sulphur may cause injury to foliage if applied during periods of high daytime temperature. Do not apply during periods when the daytime temperature is 90 degrees F. or above, or within two days of the time such temperature may be expected.

Carbaryl (Sevin) will harm Boston Ivy. Keep away from Boston Ivy.

### CAUTION

Harmful if inhaled or swallowed; may cause irritation of skin, eyes, nose, throat or lungs; avoid contact with or breathing of spray. Wash thoroughly after handling and before eating or smoking. Take shower or bath after work, change clothing.

This product is poisonous to fish or wildlife. Keep out of any body of water. Do not apply to crops or areas other than those stated in this label and not when weather conditions favor drift of spray from area treated. Clean application equipment and dispose of wastes and unused chemical in a pit on non-crop land well away from water supplies. Avoid contamination of feed and foodstuffs.


**DESTROY EMPTY CONTAINERS.** Do not reuse this container for any purpose. Destroy container in compliance with local regulations. If burned stay away from smoke, smoke may be hazardous.

**BEES** Honey bees should be located a safe distance from all areas to be treated during the growing season. Avoid applications during periods when beneficial bees are visiting the plant or crops.

**NOTE FOR PHYSICIAN** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

### NOTICE

Use only for the purposes and in compliance with the instructions, cautions or warnings stated on this label.



### INGREDIENTS

ACTIVE INGREDIENTS	
Carbaryl (1 naphthyl N-methylcarbamate)	12.5
Zineb (zinc ethylene bisdithiocarbamate)	12.5
Sulphur	25.0
INERT INGREDIENTS	
	50.0
Total	100.0

### CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statement on Side Panel

EPA Reg. No. 1386-561

NET WEIGHT

(H&G 111)

1 POUND

Prod. 2154

DISTRIBUTED BY

UNITED CO-OPERATIVES, INC.  
ALLIANCE, OHIO 44601