

For Directions for Use, See Attachment

ACTIVE INGREDIENT	
Benomyl [Methyl 1-(butylcarbamoyl)-2-benzy-midazolecarbamate]	50.0%
INERT INGREDIENTS	50.0%
<hr/>	
Total	100.0%

U.S. PAT. PENDING
EPA Reg. No. 1386-571

H&G - 147

PROD. 2127



**SYSTEMIC ROSE
& ORNAMENTAL
FUNGICIDE SPRAY**

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Remainder of CAUTION Statement on Side Panel

NET WEIGHT

2 OUNCES AVDP.

Distributed By

United Co-Operatives, Inc., Alliance, O. 44601

CAUTION

Avoid breathing dust. Avoid contact with skin, eyes and clothing. May cause irritation of eyes, nose, throat and skin. Wash thoroughly after using. In case of contact; flush skin or eyes with plenty of water; for eyes get medical attention.

Keep away from fire or sparks.

DESTROY EMPTY CONTAINER. Do not reuse this container for any purpose. Break glass container into previously prepared pit in an isolated area well away from water supplies and bury fragments deeply.

or many fungus diseases, providing both curative (eradicator) action and protective action. UNICO Systemic Rose & Ornamental Fungicide Spray is a wettable powder to be mixed with water for application as a spray.

ROSES—Powdery Mildew, Black Spot: Use one tablespoonful per 2 gallons of water. Begin application when disease first appears and repeat at 10 to 14 day intervals throughout the growing season; shorten intervals during humid, rainy weather.

FLOWERS, ORNAMENTALS—Powdery Mildew, Botrytis Grey Mold: Use 1 tablespoonful per 2 gallons of water. Begin application when disease first appears and repeat at 10 to 14 day intervals as long as needed.

TURF—Dollar Spot (Schlerotinia homeocarpa), Large Brown Patch (Rhizoctonia solani), Fusarium Patch (Fusarium Nivale): Apply at the rate of 2 oz. (12 tablespoonfuls), per 1,000 sq. ft. in sufficient water to obtain thorough coverage, usually 2 to 5 gallons per 1,000 sq. ft. Apply at earliest appearance of disease and continue at 10 to 14 day intervals as long as needed. When conditions are unusually



DIAMOND COPPER SULPHATE BLUESTONE

ACCEPTED
3/21/68

UNDER THE FEDERAL
FUNGICIDE ACT
FOR ECHOLOGICAL
AND ECONOMIC
CONTROL

INGREDIENTS

ACTIVE INGREDIENTS	99%
Inert ingredients	1%
NET WEIGHT	3 POUNDS

Copper sulphate pentahydrate
USDA Reg. No. 1386-304

CAUTION
KEEP OUT OF REACH OF CHILDREN

See Remains of Warning Statement of Back Panel

NET WEIGHT 3 POUNDS

UNITED CO-OPERATIVES, INC.
ALLIANCE, OHIO

UNICO DIAMOND COPPER SULPHATE

UNICO DIAMOND COPPER SULPHATE is a fungicide which is used to control fungi on various crops. It is also used to control algae and cyanobacteria in water. It is a systemic fungicide and is absorbed by the plant. It is used to control a wide range of fungi, including those that cause blight, rust, and other diseases. It is also used to control algae and cyanobacteria in water. It is a systemic fungicide and is absorbed by the plant. It is used to control a wide range of fungi, including those that cause blight, rust, and other diseases. It is also used to control algae and cyanobacteria in water.

TOBACCO PLANT BEDS

Apply 1/2 lb per 100 sq ft of bed area. Apply at 4-6 days after planting. Do not apply more than 1 lb per 100 sq ft of bed area. Do not apply to plants that are more than 6 inches tall. Do not apply to plants that are in flower. Do not apply to plants that are in fruit. Do not apply to plants that are in seed.

STONE FRUITS

Apply 1/2 lb per 100 sq ft of tree canopy. Apply at 4-6 days after flowering. Do not apply more than 1 lb per 100 sq ft of tree canopy. Do not apply to plants that are more than 6 inches tall. Do not apply to plants that are in flower. Do not apply to plants that are in fruit. Do not apply to plants that are in seed.

CAUTION

Keep out of reach of children. Do not breathe dust. Do not get in eyes. Do not get on clothing. Do not eat, drink, or smoke while using this product. Wash thoroughly after handling. Do not use in confined spaces. Do not use near open flames. Do not use near electrical equipment. Do not use near water. Do not use near food. Do not use near children. Do not use near pets. Do not use near livestock. Do not use near wildlife. Do not use near birds. Do not use near bees. Do not use near butterflies. Do not use near other beneficial insects. Do not use near aquatic life. Do not use near fish. Do not use near shellfish. Do not use near plants. Do not use near animals. Do not use near humans. Do not use near the environment. Do not use near the atmosphere. Do not use near the soil. Do not use near the water. Do not use near the air. Do not use near the ground. Do not use near the sky. Do not use near the earth. Do not use near the sun. Do not use near the moon. Do not use near the stars. Do not use near the planets. Do not use near the galaxies. Do not use near the universe.

NOTICE

This product is a restricted use pesticide. It may only be used by or under the direct supervision of a person who is licensed to sell or apply restricted use pesticides. It may only be used in accordance with the label directions. It may only be used on the crops and pests listed on the label. It may only be used in the states and territories listed on the label. It may only be used in the United States. It may only be used in the Commonwealth of Puerto Rico. It may only be used in the District of Columbia. It may only be used in the Virgin Islands. It may only be used in the Northern Mariana Islands. It may only be used in the American Samoa. It may only be used in the Guam. It may only be used in the Micronesia. It may only be used in the Marshall Islands. It may only be used in the Federated States of Micronesia. It may only be used in the Republic of the Marshall Islands. It may only be used in the Republic of Kiribati. It may only be used in the Republic of Nauru. It may only be used in the Republic of Tuvalu. It may only be used in the Kingdom of Tonga. It may only be used in the Kingdom of Samoa. It may only be used in the Kingdom of Eswatini. It may only be used in the Kingdom of Lesotho. It may only be used in the Kingdom of Swaziland. It may only be used in the Kingdom of Botswana. It may only be used in the Kingdom of Namibia. It may only be used in the Kingdom of Zimbabwe. It may only be used in the Kingdom of Lesotho. It may only be used in the Kingdom of Swaziland. It may only be used in the Kingdom of Botswana. It may only be used in the Kingdom of Namibia. It may only be used in the Kingdom of Zimbabwe.