

UNICO Turf Treeter "T"

DIRECTIONS FOR USE

TURF TREETER "T" is recommended for use on most turf grasses, especially those species sensitive to 2,4-D such as St. Augustine, bent and buffalo. Temporary foliage discoloration of the preceding species may result from application during period of high temperatures. St. Augustine grass may show temporary discoloration from application of this product when soil moisture is excessively high. Discoloration more pronounced when higher dosages are applied either purposely or accidentally.

If soil moisture is low, water or irrigate turf areas two to three days prior to spraying with UNICO TURF TREETER "T". Do not water or irrigate for 24 hours after application is made. Spray on calm day to avoid drift; use a coarse wetting spray when temperature is near 70° F. for best results. A larger volume of water will normally insure better coverage; however, water volume per unit of area is of less significance in control than using the correct amount of UNICO TURF TREETER "T" for the designated area. Weed species are more easily controlled when young and rapidly growing. More mature weeds will require higher dosage and repeat applications.

UNICO TURF TREETER "T" will injure or kill clover or dichondra lawns if spray is applied directly or permitted to drift on such areas. Spray drift or direct application will injure or kill ornamental and vegetable crops. Do not apply to new lawn seedlings until after seedlings are well established.

HOW TO MIX:

1. For use on St. Augustine grass, bentgrass, buffalo grass and grass seedlings, mix 2 oz. in 1-gallon of water to uniformly spray 800 square feet, for example, an area 20 feet wide and 40 feet long. If necessary, repeat treatment in 2 to 3 weeks, if resistant weeds persist.

2. For use on other grasses such as bermuda, bahia, bluegrass, centipede, fescue and rye, mix 1½ oz. in sufficient water to spray uniformly 400 square feet. On resistant species, under poor growing conditions, or older weeds, mix 2 oz. in sufficient water to spray 400 square feet with special attention to thorough coverage.

LIMITATIONS: Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter. Do not feed foliage or plant parts from treated areas to livestock.

WEEDS, CONTROLLED—UNICO TURF TREETER "T" is especially effective against weeds such as SHEEP SORREL, KNOT WEED, SPOTTED SPURGE, CHICKWEED, OXALIS AND HENBIT. In addition, it kills most broad-leaf weeds, some of which are listed below.

Bedstraw	Cocklebur	Lambsquarter	Poison Ivy	Spurge
Black Medic	Dandelion	Lespedeza	Poison Oak	Velvet Leaf
Buckhorn	Dock	Mallow	Purslane	Wild Carrot
Bull Thistle	Galinsoga	Morning Glory	Ragweed	Wild Garlic
Burdock	Ground Ivy	Mustard	Sheep Sorrel	Wild Lettuce
Buttercup	Hawkweed	Oxalis	Shepherd's Purse	Wild Onion
Chicory	Heal-all	Peppergrass	Speedwell	Yarrow
Chickweed	Henbit	Pigweed	Tansy Mu. ard	And many other
Clover	Knotweed	Plaintain	Thistle	broadleaf weeds

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing, avoid breathing spray mist. If contact with eyes occurs, flush with plenty of water.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate any body of water, especially domestic and irrigation water supplies.

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Use only lawn sprayers for this product. Coarse sprays are less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. Bury unused spray and rinse solutions well away from desirable plants and drip zones of shade trees.

DESTROY EMPTY CONTAINERS: Do not reuse this container for any purpose. If container is glass, break empty container into a previously prepared pit on non-crop land in an isolated area, and bury fragments deeply. If container is metal, punch holes in top and bottom, crush empty container with an axe, and bury crushed container deeply in a pit on non-crop land located well away from water supplies. Do not place empty containers in fires.

NOTICE

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.

UNICO

UNICO LO-V 2,4,5-TP & Brush Killer

ACTIVE INGREDIENTS PER GALLON

Propionic Acid 1**	65.2%
2,4,5-TP	34.8%

	100.0%

46.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Statement of CAUTION on Side Panel

EPA Reg. No. 1386-583

1 U.S. Gallon Liquid

PROD. 1CB

Distributed By:

ALLIANCE, OHIO 44601

CAUTION

This product may cause skin irritation. Avoid inhaling spray mist. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Flush eyes with clear water and get prompt medical attention.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT apply this product to susceptible broad-leaved plants that are desirable such as cotton, soybeans, tomatoes, grapes, clover, ornamentals. Excessive amounts of this product in the soil may temporarily inhibit seed germination and all plant growth.

Minute quantities may cause severe injury by drift or vaporization. Avoid drift of spray and use a coarse spray which is less likely to drift. Although this product contains an ester of low volatility, use it with caution when the spreading of vapors can damage nearby susceptible plants.

DO NOT contaminate water in irrigation ditches or water used for domestic purposes.

Users should note that herbicide treatment of public waters requires a permit from appropriate state agencies in most states. Your State Conservation Department or Game and Fish Commission will aid you in securing a permit if required in your state.

DO NOT store this product near fertilizers, seeds, insecticides or fungicides. DO NOT contaminate feed or foodstuffs.

DO NOT use spray equipment contaminated with this product for any other purpose.

If stored below freezing, it may be necessary to warm to 40° F. and agitate before using. This does not effect the efficiency of the product.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. If container is glass, break into previously prepared pit on non-crop land well away from water supplies, and bury fragments deeply. If container is metal, punch holes in top and bottom, crush under wheels of heavy vehicle or with an axe, and bury crushed container in a pit on non-crop land well away from water supplies.

NOTICE

Use only for the purpose and in compliance with the limitations, cautions or warnings stated on this label.

UNICO LO-V 2,4,5-TP

WHERE TO USE:

UNICO LO-V 2,4,5-TP (USEE AND BRUSH KILLER) is effective against: Turfgrass, and weeds in drainage areas, and brush.

PLANTS CONTROLLED

<ul style="list-style-type: none"> Buckhorn Ground Ivy Muskgrass Red Oak 	<ul style="list-style-type: none"> Red Top Red Top Red Top Salt Cedar 	<ul style="list-style-type: none"> Sand Skinnery Oak Scrub Oak White Oak Wild Blackberry Yucca
<ul style="list-style-type: none"> Algal Weed Arrowweed Fernweed 	<ul style="list-style-type: none"> Red Top Spatterdock Vetiver 	
<ul style="list-style-type: none"> Buckhorn Buckhorn Chenopium Cocklebur Common Chickweed Crabgrass 	<ul style="list-style-type: none"> Curled Dock Curly Indigo Dandelion Lambquarter Meadowweed Medicinal Chickweed 	<ul style="list-style-type: none"> Plantain Pokeberry Ragweed Sunflower Wild Lettuce

UNICO LO-V 2,4,5-TP

DIRECTIONS FOR USE

Add the recommended amount of product to 1/2 gallon of water to be used in spraying. Mix thoroughly and spray immediately. Repeat applications as necessary. Always shake container before use.

Best results are obtained when used on actively growing broad-leaved and actively growing woody growth.

WOODY GROWTH IN NON-CROP AREAS

Ground Equipment: Mix 2 to 4 quarts of product with 10 to 20 gallons of water and spray woody growth. For brush, use 2 quarts of product per gallon of water.

Airplane Application: For woody growth, use 2 quarts of product per gallon of water. For brush, use 4 quarts of product per gallon of water.

Spot Treatment: For brush, use 2 quarts of product per gallon of water.

AQUATIC WEEDS

Use UNICO LO-V 2,4,5-TP on aquatic weeds with the following water concentrations: For broad-leaved aquatic weeds, use 2 quarts of product per gallon of water. For narrow-leaved aquatic weeds, use 4 quarts of product per gallon of water.

WEEDS IN TURF

Mix 2 quarts of product with 10 to 20 gallons of water and spray turf areas. Apply to the turf with a spray nozzle. Do not apply to the turf with a hose.

Do not apply to the turf with a hose. Do not apply to the turf with a hose.

WEEDS IN RICE

Use UNICO LO-V 2,4,5-TP on weeds in rice with the following water concentrations: For broad-leaved weeds, use 2 quarts of product per gallon of water. For narrow-leaved weeds, use 4 quarts of product per gallon of water.

Do not apply to the rice with a hose. Do not apply to the rice with a hose.

SUGAR CANE IN LOUISIANA

Use UNICO LO-V 2,4,5-TP on weeds in sugar cane with the following water concentrations: For broad-leaved weeds, use 2 quarts of product per gallon of water. For narrow-leaved weeds, use 4 quarts of product per gallon of water.

Do not apply to the sugar cane with a hose. Do not apply to the sugar cane with a hose.

FLORIDA ONLY: Use UNICO LO-V 2,4,5-TP on weeds in sugar cane with the following water concentrations: For broad-leaved weeds, use 2 quarts of product per gallon of water. For narrow-leaved weeds, use 4 quarts of product per gallon of water.

Do not apply to the sugar cane with a hose. Do not apply to the sugar cane with a hose.