



UNICO Cygona Fly Spray

DIRECTIONS FOR USE

RESIDUAL WALL SPRAY—For control of houseflies in dairy barns, hog pens, sheds, poultry houses and other farm buildings, mix 2 quarts of UNICO CYGONA FLY SPRAY in 12½ gallons of water. Apply this 1% spray to walls, ceilings and all fly-resting areas to the point of runoff. One gallon of spray will cover 500 to 1000 sq. ft. of surface. Repeat applications as necessary.

Remove animals from buildings prior to spraying.

SPOT SPRAY—Mix 1 pint of UNICO CYGONA FLY SPRAY in 2½ gallons of water and apply with knapsack or similar type sprayer to doorways, windows or other fly-resting areas. Repeat as necessary.

MAGGOT SPRAY—To control maggots in poultry droppings, caged layer houses, garbage piles and other breeding spots, mix 1 pint of UNICO CYGONA FLY SPRAY in 2½ gallons of water and apply as a coarse spray or with a sprinkling can. Repeat application as manure or garbage is added.

GENERAL OUTSIDE USE—To control houseflies around homes, recreational areas, garbage cans, animal quarters, food-processing plants, warehouses, loading docks and refuse areas, spray exposed areas such as wells, fences, and refuse containers with 1 pint of UNICO CYGONA FLY SPRAY in 3 gallons of water. Repeat treatment as necessary.

GOOD SANITATION IS A NECESSARY PART OF ANY EFFECTIVE FLY CONTROL PROGRAM.

Do not contaminate food and feed products, drinking water, fountains, litter and feed troughs. Do not use in milk-processing rooms, including milk houses and milk storage rooms. Do not use in homes.

CYGONA FLY SPRAY


Contains Cygon* and Vapona[®] Insecticides
*Trademark of American Cyanamid Co., Agricultural Div.,
Princeton, New Jersey 08540
Vapona[®]—Trademark of Shell Chemical Company

ACTIVE INGREDIENTS:

Dimethoate ((O,O-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate)	23.40%
2,2-dichlorovinyl dimethyl phosphate	2.32%
Related Compounds	.18%
Aromatic petroleum solvent	36.25%

INERT INGREDIENTS:

37.85%
<hr/>
100.0%



WARNING

KEEP OUT OF REACH OF CHILDREN
See Remainder of WARNING Statement on Side Panel
EPA Reg. No. 1386-585

Net Contents

5 U.S. Gallons

FC-998A-5-73

PROD. 308

MANUFACTURED BY



CYGONA FLY SPRAY

Contains Cygon* and Vapona® Insecticides
*Trademark of American Cyanamid Co., Agricultural Div.,
Princeton, New Jersey 08540
Vapona®—Trademark of Shell Chemical Company

ACTIVE INGREDIENTS:

Dimethoate ((0,0-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate)	23.40%
2,2-dichlorovinyl dimethyl phosphate	2.32%
Related Compounds18%
Aromatic petroleum solvent	36.25%

INERT INGREDIENTS:

.....	37.85%
.....	100.0%

WARNING

KEEP OUT OF REACH OF CHILDREN
See Remainder of WARNING Statement on Side Panel
EPA Reg. No. 1386-585

Net Contents

5 U.S. Gallons

FC-998A-5-73

PROD. 308

MANUFACTURED BY

WARNING

Harmful or fatal if swallowed or absorbed through skin. Causes eye irritation.

Do not get in eyes on skin or on clothing.

Wash hands, arms and face with soap and water after handling and before eating or smoking.

FIRST AID—If swallowed, induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

In case of contact, immediately remove contaminated clothing and shoes, flush eyes or skin with plenty of water for at least 15 minutes. Call a physician. Wash clothing before reuse.

NOTE TO PHYSICIAN—This product may cause cholinesterase inhibition. Atropine is antidotal.

This product is toxic to fish, birds and other wildlife. Keep out of lakes streams and ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product as specified on this label.

DESTROY EMPTY CONTAINERS. Do not reuse this container for any purpose. Break empty glass containers and bury fragments in isolated areas well away from potable water.

NOTICE

Use only for the purposes and in compliance with the limitations, cautions or warnings stated on this label.