

# UNICO®

## UNICO Golden Killa Dilla

### DIRECTIONS FOR USE

GOLDEN KILLA DILLA TOBACCO SPRAY contains 1 pound of thiodan and 1 pound of malathion per gallon.

**TOBACCO (Plant Bed Application):** Green Peach Aphids, Cabbage Looper, Tobacco Hornworm, Tobacco Flea Beetle—Use 2 quarts per 100 gallons of water or 1½ table-spoonfuls per gallon of water. Apply 6 gallons of finished spray per 100 square yards of seed bed.

**TOBACCO (Field Application):** To control Green Peach Aphids, Cabbage Looper, Grasshoppers, Stink Bugs, Tobacco Budworm, Tobacco Hornworm, Tobacco Flea Beetle.

**CONVENTIONAL SPRAY EQUIPMENT**—Green Peach Aphids, Cabbage Looper, Tobacco Budworm, Tobacco Flea Beetle, Tobacco Hornworms use 2 to 4 quarts per acre. Stink Bugs use 2¼ to 4 quarts per acre. Grasshoppers use 6 quarts per acre. Begin treatment when insects first appear and repeat at 3 to 5 day intervals as needed. Thorough coverage of plants is necessary for good insect control.

**AIRCRAFT APPLICATION**—When applying this product by aircraft use the rates given above for conventional equipment in sufficient water to provide a minimum of 2 gallons of spray per acre.

**KNAPSACK SPRAYER**—When spraying plants that are less than knee high mix 6 to 13 tablespoonfuls per gallon of water and apply 20 gallons of spray per acre. When plants are tree high or taller, mix 4 to 9 tablespoonfuls per gallon of water and apply 30 gallons of spray per acre. When using a knapsack sprayer do not hold the nozzle closer than 12 inches above the top bud as injury may occur particularly under conditions of high humidity and temperatures above 85° F.

DO NOT APPLY WITHIN 5 DAYS OF HARVEST.

Do not use food utensils such as teaspoon and tablespoons for food purposes after use with pesticides.

## GOLDEN KILLA DILLA TOBACCO SPRAY

### ACTIVE INGREDIENTS:

*Endosulfan (hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide) .....	11.6%
**Malathion .....	11.6%
Aromatic petroleum solvent .....	68.6%
INERT INGREDIENTS .....	8.2%
TOTAL .....	100.0%

\*Thiodan, U.S. Patent No. 2,799,685

\*\*0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate

### WARNING

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional WARNINGS

EPA Reg. No. 1386-593

EPA Est. No. 1386-OH-1

Net Volume


FC-1005A-11-75

5 U.S. Gallons Liquid

PROD. 218

MANUFACTURED BY

UNIVERSAL COOPERATIVES, INC., ALLIANCE, OHIO 44601



## WARNING

Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in storing and loading operations, wear clean synthetic rubber gloves and wear a respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CRF Part 11.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

DO NOT CONTAMINATE OR STORE NEAR FEED OR FOODSTUFFS.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DO NOT STORE AT TEMPERATURES BELOW 20° F.

NOTE TO PHYSICIANS: Malathion may cause cholinesterase inhibition. Atrazine is antidiabetic; Endosulfan is a central nervous system stimulant. Treat symptomatically. There is no specific antidote.

## ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of washes.

Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Extension Service.

**DESTROY EMPTY CONTAINERS**—Do not use this container for any other purpose. Punch holes in top and bottom of metal containers, crush under wheels of heavy vehicle or with an axe and bury crushed containers in a pit on non-crop land well away from water supplies.

## NOTICE

Use only for the purpose and in compliance with the limitations, cautions or warnings stated on this label.

# UNICO®

## GOLDEN KILLA DILLA TOBACCO SPRAY

### ACTIVE INGREDIENTS:

*Endosulfan (hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide) .....	11.6%
**Malathion .....	11.6%
Aromatic petroleum solvent .....	68.6%
INERT INGREDIENTS .....	8.2%
TOTAL .....	100.0%

\*Thiodan, U.S. Patent No. 2,799,685  
\*\*0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate

## WARNING

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional WARNINGS

EPA REG. NO. 1386-593

EPA EST. NO. 1386-OH-1

Net Volume 1 U.S. Gallon Liquid

FC-1004A-11-75

MANUFACTURED BY

PROD. 218

UNIVERSAL COOPERATIVES, INC.  
ALLIANCE, OHIO 44601

## UNICO Golden Killa Dilla

### DIRECTIONS FOR USE

GOLDEN KILLA DILLA TOBACCO SPRAY contains 1 pound of thiodan and 1 pound of malathion per gallon.

**TOBACCO (Plant Bed Application):** Green Peach Aphids, Cabbage Looper, Tobacco Hornworm, Tobacco Flea Beetle—Use 2 quarts per 100 gallons of water or 1¼ tablespoonfuls per gallon of water. Apply 6 gallons of finished spray per 100 square yards of seed bed.

**TOBACCO (Field Application):** To control Green Peach Aphids, Cabbage Looper, Grasshoppers, Stink Bugs, Tobacco Budworm, Tobacco Hornworm, Tobacco Flea Beetle.

**CONVENTIONAL SPRAY EQUIPMENT**—Green Peach Aphids, Cabbage Looper, Tobacco Budworm, Tobacco Flea Beetle, Tobacco Hornworms use 2 to 4 quarts per acre. Stink Bugs use 2¼ to 4 quarts per acre. Grasshoppers use 6 quarts per acre. Begin treatment when insects first appear and repeat at 3 to 5 day intervals as needed. Thorough coverage of plants is necessary for good insect control.

**AIRCRAFT APPLICATION**—When applying this product by aircraft use the rates given above for conventional equipment in sufficient water to provide a minimum of 2 gallons of spray per acre.

**KNAPSACK SPRAYER**—When spraying plants that are less than knee high mix 6 to 13 tablespoonfuls per gallon of water and apply 20 gallons of spray per acre. When plants are tree high or taller, mix 4 to 9 tablespoonfuls per gallon of water and apply 30 gallons of spray per acre. When using a knapsack sprayer do not hold the nozzle closer than 12 inches above the top bud as injury may occur particularly under conditions of high humidity and temperatures above 85° F.

DO NOT APPLY WITHIN 5 DAYS OF HARVEST.

Do not use food utensils such as teaspoons and tablespoons for food purposes after use with pesticides.

# 46% CHLORDANE EMULSIFIABLE CONCENTRATE

## ACTIVE INGREDIENTS

Technical Chlordane\* ..... 46.0%  
 Refined Petroleum Distillates ..... 40.0%

INACTIVE INGREDIENTS ..... 14.0%  
 Total ..... 100.0%

\*27.6% octachloro-4, 7-methano-tetrahydroindane and 18.4% related compounds.

**FOR SUBTERRANEAN TERMITES:** Prepare the emulsion for the uses listed below by diluting 1 gallon of this concentrate with 49 gallons water to make 50 gallons of 1% stable emulsion. Use this concentrate in this 1% water emulsion as follows.

### Buildings Having Basements or Crawl Spaces

Dig a trench along the outside of the foundation walls. In brick or hollow block or concrete foundations, dig a trench to, **but not below**, the footing. Then as the trench is refilled, treat the soil at the rate of 4 gallons per 10 linear feet **for each foot of depth**. A trench 3 feet deep would require 12 gallons per 10 linear feet.

The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. It is suggested that you consult the State Extension Service for advice.

## CAUTION:

### KEEP OUT OF REACH OF CHILDREN

**Harmful if swallowed.** Contact with skin can cause toxic symptoms. Wash with soap and water after using or in case of contact with skin. Avoid breathing spray mist. Avoid contact with skin. Avoid contamination of feed and food-stuffs.

**Flammable.** Do not pour or store near open flame or pilot light. Do not use on crops.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy by crushing and burying in a safe place.

EPA Reg. No. 1421-23

EPA Est. 1964-GA-1

NET CONTENTS ( ) GALLONS

Manufactured for:

W. H. WALKER CHEMICAL CO., INC.  
 1000 GLENVIEW BLVD., N.E.  
 ATLANTA, GA.

