

Termite Kill II

Contains Dursban®. Controls Termites, Carpenter  
Ants, and Other Wood Destroying Insects.

ACCEPTED

MAF - 1 1995

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 1386-615

KEEP OUT OF REACH OF CHILDREN

WARNING

See Side Panel For Additional Precautionary Statements

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-  
2-pyridyl) phosphorothioate]\* ..... 12.6%

INERT INGREDIENTS\*\* ..... 87.4%

Total ..... 100.0%

\*Contains 1 Pound of Active Ingredient Per Gallon.

\*\*This Product Contains Xylene Range Aromatics.

Net Contents: 1 Gallon

EPA Reg. No. 1386-615  
EPA Est. No. 1386-OH-1



UNIVERSAL COOPERATIVES, INC., MINNEAPOLIS, MN 55440

PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
WARNING

Do not take internally. May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid breathing vapors or mist. Avoid spraying food crops. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed when not in use. Handle concentrate in a ventilated area.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or poison control center immediately. Aspiration hazard exists with this product.

If on Skin: Remove contaminated clothing and immediately wash skin with plenty of soap and water.

If in Eyes: Flush eyes with plenty of water. Call a physician.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Wear suitable protective clothing when using or handling this product to help avoid exposure to eyes and skin. Rubber gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended. To avoid breathing spray mist during application in confined areas, wear a mask or respirator suitable for filtering spray mists. The manufacturer does not recommend use of this product where there is insufficient ventilation.

## SUBTERRANEAN TERMITES - DIRECTIONS FOR HOME USER USE

### TERMITE CONTROL IN EXISTING STRUCTURES, BUILDINGS WITH BASEMENTS, OR CRAWL SPACES.

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe, or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Mix at the rate of 1 gallon of product per 10 gallons of water. Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use antiback-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of antiback-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

1. Retreatment for subterranean termites should only be made when there is evidence of reinfestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavations, landscaping, etc.
2. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.

Routine retreatment of the entire premises should be avoided.

CONTROL OF WOOD INFESTING BEETLES, CARPENTER ANTS,  
AND TERMITES (Localized Areas in Structures)

Dosage And Mixing Instructions: Termite Kill II is recommended for use as an aqueous emulsion containing 0.5% chlorpyrifos. To prepare a 0.5% emulsion add 1 1/3 fl. oz. of product per quart of water.

To control wood-infesting beetles of the families Lyctidae, Bostrichidae, Anobiidae, and Cerambycidae in homes and other structures, apply as an emulsion containing 0.5% chlorpyrifos. For treatment of small areas, apply by brushing the emulsion evenly on wood surfaces. For large or overhead areas, apply as a coarse spray to the point of runoff. When spraying overhead interior areas of homes, apartment buildings, etc. to the point of runoff, cover all surfaces below the area being sprayed with plastic sheeting or other material which could be disposed of by placing in trash if contamination from dripping occurs. Sprayed surfaces should be avoided until the spray has totally dried. Do not apply in food serving areas while food is exposed. Do not use in structures occupied by animals to be used for food purposes or which produce products for human consumption. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed.

For control of Carpenter ants in homes and other structures, apply as a 0.5% chlorpyrifos solution around doors and windows and other places where carpenter ants enter the premises and where they crawl and hide. Also spray into cracks and crevices or through openings or small newly drilled holes into wall voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area to the point of run-off.

For control of termites (localized areas of infested wood in structures), apply a 0.5% emulsion to voids and channels in damaged wood and in spaces between wooden members of a structure and between wood and foundations where termite infestation is likely to occur. Application may be made to inaccessible areas by drilling, and then injecting the emulsion. Use a sufficient amount of coarse spray to cover the area to the point of run-off. Treatment of localized areas is intended to kill workers and winged reproductive forms of termites in the treated areas and to prevent infestations for a temporary period. This type of application is not intended to be a substitute for soil treatment or mechanical alteration to control subterranean termites.

#### STORAGE AND DISPOSAL

**STORAGE:** Store product lightly sealed in original container. Store in a cool, dry place which is inaccessible to children or pests, preferably a locked storage area. If crystallization results from storage at cold temperatures, allow product to stand at room temperature for several hours and shake until dissolved.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse with water to be used in diluting product for use. Carefully discard container in trash.

#### WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other

express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made. 6/6

RQ, Chlorpyrifos Insecticide, Liquid, NA 2763, ORMA

DURSBAN is a Registered Trademark of the Dow Chemical Company.  
CO-OP is a Registered Trademark of Universal Cooperatives, Inc.