

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	1386-620	JUL 17 1986
TERM OF ISSUANCE		
NAME OF PESTICIDE PRODUCT		
Stain - Oil Base/Semi Transparent		

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide,  
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Universal Cooperatives, Inc.  
 510 West Ely Street  
 Alliance, OH 44601

$$\begin{array}{r} 160 \\ \hline 18 \end{array}$$

$$\begin{array}{r} 164977 \\ \hline 1 \end{array}$$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 1386-620."
  - b. The claims "wood preservative," "preserves," and "protect the wood," are too broad to be meaningful. The label must be revised to state the types of pests intended by these claims.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.


ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Henry M. Jacoby* DATE: 7/17/86

2463

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

  
Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosures

ACCEPTED  
with COMMENTS  
to EPA Letter Dated:


JUL 17 1986

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
1386-620




OIL BASE/SEMI-TRANSPARENT

# STAIN



**PRESERVES  
PENETRATES  
REPELS WATER**



**WARNING** SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS  
KEEP OUT OF REACH OF CHILDREN  
ONE U.S. GALLON (3.785 L)

ACTIVE INGREDIENTS:  
Bifenthrin (50% emulsifiable concentrate) 1.75%  
1 - (1,1-dichloro-2,2-bis(4-chlorophenyl)ethane) 1.75%  
INERT INGREDIENTS 96.50%  
EPA Reg. No. 1386-620  
This product weighs 7.25 pounds per gallon

SEMI-TRANSPARENT

**PRECAUTIONARY**

**HAZARDS TO HUMANS AND**

**WARNING:** Causes eye damage and skin irritation. Do not get in eyes and rubber gloves when handling. Harmful if swallowed or absorbed. Experience eye watering, headaches or dizziness, increase in heart rate or equivalent or leave the area. This product may cause skin

**STATEMENT OF PRACTICE**

**IN CASE OF SKIN CONTACT:** Wash promptly and thoroughly with copious amounts of clean, cool water for 15 to 20 minutes. If **SWALLOWED:** Call a physician or Poison Control Center. Drink or if these are not available, drink large quantities of water. Avoid

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate shock, respiratory depression, and convulsion may be needed.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge containing this pesticide into lakes, streams, ponds, or the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS: COMBUSTIBLE DO NOT USE IN THE PRESENCE OF CHILDREN.**

**NOTICE:** Reports have associated repeated and prolonged occupational system damage. Intentional misuse by deliberately conc

**GENERAL:** Unico Stain and Wood Preservatives are formulated to penetrate and to show. This results in a very attractive, long lasting, water repellent finish. For best results in using a stain, the wood should be clean and free of stains. Use only in well ventilated areas.

**DIRECTIONS**

It is a violation of Federal law to use this product in a manner which is inconsistent with its labeling.

**SURFACE PREPARATION:** This product will resist mildew attack after application but will NOT kill mildew present before staining. Test for mildew by applying a mixture of 1 part bleach to 1 part of water. If mildew is present the surface will lighten. Wash all mildewed areas with a mixture of 1 quart of bleach to 1 gallon of water, let stand for 30 minutes, then rinse with the same solution. Use rubber gloves and goggles when applying bleach solution. Apply stain after area is dry.

**STAIN PREPARATION:** Stir the stains thoroughly before and during use to maintain a uniform solution. If more than one gallon is required, these should be mixed together before use in a larger container. This will insure color uniformity.

**APPLICATION:** Apply liberally by brush, spray, dip, or roller. If stain is not freely absorbed by the wood, allow surface to weather until adequate absorption is attained. Colors will vary somewhat on different woods. Recoating over other colors can affect the color. For best results apply at 40°F. (5°C) to 90°F. (30°C). Avoid application in direct sunlight. Surfaces must be clean and dry before applying.

*This stain has been reduced to 5%*