		1 LIO 9 59	ALE OF IDSUANCE 103 -
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS		1409-59	8/9/85
		TERM OF ISSUANCE	0/7/87
•	RATION DIVISION (WH-567) HINGTON, D.C. 20460	I LENGT OF 1220VINCE	
<b>.</b>			
NOTICE OF PESTICIDE: REGISTRATION		NAME OF PESTICIDE PRODUCT	
	REREGISTRATION	Weldwood Woodlife	Y Concentrate
(Under t	he Federal Insecticide, fungicide,	; 	/
	odenticide Act, as amended)	<u>i                                     </u>	
NAME AND ADDRES	S OF REGISTRANT (Include ZIP code)		
		— /4	174193
Rob	erts Consolidated Industries	· · · · / · / · / · / · / · / · / · / ·	174193
	5 Superior Avenue		
Kal	amazoo, MI 49001		
<u> </u>			
MOTE: Changes is	n labeling formula differing in substance	from that accented in con	nection with this registration
must be submitte	ed to and accepted by the Registration Di on this product always refer to the above	vision prior to use of the	e tabel in commerce. In any
	Information furnished by the registrant, der the Federal Insecticide, Fungicide, a		is hereby Registered/
A copy of the I	abeling accepted in connection with this	Registration/Reregistratio	on is returned herewith.
registration of use of the name Thi 3(c)(7)  1. of your	a pesticide in accordance with the Act, a product under this Act is not to be co or to its use if it has been covered by product is conditionally regist (A) provided that you:  Submit and/or cite all data required product under PIFRA sec. 3(c)(5)	nstrued as giving the regionhers.  ered in accordance will red for registration when the Agency regions	istrant a right to exclusive  ith FIFRA sec.
•	ants of similar products to submi  Make the labeling changes listed		less the modust
for shi		Datow Delote you re-	Mass the product
<b>a.</b>	Add the phrase "EPA Registration No. 1409-59."		
<b>b.</b>	Delete the claim to control blue stain or include appropriate directions for use. Blue stain is a problem only on fresh cut lumber and treatment must be made within 24 hours of cutting to effectively prevent staining. If the product is to be applied to fresh cut lumber, indicate that treatment must be made within 24 hours of cutting for prevention of blue stain.		
c.	The labels for the one gallon containers must bear the storage and disposal statements applicable to homeowner use as specified in PR Notice 83-3. The 5 and 55 gallon container labels must bear the appropriate statements specified in the same notice for commercial or industrial use products.		
ATTACHMENT	IS APPLICABLE		
SIGNATURE OF AP	PROVING OFFICIAL	Hry	DATE /9/85
EPA form 8570-6	(Rev. 5-76) PREVIOUS EDITI	ON MAY BE USED UNTIL SUPPL	LY IS EXHAUSTED.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Hid

Henry M. Jacoby Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767)

Enclosure

RD/FHB:JOB:88690:Noles:RD-57:Kendrick & Co:898-1270:8/5/85:Del.8/14/85:eg

### Front Panel

**USES** 

✓ Siding

✓ Fences

✓ Decks

Exterior Wood Products

Active Ingredient: 3-lodo-2-Propynyl

Dubil Cobamata

Butyl Carbamate. . . 0.5%

Inert Ingredients. . . . 99.5%

Total . . . . . . . 100.0%

Net Contents 1 U.S. gallon

(3.78 liters)

WELDWOOD

WOODLIFE F

Clear Wood Preservative

# ✓ PRESERVES PROTECTS

- Excellent Water Repellency
- Reduces Swelling and Shrinking
- Inhibits Mildew, Rot and Decay

## DECORATIV FINISH

- Provides Uniform Long Lasting Color
- Will Not Crack, Blister or Peel

# **∠** EASY TO US

Keep Out of Reach of Children (12 pt)

## **WARNING**

(18 pt)

See Side Panel for Additional Precautionary Statements No Unpleasant Odo

E.P.A. (Environmental Protection Agency) Registered U

EPA Reg. No. 1409-EPA Est. No. 1409-141-1

. STOCK NO.

with COMMENTS
In EPA Letter Dated:

AUG 9 1985.

Under the seal Insecticide, Fungeeds, and insecticide Act as amended, for the pesticide registered under EPA Reg. No.

1409-57

WARNING: CONTAINS PETROLEUM DISTILLATES. Use only with adequate ventilation. Avoid prolonged breathing of vapor or spray mist. Har ful if swallowed. Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling, and rubber gloves and protective clothing when handling freshly treated lumber. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately.

IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush with plenty of water. Get medical attention.

Note to Physician: This product is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine only by injection is antidotal.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE: Do not use, pour, or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

#### STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not store near excessive heat.

PESTICIDE DISPOSAL. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL. Triple rinse (or equivalent), Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

£ 96 /

#### Outstanding Features

WOODLIFE Clear Wood Preservative is a blend of chemicals with the protection of an effective water repellent wood preservative.

WOODLIFE Clear Wood Preservative penetrates into wood and controls the growth of decay fungi (like brown or white rot), staining fungi (like blue stain), and surface mold (like black, brown or other colored mildew). It stabilizes wood against the effects of moisture and reduces dimensional change that can cause swelling, warping and splitting.

#### Directions for Use

Apply this product only as specified on the label. It is a violation of Federal law to use this product in a manner inconsistent with its label-ing.

This product must be applied out-of-doors to wood intended only for exterior use. (Note to User: Keep container closed when not in use!)

Do not use on wood which will come in continuous contact with the skin unless the wood is sealed with paint, vernish or shellac after treatment.

#### Preparation

For best results, all cutting, glueing and sanding should be done before applying WOODLIFE Clear Wood Preservative. Wood must be clean, dry, and free from foreign material. This product can be used on unfinished new wood, unfinished weathered wood. Stains and paints should be stripped for best results. Do not use steel wool. If mildew is present, remove by washing with a 50% dilution of household bleach followed by water. If extractive bleeding has occurred, acrub with a diluted solution of oxalic acid (% lb. per gallon of water) and then wash at once with clear water. Always wear rubber gloves, protective clothing and goggles when using bleach and oxalic acid. Allow surface to dry before applying.

#### Application

Stir well before using. No thinning is required. The temperature of the wood and the WOODLIFE Clear Wood Preservative should be 40° F (4.4° C) or above. This product may be applied by roller or brush. When roller coating, use a brush to finish edges and grooves. Be sure to brush thoroughly so that all surfaces are completely wetted and covered. Coat side and end grain with consecutive coats until its thirst for solution has been filled. If two coats are desired, be sure to apply the second coat before the first coat has dried. Any surface cut after treatment should be retreated.

#### Coverage

100-150 eq. ft./gal. depending on the porceity of the wood.

#### Drying Time

A minimum of 24-48 hours depending on conditions and method of application. On humid days, longer drying time may be required.

## Back Panel (cont)

#### Cleanup

Use Mineral Spirits to remove wet WOODLIFE Clear Wood Preservative from all surfaces, brushes and rollers.

Important Notice to Purchaser: Buyer assumes all risk of use, handling and storage of product not in strict accordance with label directions. No express warranties are given. Should defect occur, Seller's sole liability is to replace product or refund purchase price. Any implied warranty of merchantability or fitness for particular use is limited to one year from date of purchase. Liability for any incidental or consequential damage or loss is specifically excluded at all times. If used for other than personal, family or lousehold purposes, any implied warranty of merchantiability or fitness for particular use is excluded.

#### Manufactured by:

ROBERTS CONSOLIDATED INDUSTRIES City of Industry, CA 91749