

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NUMBER 1409-63	DATE OF ISSUANCE
	TERM OF ISSUANCE FEB 2 1987	
	NAME OF PESTICIDE PRODUCT Woodlife Military Type I - M & F	

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

174319  
160  
18

Beecham Home Improvement Products  
 P.O. Box 277  
 Dayton, OH 45401

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 1409-63" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(c). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

*Lois A. Rossi*  
 Lois A. Rossi  
 Acting Product Manager (21)  
 Fungicide-Herbicide Branch  
 Registration Division (TS-767C)

Enclosures

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

BEST AVAILABLE COPY



WOODLIFE  
TYPE F -

- Water repellent preservative for wood
- Protects against mildew, decay, and fungal stain
- Can be painted, stained or finished

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

FEB 9 1987

Under Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the product registered under EPA Reg. No. 1409-63

ACTIVE INGREDIENTS  
3-Iodo-2-Propynyl Butyl Carbamate 0.50%  
INERT INGREDIENTS 99.50%  
TOTAL 100.00%

EPA Reg. No. 1409  
EPA Est. No. 1409-MI-1

KEEP OUT OF REACH OF CHILDREN  
**WARNING!**

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

- 5 U.S. GALLONS (18.92 LITERS) (Net Wt 32.81)
- 55 U.S. GALLONS (208.19 LITERS) (Net Wt 360.91)

## PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** CONTAINS PETROLEUM DISTILLATES. Use only with adequate ventilation. Avoid prolonged breathing of vapor or spray mist. Harmful if swallowed. Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling, and rubber gloves and protective clothing when handling freshly treated lumber. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

**STATEMENT OF PRACTICAL TREATMENT: IF ON SKIN** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF SWALLOWED:** Do not induce vomiting. Promptly drink a large quantity of milk, egg whites or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately.

**IF INHALED:** Remove victim to fresh air.

**IF IN EYES:** Flush with plenty of water. Get medical attention.

**NOTE TO PHYSICIAN:** This product is a cholinesterase inhibitor. If signs of cholinesterase inhibition appear, atropine only by injection is antidotal.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL AND CHEMICAL HAZARDS

**FLAMMABLE:** Do not use, pour, or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

## LIMITED WARRANTY

Buyer assumes all risks of use, handling and storage of product not in strict accordance with label directions. Any implied warranty of merchantability or fitness for a particular use is limited to one year from date of purchase. Liability for any incidental or consequential damage or loss is specifically excluded in all times. If used for other than personal, family or household purposes, any implied warranty of merchantability or fitness for particular use is excluded. Seller will not accept liability for more than part and replacement. Some states do not allow limitations on how long implied warranties last nor do they limit the amount or exclusion of incidental or consequential damages. All other limitations of exclusion may not apply to you.

## DIRECTIONS FOR USE

Apply this product only as specified on the label. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## PRODUCT INFORMATION

**Woodlife Milltreat Type F - WEP** is a blend of chemicals especially formulated to provide the protection of an effective water repellent and a proven wood preservative.

**Woodlife Milltreat Type F - WEP** penetrates into wood and controls the growth of decay fungi (like brown or white rot), staining fungi and surface mold (like black, brown or other colored mildew). It stabilizes wood against the effects of moisture and reduces dimensional change that can cause swelling, warping and splitting. No unpleasant odor. Will not crack, blister or peel.

This product can be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground. Sealers are necessary if frequent or prolonged dermal contact is expected. Do not use on wood that will be in contact with food, feed, or potable water. Due to the presence of petroleum distillates in this product, do not use where dairy cattle or livestock can come in contact with treated wood. Applying paints and stains often results in splashing or dripping. Cover desirable plants and shrubs to protect against possible injury. Cut and machine wood prior to treatment if possible. If not, liberally apply two coats of preservative to all joints, cracks, holes or other openings. For best results and uniformity of appearance, retreat once every three years.



Depend on DAP

©Beecham

Home Improvement Products Inc.  
Dayton, Ohio 45401

Made and Printed in U.S.A.

80270

## USES

Woodlife Milltreat Type F - WEP provides a protective decorative finish for walls, siding, floors, decks, patios, and other wood products.

## COVERAGE

100 to 150 sq. ft./gallon depending on the porosity of the wood.

## PREPARATION

- For best results, all cutting, gluing and caulking should be done before applying Woodlife Milltreat Type F - WEP. Wood must be clean, dry and free of old material. This product can be used on unfinished new wood, unfinished weathered wood.
- Stains and paints should be stripped for best results. Do not use steel wool. If mildew is present, remove by washing with a 50% dilution of household bleach followed by water. If extractive bleeding has occurred, scrub with a diluted solution of oxalic acid (1/2 lb. per gallon of water) and then wash at once with clear water. Always wear rubber gloves, protective clothing and goggles when using bleach and oxalic acid.
- Allow surface to dry before applying.

## APPLICATION

- Stir well before using. No thinning is required. The temperature of the wood and the Woodlife Milltreat Type F - WEP should be 40°F or above.
- This product may be applied only by roller or brush. Do not spray. When roller coating, use a brush to finish edges and grooves. Be sure to brush thoroughly so that all surfaces are completely wetted and covered. Coat side and end grain of wood with consecutive coats until its thirst for solution has been filled. If two coats are desired, be sure to apply the second coat before the first coat has dried.
- Any surface cut after treatment should be retreated.

## DRYING TIME

A minimum of 24-48 hours depending on conditions and method of application. On humid days, longer drying time may be required.

## CLEAN UP

Use Mineral Spirits to remove all Woodlife Milltreat Type F - WEP from all surfaces, brushes and rollers.

## STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food or feed, by storage or disposal. Do not store near excessive heat.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by the user according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.