

DIRECTIONS

FOR CLEANING, DISINFECTING AND DEODORIZING IN ONE OPERATION: On environmental surfaces, apply solution containing 1 part of **OVATION** to 128 parts of water, that is, about 1 ounce per gallon or 2½ ounces per 2½ gallon bucket. Scrub with brush, mop or damp cloth and allow solution to remain on surface for several minutes. Remove with damp mop or squeegee. Rinse with clear water, if desired, except where residual bacteriostatic activity is desired.

OVATION is a unique combination of specialized modern synthetic organic detergents and several highly potent substituted phenols. When used as directed, **OVATION** deposits a bacteriostatic film which inhibits the growth and multiplication of most pathogenic organisms.

OVATION passes A.O.A.C. Use Dilution Confirmation Tests against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa* at 1 to 128 dilution and, therefore, is acceptable for many applications in the hospital sanitation program including uses in wash rooms and locker rooms.

OVATION passes the official A.O.A.C. Fungicidal Test at a dilution of 1 to 128 for disinfection of inanimate surfaces contaminated with pathogenic fungi.

OVATION passes the most recently adopted (Eleventh Edition, 1970, Chapter 4) A.O.A.C. test procedure

CONTINUED ON OTHER SIDE PANEL

OVATION

NEUTRAL DETERGENT-GERMICIDE HOSPITAL GRADE

A.O.A.C. Use Dilution: 1 to 128

**BACTERICIDAL • STAPHICIDAL • FUNGICIDAL
PSEUDOMONACIDAL • VIRUCIDAL • TUBERCULOCIDAL
CONDUCTIVE**

Cleans, disinfects and deodorizes in one operation. Non-selective. Kills a wide variety of both Gram Positive and Gram Negative organisms. Kills most common pathogenic bacteria and fungi, including anti-biotic resistant *Staph*, virulent *Pseudomonas aeruginosa*, and virulent *Mycobacterium tuberculosis*. Deposits residual anti-microbial film that inhibits the growth of bacteria. *Inactivates Influenza Virus A₂ (Hong Kong) on inanimate environmental surfaces.

**NEUTRAL • NO EXCESSIVE FOAMING • FREE RINSING
WILL NOT REDUCE CONDUCTIVITY OF OPERATING ROOM FLOORS**


Active Ingredients39.5%
Isopropanol22.0%
Para-tertiary-amylphenol .. 5.0%
Ortho-phenylphenol 5.0%
Triethanolamine dodecyl
benzene sulfonate 4.5%
Tetrasodium ethylene
diamine tetraacetate3.0%
Inert Ingredients60.5%

Use on most environmental surfaces including floors, walls, cabinets, fixtures in hospitals, sanatoriums, sick rooms, operating rooms, contagious disease areas, wash rooms, schools, office buildings, restaurants, factories and institutions.

DANGER: Keep Out of Reach of Children

First aid and other precautions on right panel.

Manufactured By



CHURCHILL CHEMICAL COMPANY

C ESBURG, ILLINOIS 61401

DIRECTIONS: Continued from other side

cedure against virulent *Mycobacterium tuberculosis* at 1 to 128, after incubation for 12 hours in different media.

Laboratory tests show that **OVATION** is effective against *Neisseria meningitidis* and *Shigella* on environmental surfaces.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye and skin irritation. Do not get in eyes or on clothing. Protect eyes and skin. Harmful if swallowed. Avoid contact with food. **Do not use, pour, spill or burn** or open flame.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for several minutes. For eyes, call a physician. Wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution or other bland food available, drink large quantities of water. Call physician immediately.

Note to physician: Probable mucous membrane irritation. Contraindicate the use of gastric lavage against circulatory shock, respiratory depression and convulsion may be needed. Rinse empty container thoroughly and discard it.

E. P. A. Reg. No. 1416-38

QUALITY CONTROL NUMBER

ACCEPTED WITH COMMENTS