

[1421-47]

CATTLE SPRAY

FOR THE CONTROL OF FLIES IN BARN AND STABLES

ACTIVE INGREDIENTS: 100%
Petroleum Distillate
Piperonyl Butoxide, Technical*
Pyrethrins

* Consists of (Butylcarbityl)(6-Propylpiperonyl) ether and related compounds.

DIRECTIONS

Spray animals twice daily for temporary protection from hornflies, stableflies, houseflies, gnats and mosquitoes. Use not more than 1 to 2 ozs. of the spray per animal at one treatment.

FOR DAIRY COWS: Spray each morning before milking, and again in the evening. Take precautions to protect milk and utensils from contamination.

FOR NON-DAIRY CATTLE: Apply a light spray over the entire body, including special attention to legs, heads and sides. Do not apply or rub with a cloth or sponge and do not wet too heavily. Apply morning and evening for several days. Repeat treatment as necessary.

FOR HORSES AND MULES: Spray lightly just previous to working.

IN BARN AND STABLES: Remove all filth and dirt. Close doors and windows and spray thoroughly, filling air with a fine mist. Direct spray toward walls and ceilings. Leave building closed 15 minutes or longer. Repeat application as necessary.

KEEP OUT OF REACH OF CHILDREN

CAUTION: Do not spray, store or pour near an open flame. Do not smoke while spraying. Keep out of reach of children. Harmful if swallowed.

Do not contaminate any body of water by cleaning of equipment or disposal of waste.
This product is toxic to fish.

NET CONTENTS () GALLONS

Manufactured For

ACCEPTED

FEB 13 1967

UNDER THE FEDERAL INSECT
FUNGICIDE AND RODENTICIDE ACT
FOR FLORIDA, THIS PRODUCT IS
REGISTERED UNDER NO. 1421-47
TO ATTACHED COMMENTS

USDA Reg. No. 1421-47