GRAIN FUMIGANT ACTIVE INGREDIENTS:

Carbon Tetrachloride

* Ethylene Dibromide
Ethylene Dichloride
INERT INGREDIENTS:



NOV 201963

TO ATTACHED COMMENTS

3%

* Contains 15% Ethylene Dibromide by volume 20.4% by weight.

DIRECTIONS

For the control of flour and wheat grain insect pests such as Red Flour Mach, Saw-toothed Grain Beetle. Flat Grain Beetle, Confused Flour Beetle, Hairy Fungus Beetle, Foreign Grain Beetle, Granary Weevil, Lesser Grain Borer, Indian Meal Moth, Angoumois Grain Moth, Rice Weevil and Cadelle infesting mill equipment and storage facilities:

Clean up all dusts and broken grain kernels before treatment. Apply by coarse spray or by pouring: 16-20 oz. along entire length of reel and purifier conveyors; 12 oz. on each section of sifters; 1-3 oz. per each linear foot of Flour Conveyors; 14-16 oz. through drilled holes in elevator bocts and into reel inspouts; 12 oz. inside elevator heads; 48 oz. per each 500 cubic feet of bin space applied around inside of empty bins near top of bin; 16 oz. to inside top section of dust trunks.

Best results are obtained when fumigation is carried out at 75 F with exposure period at least 24 hours. After application, close and lock all doors or other means of entrance. Post warning signs on all doors. At end of the fumigation period open all doors and windows and air thoroughtly until all fumigant odor has disappeared.

Consult state and county agricultural agencies for local ordnamices and practices.

Equipment and storage facilities should be inspected at least monthly for insect infratation. Fumigate promptly if insect damage is noticed.

WARNING

read of react or control

Hazardous vapor and liquid. May be fatal if inhaled or swallowed. Use only with adequate ventilation. Do not breathe vapor. Do not take internally. Do not ret in eyes, on okin or on clothing.

Apply only under conditions which prevent breathing of vapor. Wear a gas mask approved by the U.S. Bureau of mines for protection against organic vapors. In case of contact, immediately wash skin with soap and water. Flush eyes with water for least 15 minutes and get medical attention. Remove contaminated clothing (including shoes) and do not re-use until all fumigant vapors have been removed by prolonged airing or by washing. Do not enter any structure that has been fumigated until it has been thoroughly aired for at least 24 hours and all fumigant removed. For emergency entry, use approved gas mask.

NET CONTENTS 5 GALLON

USDA REG. NO. 1421-A

DISTRIBUTED BY
CREST CHEMICAL COMPANY