1431-14

DIRECTIONS FOR USE

RATS—Place 4 to 6 ounces of bait in dry containers next to burrows, in runways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 12 days and continue baiting until all signs of feeding have stopped.

MICE—Place tablespoonful amounts of bait in shallow containers where mice or signs of mice have been seen. Bait stations at intervals of 8 to 12 feet are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days.

GENERAL DIRECTIONS

- 1. Place bait in locations where Rats and Mice feed, Water or Travel.
- 2. Bait placements along walls, in corners and in concealed locations where rats & mice can feed unobserved are desirable.
- 3. Bait should be placed in locations not accessible to children, pets and domestic animals, or in tamper proof bait boxes.
- 4. Contaminated or spoiled bait should be replaced promptly.
- 5. Baiting should be continued until all signs of feeding have stopped.
- 6. Do not re-use container. Destroy when empty.
 - *T. M. Wisconsin Alumni Research Foundation
 U. S. Patent No. 2,427,578
 Other patent applications pending
 Net Weight 1 lb.

MILFRED'S

- Ready To Use -EAT & MOUSE BAIT



Active Ingredients:
Warfarin 3-(alpha-acetonylbenzyl)4-hydroxycoumarin 0.025%
N'-(2-quinoxalinyl) sulfanilamide 0.025%
Inert Ingredients 99.950%
TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR REQUIRED PRECAUTIONS

Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

This rodenticide contains WARFARIN an anticoagulant chemical that reduces the clogging ability of the blood and, upon repeated feedings causes fatal hemorrhage in rats. It also contains an antibacterial agent which inhibits bacteria that produce Vitamin K, an antidote for Warfarin. It hereby increases effectiveness against hard-to-kill rats and gives better and more thorough control.

User assumes all responsibility of handling.

Manufactured By
The Milfred Company
Pittsburgh, Pa. 15219

U.S.D.A. Registration No. 1431-19