

Feb. 20, 1967

CONTENTS: 50 POUNDS NET WEIGHT

DIRECTIONS FOR USE

COTTON: For wireworm control - Use at rate of 50 pounds per acre by broadcast on surface before planting. Cultivate into soil.

PLANTES: For Southern corn rootworm control - Apply 20 to 25 pounds per acre of CHEM-PELS P-10 in an 18 inch band as a row soil treatment at pegging time. Material should be lightly worked into the soil immediately.

SUGAR CANE: For wireworm control on row treatment - Use at rate of 20-30 pounds per acre at time of planting. Cultivate into soil.

CORN: For wireworm control on row treatment - Use at rate of 15-20 pounds per acre at time of planting. Cultivate into soil.

IRISH POTATOES: For wireworm control on row treatment - Use at rate of 20 to 30 pounds per acre at time of planting. Cultivate into soil.

GLADIOLUS: For wireworm control - Use at rate of 50 pounds per acre at time of planting. Cultivate into soil.

CORN: To control corn rootworm in Nebraska, Iowa, South Dakota, Minnesota and Kansas, apply 12 lbs. per acre as a row soil treatment when planting. In all other states, apply 10-15 lbs. per acre as a row soil treatment when planting.

ONIONS, SUGAR BEETS: To control garden wireworm, apply 50 lbs. per acre dry soil surface before planting and thoroughly work into upper 6 inches.

IRISH SWEET POTATOES AND CARROTS: To control wireworm, broadcast 20-30 lbs. per acre to soil surface before planting and thoroughly work into upper 1 to 6 inches.

ONIONS: To control onion maggot, apply 20 lbs. per acre in furrow with seed at planting time.

TOBACCO: To control wireworm, broadcast 20 lbs. per acre one month before planting and work into top 6 to 9 inches.

The Federal Food and Drug Administration has set official tolerances for pesticide residue. Crop bearing residues in excess of these tolerances should not be marketed without removal of such excess.

CHEM-SECT BRAND

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT.
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1439-164

CHEM-PELS P-10

Comments

Keep all persons out of the open drift. Vacated areas should not be resodded until residues have dissipated. Consult local recommendations. Poisonous. Rapidly absorbed through skin. Protect with natural rubber gloves, immediately with soap and water with the U. S. Department of Agriculture feed and foodstuffs. Wash hands before eating or smoking. Do not

SOIL INSECTICIDE

ACTIVE INGREDIENTS: 10%

Parathion (O,O-Diethyl O-p-Nitrophenyl Phosphorothioate)

INERT INGREDIENTS: 90%

TOTAL 100%

WARNING: KEEP OUT OF THE REACH OF CHILDREN

See side panel for additional warnings and antidote statements.



DANGER POISON



"U.S.D.A. Reg. No. 1439-164."

INTERNAL - Give a tablespoonful if poison fluid is clear. Have victim IMMEDIATELY. EXTERNAL - Wash with soap and hot water before entering.

TO PHYSICIAN: Compound acts on parasympathetic nervous system. Atropine to the limit of patient's tolerance or administration of oxygen is helpful.

The statements made on this label are given for information only, because conditions of use which Chemical Insecticide Corporation is representative to make, any warning concerning this material, except on label. Neither Chemical Insecticide in any manner for any person in to the buyer or to any person from or not in accordance with directions from such handling, storage, or use.

BURN EMPTY PAPER BAG CONTAINER
CAUTION AND STAY WELL AWAY

This product is
Keep out of lake
not apply in any
the label.

RECEIVED
CHEM-SECT BRAND

RECEIVED
CHEM-SECT BRAND

CONTAINS
CHEM-SECT
BRAND

30 WILLIAM AVENUE, NEW YORK, NEW YORK

CHAS. L. GLAD

ACCEPTED WITH COMMENTS

CHEM-SECT BRAND

CHLORPYRIFOS 10% EC

SOIL INSECTICIDE

ACTIVE INGREDIENTS: 10%

Pornition (O,O-Diethyl O-p-Nitrophenyl
Phosphorothioate)

INERT INGREDIENTS: 90%

TOTAL 100%

WARNING: KEEP OUT OF THE REACH OF CHILDREN

"See side panel for additional warning
and antidote statements."

DANGER POISON

"U.S.D.A. Reg. No. 1439-164"



Feb. 20, 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1439-164

Comments

Keep off trees, shrubs, and other plants.
Drift, Volatilization, and residues may contaminate these areas.
Residues have been reported to cause damage to certain crops.
Local recommendations should be followed.
Reapply if needed. If contact occurs, wash skin immediately with soap and cool water. Wash clothing
immediately with soap and warm water. Wear protective clothing when handling. Report all cases of poisoning to the U. S. Department of Agriculture for Investigation and Treatment. Write to the Bureau of Entomology and Plant Pathology, Washington, D. C. 20250.

SYMPTOMS

INTERNAL: The initial signs of poisoning are nausea, vomiting, and diarrhea. These signs may develop rapidly and become severe.

IMMEDIATELY INTERNAL: If skin is accidentally contaminated, wash again

with soap and hot water before resuscitation.

TO PHYSICIAN: Compound exerts parasympathetic effect. An anticholinesterase, the parasympathetic nervous system. Repeat use of parasympathetic depressants such as atropine to the limit of patient's tolerance, as indicated to relieve symptoms. The administration of oxygen is helpful.

NOTICE

The statements made on this label or by any of our agents concerning this material, we give for information only. They are believed to be true and accurate, but because conditions of use which are of critical importance are beyond our control, Chemical Insecticide Corporation does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither Chemical Insecticide Corporation nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting to the buyer or to any person from the handling, storage or use of this material, whether or not in accordance with directions. The buyer assumes all risk and liability resulting from such handling, storage, or use and accepts and uses this material on these conditions.

BURN EMPTY PAPER BAG CONTAINER COMPLETELY -- EXERCISE EXTREME
CAUTION AND STAY WELL AWAY FROM THE SMOKE

PP This product is toxic to fish and wildlife.
Keep out of lakes, ponds, and streams. Do
not apply in any manner not specified on
the label.

CHEMICAL INSECTICIDE CORPORATION
157 MANHATTAN AVENUE, METUCHEN, NEW JERSEY

(C.C.C.)

SELLER CLARK, RECIPIENT

ACCEPTED

Feb. 20, 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1439-164

CONTENTS: 50 POUNDS NET WEIGHT

DIRECTIONS FOR USE:

CLOVER: For wireworm control -- Use at rate of 50 pounds per acre by broadcast on surface before planting. Cultivate into soil.

PEANUTS: For Southern corn rootworm control -- Apply 20 to 25 pounds per acre of CHEM PELS P-10 in an 18 inch band as a row soil treatment at pegging time. Material should be lightly worked into the soil immediately.

SUGAR CANE: For wireworm control on row treatment -- Use at rate of 30-40 pounds per acre at time of planting. Cultivate into soil.

COKS: For wireworm control on row treatment -- Use at rate of 15-20 pounds per acre at time of planting. Cultivate into soil.

IRISH POTATOES: For wireworm control on row treatment -- Use at rate of 30 to 40 pounds per acre at time of planting. Cultivate into soil.

GLADIOLUS: For wireworm control -- Use at rate of 50 pounds per acre at time of planting. Cultivate into soil.

CORN: To control corn rootworm in Nebraska, Iowa, South Dakota, Minnesota, and Kansas, apply 10 lbs. per acre as a row soil treatment when planting. In all other states, apply 10-15 lbs. per acre as a row soil treatment when planting.

BEANS, SUGAR BEETS: To control garden wireworm, apply 50 lbs. per acre in all cases before planting and thoroughly work into upper 6 inches.

LETS, SWEET POTATOES AND CARROTS: To control wireworm, broadcast 20 to 25 lbs. per acre to soil surface before planting and thoroughly work into upper 1 to 6 inches.

ONIONS: To control onion maggot, apply 20 lbs. per acre in furrow with seed at planting time.

TOBACCO: To control wireworm, broadcast 20 lbs. per acre one month before planting and work into top 6 to 9 inches.

The Federal Food and Drug Administration has set official tolerances for pesticide residue. Crops having residue in excess of these tolerances should not be marketed when removal of such excess.

CHEM-SECT BRAND

CHEM PELS P-10

Comments

Keep all persons out of the operating drift. Vacated areas should not be re-entered until residues have dissipated. Consult local local recommendations. Poisonous if ingested. Rapidly absorbed through skin. Do not use protective natural rubber gloves, cloth immediately with soap and warm water. the U. S. Department of Agriculture feed and foodstuffs. Wash hands, arms before eating or smoking. Do not use of

SOIL INSECTICIDE

ACTIVE INGREDIENTS: 10%

Parathion (O,O-Diethyl O-p-Nitrophenyl Phosphorothioate)

INERT INGREDIENTS: 90%

TOTAL 100%

WARNING: KEEP OUT OF THE REACH OF CHILDREN

"See side panel for additional warning and antidote statements."



DANGER POISON



"U.S.D.A. Reg. No. 1439-164"


INTERNAL -- Give a tablespoon of saffron fluid is clear. Have victim lie IMMEDIATELY INTERNAL. If skin with soap and hot water before re-use.

TO PHYSICIAN: Compound exerts a parasympathetic nervous system. Repeated exposure to the body of patient's reflex administration of oxygen is helpful.

The statements made on this label are given for information only. They because conditions of use which are uncontrolled. Chemical Insecticide Corporation does not represent to make any warranty, expressed or implied, concerning this material except that it label. Neither Chemical Insecticide Corp. in any manner for any personal injury or to the buyer or to any person from the or not in accordance with directions. From such handling, storage or use and

BURN EMPTIED PAPER BAG CONTAINS CAUTION AND STAY WELL AWAY.

This product is to keep out of lakes, not apply in any manner than the label.



CHEM-SECT
CHEMICAL INSECTICIDE
A Division of
Chemical Insecticide Corporation

CHICAGO 30, ILLINOIS
60603
GENERAL OFFICES
30 WHITMAN AVENUE, METUCHEN, NEW JERSEY

PRINCETON, NEW JERSEY

PRINTED IN U.S.A.

ACCEPTED

Feb. 20, 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

1439-164

CONTROL NO.

WARN 394

GENERAL CHEMICAL COMPANY

GENERAL CHEMICAL COMPANY

SOIL INSECTICIDE

ACTIVE INGREDIENTS: 10%

Parathion (O,O-Diethyl O-p-Nitrophenyl

ESTER, 95% + Unlabelled

INERT INGREDIENTS: 90%

TOTAL 100%

WARNING: KEEP OUT OF THE REACH OF CHILDREN

DO NOT USE FOR CHILDREN OR VETS (DO NOT
USE ON FOODSTUFFS OR CIGARARELLAS)

DANGER POISON

"U.S.D.A. Reg. No. 1439-164"

Comments

Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be reentered until the drift insecticide and volatile residues have dissipated. Consult local state and county agricultural agent for best local recommendations. Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes or skin or on clothing. Wear protective natural rubber gloves, clothing, and goggles. If spilled on skin, wash immediately with soap and warm water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and hot water before eating or smoking. Do not use on excessively hot days or in confined areas.

ANTIDOTE:

INTERNAL - Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY. EXTERNAL - If skin is accidentally contaminated, wash thoroughly with soap and hot water before reuse.

TO PHYSICIAN: Compound exerts parasympathetic effects - An application of the parasympathetic nervous system. Repeat use of parasympathetic depressants such as atropine to the body or patient's tolerance, as indicated to relieve symptoms. The oral administration of oxygen is helpful.

NOTICE:

The statements made on this label or by our or our agents concerning this material, are given for information only. They are believed to be true and accurate, but because conditions of use which are of vital importance are beyond our control, Neuffer Chemical Insecticide Corporation does not make nor do it authorize any distributor or representative to make any warranty, guarantee or representation, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither Chemical Insecticide Corporation nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting to the buyer or to any person from the handling, storage or use of this material, whether or not in accordance with directions. The buyer assumes all risk and liability resulting from such handling, storage, or use and accepts and uses this material on these conditions.

FURNISH EMPTY PAPER BAG CONTAINER COMPLETED. EXERCISE EXTREME
CAUTION AND STAY WELL AWAY FROM THIS PRODUCT.

- 17 This product is toxic to fish and wildlife. Keep out of lakes, ponds, and streams. Do not apply in any manner not specified on the label.

ACCEPTED WITH COMMENTS