

PM 19 1440-7

1081

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL:** This product must be applied using a compressed air sprayer. Do not apply this product using a trigger pump sprayer. Apply with low pressure spray equipment with a coarse spray nozzle. Spray surfaces as only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborage. Spray areas where these pest are found at 10x. DO NOT SPRAY open floor areas, carpets, furniture, beds, or bedding. Repeat treatment as necessary.

### RESTRICTIONS

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not use as a space spray. Provide adequate ventilation of areas being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near feed, food, food products. Avoid contamination of feed, food, food processing equipment, and food handling surfaces.

Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

### For Industrial and Institutional Use.

Tomic Propoxur Residual Spray is a highly effective ready to use formulation for control of listed pests, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives rapid kill and residual activity for up to 30 days.

**COCKROACHES** - Spray baseboards, cracks and crevices; around window and door frames; and under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or nest. Pests flushed out of hiding should be sprayed directly.

**ANTS** - Treat ant trails, nests and points of entry such as windows and door sills.

**SILVERFISH, FIREBRATS AND PAPERLICE** - Spray areas where these pests are found or may hide, including dark corners of rooms, closets, cracks, crevices, along baseboards, and door sills and frames.

**BROWN DOG TICKS** - Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and where infestations occur. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. **DO NOT SPRAY ANIMALS WITH THIS FORMULATION.**


**CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS, AND SPIDERS** - Spray into cracks, crevices, around baseboards, and other places where these insects hide. For Clover Mites give special attention around window frames.

**FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES, AND SANDFLIES (OUTDOOR ONLY)** - Spray infested areas thoroughly, including outside surfaces of screens, window frames, foundations, patios and other areas where insects may enter. Do not spray vegetation.

### Insect Control in Research Facilities:

The use of Tomic Propoxur Residual Spray in and around animal quarters for insect control will not induce changes in liver microsomal enzyme activity in these animals.

# TOMIC



### CAUTION: KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 1440-7ZA

EPA Est. 1440-CA-1

NET CONTENTS 1 GALLON (128 FL. OZ.)

BEST AVAILABLE COPY

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

##### CAUTION:

May be fatal if swallowed,haled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. In case of contact, Wash immediately with soap and warm water. Wash hands, arms, and foot thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reusing. Should poisoning occur, get prompt medical aid.

##### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call Poison Control Center. Do not induce vomiting. Vomiting may cause asp, risk of aspiration.

**IF INHALED:** Remove to fresh air. If breathing is difficult, give artificial respiration, preferably mouth to mouth. Get medical attention.

**IF ON SKIN:** Wash immediately with soap and warm water. If irritation occurs, get medical attention.

**IF IN EYES:** Wash with plenty of water. Get medical attention.

##### SYMPTOMS OF POISONING

A sense of "tightness" in chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

##### NOTE TO PHYSICIAN:

**ANTIDOTE:** Administer atropine sulfate in therapeutic doses. Repeat as necessary to point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on the label.

**PHYSICAL HAZARDS:** Do not use, pour, spill, or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein.

Cockroaches, Ants Brown Dog Ticks, Centipedes, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Punkies, Sandflies, Scorpions, Silverfish, Scowbugs, and Spiders..

##### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.

Manufactured By:

**TOMIC INSECTICIDE COMPANY, INC.**

241 South Michik Avenue  
Los Angeles, California 90022

ACCEPTED

FEB 7 - 1994

Under the Federal Insecticide,  
Pesticide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 1440-7