


PAGE 1 OF 4

TOMIC

DU-PY



RESIDUAL ROACH SPRAY

FAST INSECT KILLER

ACTIVE INGREDIENTS:

Pyrethrins.....	0.052%
*Piperonyl Butoxide, Technical.....	0.260%
**Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate).....	0.500%
Petroleum Distillate.....	98.736%

INERT INGREDIENTS:.....	0.452%
Total:.....	100.000%

*Equivalent to 0.0208% (butylcarbityl) (6-propylpiperonyl) ether and to 0.052% related compounds.

**U.S. Patent No. 3,244,586.

CONTROLS: COCKROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS, EARWIGS, BROWN DOG TICKS, FLEAS, FLIES AND MOSQUITOES.

(DRAWING OF DEAD INSECT)


KEEP OUT OF REACH OF CHILDREN

(See back panel for additional precautionary statements.)

CAUTION

EPA Reg. No. 1440-BAA
EPA Est. No. 1440-CA-1

NET CONTENTS 1 GALLON (128 FL. OZ.)



TOMIC DU-PY RESIDUAL ROACH SPRAY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


Shake well before using: This product should be applied as a coarse (large droplet) spray infested surfaces until wet.

COCKROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS, EARWIGS: Spray areas where these pests are found or may hide, including dark corners of rooms, closets, cracks, crevices, along baseboards, door sills and frames, behind and beneath sinks, stoves, refrigerators, cabinets and around garbage cans, plumbing and other utility installation. Pests flushed out of hiding should be sprayed directly. Spray ant trails, nests and points of entry. Do not spray open floor areas, carpets, furniture, or areas specifically directed on this label.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and where infestations occurs. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. DO NOT spray animals with this formulation.

FLEAS: Spray infested surfaces until, wet such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and where these insects appear. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. DO NOT TREAT PETS WITH THIS PRODUCT. To control source of the flea infestation, pets inhabiting the treated premises should be treated with Tomic Dog and Flea Powder or a product registered for application to animals.

FLIES AND MOSQUITOES: USE ONLY ON OUTDOOR SURFACES. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and such as under eaves, porches, partitions, and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.



PAGE 3 OF 4

STORAGE AND DISPOSAL: Do not contaminate, water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to labeling instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or other state and local procedures.

PHYSICAL HAZARDS: Do not use, pour, spill, or store near heat or open flame.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION: HARMFUL IF SWALLOWED. NOTE: TO PHYSICIAN: ACTIVE
INGREDIENTS CONTAIN A CHOLINESTERASE INHIBITOR. TREAT
SYMPTOMATICALLY. ATROPINE IS A AN ANTIDOTE. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils if contaminated with this product. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Remove pets and cover fish bowls before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED—Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN—Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES—Flush eyes with plenty of water. Call a physician immediately.

PAGE 4 OF 4

ENVIRONMENTAL HAZARDS-This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate by by cleaning of equipment and disposal of wastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

MANUFACTURED BY:

TOMIC INSECTICIDE COMPANY, INC.

241 SOUTH MEDNIK AVENUE

LOS ANGELES, CALIFORNIA 90022

