

1448-23

11/15/2012

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 15 2012

Ms. Crystal W. Brown
Regulatory Specialist for,
Buckman Laboratories, Inc.
1256 North McLean Blvd.
Memphis, TN 38108-1241

Subject: Busan 90
EPA Registration Number 1448-23
Your Amendment Dated August 14, 2012
EPA Received Date August 17, 2012

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to add the missing Poison Skull and Corssbones symbol to the product labeling, is acceptable.

A stamped copy of the labeling is enclosed.

Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

If you have questions concerning this letter, please contact Karen M. Leavy at (703)-308-6237.

Sincerely,

Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division(7510P)

BUSAN 90

BUSAN is a registered trademark.

2/4
Buckman

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 15 2012

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1448-33

22.0%
8.0%
70.0%
100.0%

ACTIVE INGREDIENT(S)

2-Bromo-4'-hydroxyacetophenone.....

Related brominated compounds.....

INERT INGREDIENTS.....

TOTAL.....

KEEP OUT OF REACH OF CHILDREN



DANGER



FIRST AID

If in Eyes	<ul style="list-style-type: none"> - Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice.
If on Skin, Clothes	<ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> - Call poison control center or doctor immediately for treatment advice. - Have person sip a glass of water, if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> - Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-767-2722 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate gastric lavage.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Fatal if spray mist is inhaled under prolonged exposure. Do not breathe mist. Corrosive to skin and eyes. Do not get in eyes, on skin, or on clothing. This product may cause skin sensitization reactions in some people. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. When handlers use closed metering systems the handler requirements may be reduced or modified to long-sleeve shirt, long pants, shoes and socks. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not use in facilities discharging directly or indirectly to the estuarine or marine environment. Do not discharge effluent containing this product into freshwater lakes, streams and ponds unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Secondary biological treatment of BHAP effluent discharging to freshwater environments is required for all uses except for use in secondary-oil-recovery-systems discharging to freshwater environments. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARDS: Do not use or store near heat or open flame.

BUSAN 90

BUSAN is a registered trademark.

ACCEPTED
with COMMENTS
in EPA Letter Date

NOV 15 2012

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1448-23

3/4
Buckman

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Busan 90 is used in pulp and paper mills (1) to control bacterial and fungal slime; (2) to inhibit the growth of bacteria that cause the degradation of papermaking chemicals such as animal glue solutions, clay slurries, starch solutions and slurries, and coatings formulations; and (3) to inhibit the growth of fungi that cause the degradation of papermaker's alum solutions.

Pulp and Paper Mills: To control bacterial and fungal slime in pulp and paper mill, Busan 90 is employed at 0.1 to 1 kg per tonne (0.2 to 2 lb per ton) of pulp or paper (dry basis). The concentration of Busan 90 and the frequency of treatment should be adjusted higher or lower according to the rate of slime accretion.

Fresh Water Treatment: To supplement or replace chlorine in the treatment of freshwater used on a paper machine, use Busan 90 at concentration of 1 to 4 parts per million (ppm). Busan 90 should not be added to water used for drinking or bathing.

Slush Pulp Preservation: To prevent spoilage of slush pulp in storage, add Busan 90 in a manner that will ensure uniform distribution throughout the mass of pulp. For slush pulp that will be held in storage for more than 8 hours but not more than 1 week, treat this pulp with 0.1 to 0.5 kg of Busan 90 per tonne (0.2 to 1.0 lb per ton) of moisture-free pulp.

Pulp and Recycled Fiber Treatment: When microbiologically contaminated pulp or recycled fiber (water paper) is added to the system, use a supplementary treatment of Busan 90. To each beater or pulper add 0.1 kg of Busan 90 per tonne (0.2 lb per ton) of moisture-free fiber to help keep the system free of slime.

Broke Treatment: For treatment of broke to help control slime, use Busan 90 at 0.1 to 0.3 kg tonne (0.2 to 0.6 lb per ton) of dry broke. Coated broke may require as much as 0.5 kg of Busan 90 per tonne (1.0 lb per ton).

Preservation of Coating Formulations and Papermaking Chemicals: To inhibit the growth of bacteria that cause the degradation of papermaking chemicals, such as animal glue solutions, slurries and solutions or coating formulations, and papermaking chemicals. The following table shows the amounts of Busan 90 recommended, based on the total wet weight of slurry, emulsion, or solution to be protected, for the preservation of various materials:

Substrate	Parts per million of Busan 90
Alum solutions	50 to 100
Animal glue solutions	75 to 150
Clay slurries, phosphate-dispersed	50 to 100
Coating formulations, protein binders	150 to 200
Coating formulations, starch binders	100 to 200
Starch slurries and solutions	50 to 150

Busan 90 is composed of substances that have been allowed for use in the manufacture of paper and paperboard under U.S. Food and Drug Administration Regulations 176.170 and 176.300.

Preservation of Slurries and Emulsions: Busan 90 is used to inhibit the growth of bacteria that cause degradation of clay slurries, pigment slurries, inks, resins, emulsion paints, adhesives, waxes, and polishes. Busan 90 is added at rates of 0.01 - 0.5% based on the weight of the slurry or emulsion.

BUSAN 90

BUSAN is a registered trademark.

ACCEPTED
with COMMENTS
in EPA Letter Date

4/4

Buckman

NOV 15 2012
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 1448-23

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA regional office for guidance.

CONTAINER DISPOSAL:

(Text for all nonrefillable containers)

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

{Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{Liquid residue removal statement for nonrefillable containers with capacity of >5 gals}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

(Text for all nonrefillable containers)

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Batch code: _____

Manufactured by

Buckman Laboratories, Inc.

1256 North McLean Blvd., Memphis, Tennessee 38108, USA

(901) 278-0330 or 1-800-282-5626

EPA Est. No. 1448-MO-1

EPA Reg. No. 1448-23

Product Weight 9.8 lbs/gal 1.18 kg/l

Net contents are marked on the container.

HMIS / NPCA Ratings

Health 3 Flammability 2 Reactivity 1

Last Revision

3/9/2010