

PM-31

Reg # 1448--27

193

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT 05 1995

Buckman Laboratories, Inc
1256 North McLean Blvd
Memphis, TN 38108

Attention: Kevin D. Drake, Regulatory Toxicologist

Subject: Busan 74
EPA Registration No. 1448-27
Your Amendment Dated July 12, 1995.

The amendment (label update) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the following labeling changes below before you release the product for shipment bearing the amended labeling.

- a. The decimal points in the ingredient section must be aligned.
- b. Place the ingredient statement to appear directly under the product name.
- c. Revise the heading: First Aid to read: Statement of Practical Treatment.
- d. Delete the statement: Measures against circulatory shock, respiratory depression and convulsion may be needed.
- e. Add the following precautionary statement to the left panel: Wash thoroughly with soap and water after handling.
- f. Revise the statent: "Remove and wash contaminated clothing before reuse" to read:

"Remove contaminated clothing and wash before reuse."

NOTE: This statement appears in two locations on the label.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

293

- 2 -

g. Revise the statement: "Harmful if swallowed" to read:

"Harmful or fatal if swallowed"

h. Revise the statement: "Causes eye damage. Causes severe skin irritation" to read: "Causes eye and skin damage."

i. The preferred nomenclature for the first active ingredient is:

S-(2-Hydroxypropyl) thiomethanesulfonate

Revise accordingly.

2. Just a reminder that a RED document is scheduled for the end of this year and additional label comments may be warranted for this product.

3. A release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

4. A stamped copy of the labeling is enclosed for your records. Submit one (1) copy of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, contact V. Goncarovs at 703-305-6663.

Sincerely yours,

Marion Johnson
 Product Manager (31)
 Antimicrobial Program Branch
 Registration Division (7505C)

Enclosures

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

BUSAN 74

BUSAN is a registered trademark.

ACTIVE INGREDIENTS

2-Hydroxypropyl methanethio

2-(Thiocyanomethylthio)benz

INERT INGREDIENTS:

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage. Causes severe skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Remove and wash contaminated clothing. Do not take internally.

FIRST AID: If product gets in eyes, flush with plenty of water for at least 15 minutes. Call a physician. In case of skin contact, wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. If product is swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Busan 74 is used to control bacterial and fungal slime in pulp and paper mills. Busan 74 is employed at the rate of 2.5 to 25 fluid ounces of Busan 74 per ton of dry pulp or paper produced during the period of treatment. At a typical headbox or vat consistency of 0.5%, this rate is equivalent to a rate of 0.5 to 5.0 ppm of Busan 74 during the period of treatment, based on the total weight flow of fiber and water. Treatment with Busan 74 is usually made for a period of 4 to 6 hours. When conditions favor unusually rapid slime growth, the Busan 74 treatment can be made once each 8 hr. or once each 12 hr. Under average conditions of slime growth, the Busan 74 addition is made once every 24 hours. The addition should be made at a location where good mixing and agitation will ensure uniform distribution of Busan 74 in the mass of fiber and water. Technical assistance relating to specific problem areas is available on request. Busan 74 is used to control fungi in paints and paint films. Information on this use of Busan 74 will be furnished upon request when a description of the problem is provided.

ACCEPTED
with COMMENTS
in EPA Letter Date

OCT 05 1993

Order to Dept of Env
Protection and Nat Res
has cancelled. The
application under 1448-2

HMS/NPCA RATING
Health 3 Flammability 1 Reactivity 1

Product
NET CO

Manufactured By EPA Est. No. 1448-TN-1,
BUCKMAN LABORATORIES, I
1256 N. McLEAN BLVD., MEMPHIS, TN 38
(901) 278-0330 or 1-800-BUCKMAN

Rev. 7/10/95