

1448-30 1448-30



BUSAN[®] 25

INDUSTRIAL MICROBICIDE

ACTIVE INGREDIENTS:	25.0%
2-(Thiocyanomethylthio)benzothiazole	13.3%
2-Hydroxypropyl methanethiolsulfonate	11.7%
INERT INGREDIENTS	75.0%
TOTAL	100.0%

EPA REG. NO. 1448 30

**KEEP OUT OF REACH OF CHILDREN
DANGER**

STATEMENT OF PRACTICAL TREATMENT

If product gets in eyes, flush with copious amounts of clean, cool water for 15 to 20 minutes. Get medical attention immediately. In case of skin contact, wash promptly and thoroughly with abrasive soap and cool water and finally with glycerin. In case of persistent irritation of the skin, obtain medical attention. If product is swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing vapors.


ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Busan 25 is used to control slime in pulp and paper mills. Busan 25 is employed at the rate of 1.5 to 15 ppm during the period of treatment, based on the total weight of fiber and water at maximum dilution. The addition is usually made for a period of 4 to 6 hr. When conditions favor unusually rapid slime growth, the Busan 25 addition can be made once each 8 hr. or once each 12 hr. Under average conditions of slime growth, the addition is made once each 24 hr. The addition should be made at a location where good mixing and agitation will ensure uniform distribution of Busan 25 in the mass of fiber and water. Information on these and other applications will be furnished upon request when a detailed description of the problem is provided.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE Do not expose to extreme temperatures. Do not stack more than four drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BUCKMAN LABORATORIES, INC.

1256 N. McLEAN BLVD., MEMPHIS, TENN. 38108, U.S.A.
EPA ESTABLISHMENT NO. 1448-TN-1