

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 31, 2020

Andy Vachon Regulatory Specialist I Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108

Subject: Notification per PRN 98-10 – Minor Updates to the Label including the Storage

and Disposal section Product Name: Busan 72

EPA Registration Number: 1448-37 Application Date: 01/07/2020 Decision Number: 559315

Dear Mr. Vachon:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Aline Heffernan at 703-347-8602 or via email at Heffernan.Aline@epa.gov.

Sincerely,

John Hebert, Chief

Regulatory Management Branch I Antimicrobials Division (7510P) Office of Pesticide Programs





The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

#### 01/31/2020

ACTIVE INGREDIENT(S)	
2-(Thiocyanomethylthio)benzothiazole	60.09
OTHER INGREDIENTS	40.0%
TOTAL	100.0%

# KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID		
If in Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15–20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	
If on Skin, Clothes	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15–20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
(If Inhaled)	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	
If Swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water, if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
	HOT LINE NUMBER	
	oduct container or label with you when calling a Poison Control Center or doctor or atment. You may also contact CHEMTREC at 1-703-741-5970 for emergency medical formation	

Probable mucosal damage may contraindicate the use of gastric lavage.

**NOTE TO PHYSICIAN** 

## Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled. Do not breathe vapor or spray mist. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wear goggles or face shield. Wear coveralls over longsleeved shirt and long pants; socks and chemical resistant footwear; chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton; and respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C); or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G); or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter. In addition to the PPE listed above, mixers, loaders, and cleaners of equipment must also wear chemical-resistant apron. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: The product is a mild reducer. Keep away from oxidizing agents.

#### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BUSAN 72 is an emulsifiable microbicide concentrate used to inhibit the growth of fungi that cause the degradation of wet lap or sheet pulp, mulch paper, and chrome-tanned leather. It is also employed to provide mold resistance to coated and uncoated paper and paperboard, including those grades used for soap packaging, furnace filter frames, wallpaper base stock, and building papers and paperboards.

**PULP PRESERVATION:** For the preservation of wet lap or sheet pulp, BUSAN 72 should be added at a rate of 0.25 to 1.0 kg/metric ton (0.5 to 2.0 lb./short ton) of oven-dry fiber. BUSAN 72 may be added directly to the stock or dispersed in water and applied uniformly to the surfaces of the dewatered pulp by means of applicator rolls.

**MULCH PAPER PRESERVATION:** For the preservation of mulch paper, BUSAN 72 should be added at a rate of 0.75 to 1.25 kg/metric ton (1.5 to 2.5 lb/short ton) of air-dry paper. BUSAN 72 may be added directly or dispersed in water and applied uniformly to the surfaces to the mulch paper by tub-sizing method or applicator rolls before the paper is coated.

MOLD-RESISTANT PAPER OR PAPERBOARD: For the manufacture of mold-resistant paper and paperboard, BUSAN 72 is used at a rate or 125 to 500 g/metric ton (0.25 to 1 lb/short ton) of paper and paperboard per side treated. For coated paper and paperboard, BUSAN 72 should be incorporated into the coating prior to application of coating. Rate of addition will vary per coating weight. For uncoated paper and paperboard BUSAN 72 should be dispersed in water, surface-sizing, or other solvents and applied to the surface to be protected by means of an applicator roll, size press, water box or similar mechanism. The amount of BUSAN 72 added to the solution will vary according to rate the solution is transferred to the paper or paperboard.

**LEATHER:** BUSAN 72 is recommended for the prevention of mold in the storage and transport of wet leather stock such as pickled, vegetable-, chrome-, alternative metal or metal free tanned hides and skins. Dosage rates of 0.0125-0.1% (125-1000 ppm) of BUSAN 72 can be used on the white lime stock weight basis to prevent microbial growth on processed hides and skins. The dosage level used will depend on storage conditions and the length of protection required. A satisfactory dilution of 1 part BUSAN 72 plus 5 parts water can be prepared by adding the BUSAN 72 to water (as opposed to adding water to BUSAN 72) with agitation. The diluted product can then be added to the pickling liquor, or to the tanning liquor at the start of the tanning process or to the rinse water in a post tanning refloat. A dispersion as described above should be prepared and added to the pickling solution or tanning liquor during the tanning operation or to the rinse water in a post tanning refloat. The product can also be applied during the fatliquoring process to prevent fungal growth at (0.0125-0.1% (125-1000 ppm) based on the split and shaved weight of leather being processed. For preservation of leather finishing pastes and fatliquors, BUSAN 72 can be added at a dosage rate of 0.05-0.125% (500-1250 ppm) based on the weight of the treated paste or fatliquor and mixed thoroughly to insure adequate dispersion.

BUSAN 72 is composed of substances that have been allowed by the U.S. Food and Drug Administration for use on the wet-end of paper and paperboard machines during the manufacture of paper and paperboard for food packaging, but it has not been allowed for use in dry-end applications. Therefore, BUSAN 72 should not be employed to provide mold resistance to paper or paperboard intended for food-contact use.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not expose to extreme temperatures. Do not stack more than five drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

#### **CONTAINER HANDLING:**

#### For all nonrefillable containers

**Nonrefillable container.** Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

#### Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or

a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

#### Liquid residue removal statement for nonrefillable containers with capacity of >5 gals

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

#### For all nonrefillable containers

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

#### For refillable containers

**Refillable container**. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

For containers larger than 55 gallons: To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120°F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water Is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

For containers 55 gallons and smaller: To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Batch code:	
	Sold by

#### Buckman Laboratories, Inc.

1256 N. McLean Blvd., Memphis, Tennessee 38108, U.S.A. (901) 278-0330 or 1-800-282-5626

EPA Reg. No. 1448-37 EPA Est. No. 1448-TN-1

Product Weight 10.4 lbs/gal 1.25 kg/L NET CONTENTS MARKED ON CONTAINER

Revised: 01/07/2020