UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

January 21, 2003

Dennis L. Barbee, Ph.D. Director, Regulatory Affairs Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108

Subject:

WSCP 10

EPA Registration No. 1448-60

Application Date: November 25, 2002 EPA Received Date: November 29, 2002

Dear Dr. Barbee:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below.

Proposed Amendment

Update First Aid Statement per PR Notice 2001-1

Conditions

Revise the label as follows:

 Separate the Precautionary Statement heading from the First Aid Statements. In addition, the precautionary heading and its statement must be grouped together to read as follows:

Precautionary Statements
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION. Harmful if ewallowed. Avoid breathing vapors. Avoid contact with

SYMBOL TON. Flatfiller in Standard water after handling.

SYMBOL TO Skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

EPA Form 1320-1A (1/90)

2. The child signal word "Caution" and the "Keep Out of Reach of Children" statement must be placed under the ingredient statement.

Other Comments

Please explain why this product label does not contain a re-entry interval time following the application of this product in swimming pools.

General Comments

ं

A stamped copy of the labeling accepted with conditions is enclosed. Submit one(1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact me at 703-308-6422.

Sincerely,

Adam Heyward Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510 C)



KEEP OUT OF REACH OF CHILDREN CAUTION

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

FIRST AID	
If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for further treatment advice.
If on Skin, Clothes	- Take off contaminated clothing Rinse skin immediately with pienty of water for 15-20 minutes Call a poison control center for treatment advice.
If Ingested	- Call poison control center or doctor immediately for treatment advice Have person sip a glass of water, if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person.
if Inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-278-0330 or 1-800-BUCKMAN for emergency medical treatment information.

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENTS:

Polyfoxyethylene(dimethyliminio)ethylene...... 10.0 % (dimethyliminio)ethylene dichloride)

90.0 %

NERT INGREDIENTS: TOTAL. ..100.0%

This product contains 0.85 lbs of active ingredient per gallon and weighs 3.49 lbs/gal.

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. PESTICIDE STORAGE. Do not stack more than four drums high. Leaking or damaged drums should be placed in perpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not

Storage and Disposal

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an apporved waste disposal facility

CONTAINER DISPOSAL:

PLASTIC: Triple rinsed (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL: Triple rinsed (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with

WSCP 10 is used to control the growth of algae in swimming gools and to control industrial water cooling towers. It is also employed for the control of algae, bacteria, to inhibit the growth of bacteria that cause degradation of cutting fluids. Refer MICROBICIDE CONCENTRATE for detailed direction on fresh water and cutting flui

WATER COOLING TOWERS: Prior to the use of WSCP 10 in water cooling to microbiological stime, and other deposits. Then make an initial stud addition of 6.13 to provide 48 to 120 ppm WSCP 10, based on the total weight of water in the sy subsequent slug additions of 1.53 to 15.32 fluid ounces of WSCP 10 per 1000 gallor needed. The frequency of addition depends upon the relative amount of bleedoff should be made in the sump of water cooling towers.

SWIMMING POOLS: For maximum effectiveness of WSCP 10 in swimming pools, using WSCP 10. For pools having just visible algae growth, add an initial dose of 75 and remove settled algae debris by cleaning. For treatment of a freshly cleaned a per 10,000 gallons of water. To maintain pools free of visible algae growth, subse 10,000 gallons of water should be made every 5 to 7 days after the initial treatment. Uniform distribution of WSCP 10 throughout the water in the pool is necessary for chemicals normally used to treat pools and is effective at both acid and alkaline chemicals and may reduce the amount of those chemicals normally required. Ho chlorine products

INDUSTRIAL AIR WASHING SYSTEMS: WSCP 10 is used to control bacteria in eliminating components. Prior to its use, systems should be cleaned to remove bac 41.2 fluid ounces of WSCP 10 per 1000 gallons of water is recommended. Rep additions of 16.9 to 41.2 fluid ounces of WSCP 10 per 1000 pallons of water should of addition depends upon the relative amount of bleedoff and severity of the bacteria water collection trays of the airwash system.

> ACCEPTED with COMMENTS

Manufactured by

Buckman Laboratories, Inc.

125F North McLean Blvd., Memphis, Tennessee, 38108, USA

(901) 278-0:330 or 1-800-BUCKMAN

EPA Est. No. EPA Reg. No.

1448-1 h-1 1448-60

Net contents are marked on the container

Product Weight

Health 1

8.5 lbs/gal.

Flammability 1

1.02 kg/l

Reactivity 1

HMIS / NPCA Ratings

Last Revision 11/19/2002

EPA Letter Dated:

JAN 2 1 2003

Under the Federal Insecticide. Funcicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. /4