KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If in Eyes	 Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
tf on Skin, Clothes	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for treatment advice.
if Ingested	- Call poison control center or doctor immediately for treatment advice Have person sip a glass of water, if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person.
lf Inhaled	- Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-278-0330 or 1-800-BUCKMAN for emergency medical treatment information.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: This posticide is toxic to fish and equatic organisms. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, bonds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WSCP 30 is used to control the growth of algae in swimming pools and to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. It is also employed for the control of algae, bacteria, and fungi in the fresh water used in industrial processes and to inhibit the growth of bacteria that cause degradation of cutting fluids. Refer to the bulletin entitled BUSAN 77 - A Broad-Spectrum Microbiocide Concentrate for detailed directions on fresh water and cutting fluid applications.

Prior to the use of WSCP 30 in WATER COOLING TOWERS, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial stug addition of 1.90 to 4.75 fluid ounces of WSCP 30 per 1000 gallons of water to provide 16 to 40 ppm WSCP 30, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 0.47 to 4.75 fluid ounces of WSCP 30 per 1000 gallons of water (4 to 40 ppm WSCP 30) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Stug additions should be made in the sump of water cooling towers

For maximum effectiveness of WSCP 30 in SWIMMING POOLS, those with heavy growths of algae should be cleaned prior to using WSCP 30. For pools having just visible alone growth, add an initial dose of 24 to 37 fluid ounces of WSCP 30 per 10,000 callions of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool, add initially 13 to 24 fluid ources of WSCP 30 per 10,000 gallons of water. To maintain pools free of visible algae growth, subsequent additions of 4 to 8 ounces of WSCP 30 per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment

Uniform distribution of WSCP 30 throughout the water in the pool is necessary for maximum effectiveness. WSCP 30 is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. WSCP 30 is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. WSCP 30 can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix WSCP 30 with concentrated dry or liquid chlorine products.

WSCP 30 is used to control bacteria in INDUSTRIAL AIR WASHING SYSTEMS that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial stime and other deposits. An initial stug dose of 7.1 to 11.9 fluid ounces of WSCP 30 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent stud additions of 4.8 to 11.9 fluid ounces of WSCP 30 per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays

ACCEPTED

MAY 1.3 2003

Under the Federal Insecticide, Funcicide, and Rodenticide Act as amended, for the posticide, registered under EPA Reg. No. 144 H

WSCP 30

 $\widetilde{\omega}$

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not slack more than four drums high, Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities

Buckman Laboratories, Inc.

1256 North McLean Blvd., Memphis, Tennessee 38108, USA (901) 278-0330 or 1-800-BUCKMAN

1448-TN-1

1448-63

HMIS / NPCA Ratings

EPA Est. No.

EPA Reg. No.

Net contents are marked on the container

Product Weight

1.07 kg/l 8.9 lbs/gal.

Last Revision

Flar ability 1 Reactivity 2/19/2003

