

42871-3

4

MICROBIOGIDE 337

CONTENTS:	
Hydroxycarbonate	4.90%
Hydroxycarbonate	6.78%
Water	88.34%
	100.0%

1.05 lb. of active ingredients per gallon and weight

OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Do not get in eyes, on face, or on clothing. Use eye shield and rubber gloves when handling. Avoid contamination of food.

In case of contact, immediately flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash clothing before reuse. If swallowed, give patient doses of emetic such as can contain raw egg white. Do not induce vomiting with salt, soap or other substances. Call a physician immediately.


WARNING: This pesticide is toxic to fish. Do not discharge into streams or public waters unless in accordance with Federal, State or local laws. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MICROBIOGIDE 337 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 5.1 to 10.2 fluid ounces of MICROBIOGIDE 337 per 1000 gallons of water is recommended. Repeat slug additions until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of MICROBIOGIDE 337 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.



STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in an approved landfill, or bury in a safe place. Metal containers over 30 gallons should be resealed before offering for reconditioning.

GENERAL: Consult Federal, State or Local Disposal authorities for approved alternative procedures.

Manufactured by
Alde Chemicals, Inc.
5258 North Maroa - Fresno, California 93704
EPA REG NO 42871-3 EPA EST. NO.

NET CONTENTS



43430-1⁴

ION DEL
BACTERIOSTATIC WATER FILTER
Model B-1
Submersible Unit

EPA Reg. No. 60822
EPA Reg. No. 60821
CONTENTS: One bacteriostatic water filter
ACTIVE INGREDIENT: Mordant Silver 1.00%
INERT INGREDIENT: Activated Carbon 99.00%
CAUTION: Keep out of reach of children.
DISPOSAL: Wrap about 1/2" in newspaper and
dispose with trash.
See enclosed inserts for additional use and treat-
ment instructions.
File for appropriate registration.
ION DEL, Inc.
P.O. Box 244, Tulsa, Oklahoma 74101

ACCEPTED
25 FEB 1980
EPA REGION 5
FOR ECONOMIC POLICY BOARD
BY ORDER NO. 43430-1

BEST EQUIPMENT AVAILABLE

54A



BUSAN[®] 95

FOR INDUSTRIAL
MICROORGANISM CONTROL

ACTIVE INGREDIENT:
2,2-Dibromo-3-nitropropionamide 10%
INERT INGREDIENTS 90%

EPA Reg. No. 1448-71
EPA Est. No. 1448-TN-1

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Busan 95 is used to control or inhibit the growth of bacteria and to deteriorate aqueous metalworking fluids. It is effective in fluid control systems that have been diluted in water at ratios of 1:100 to 1:4.

Busan 95 should be added to the metalworking fluid system through the use of a metering pump.

Initial Slug Dose: When the system is just noticeably fouled, add 1/1000 gal of Busan 95/1000 gal of metalworking fluid in the system. Repeat as needed until control is evident.

Subsequent Doses: When microbial control is evident, add 1/1000 gal of Busan 95/1000 gal of metalworking fluid per day, or as needed to maintain control. Additions can be made continuously or intermittently. Slug the system as needed.

DANGER KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes severe burns of eyes. May burn the skin. May be harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

FIRST AID: *In case of eye contact*, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. *In case of skin contact*, wash with soap and plenty of water. Wash contaminated clothing before reuse. *If product is swallowed*, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonsful (10 ml) of ipecac syrup or 1 teaspoonful (5 ml) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. *Never induce vomiting or give anything by mouth to an unconscious person.*

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE & DISPOSAL


PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL: Consult Federal, State, or local disposal authorities for approved alternative procedures such as limited open burning.

BEST DOCUMENT AVAILABLE



BUCKMAN LABORATORIES,
MEMPHIS, TENN. 38108, U.S.A.

BUSAN[®] 95

FOR INDUSTRIAL MICROORGANISM CONTROL

INGREDIENTS:
O-mo-3-nitrilopropionamide 10%
ADJUVANTS 90%

EPA Reg. No. 1448-71
EPA Est. No. 1448-TN-1

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Busan 95 is used to control or inhibit the growth of bacteria and yeasts that may deteriorate aqueous metalworking fluids. It is effective in fluid concentrates that have been diluted in water at ratios of 1:100 to 1:4.

Busan 95 should be added to the metalworking fluid system collection tank by use of a metering pump.

Initial Slug Dose: When the system is just noticeably fouled, add 0.5 gal Busan 95/1000 gal of metalworking fluid in the system. Repeat until control is evident.

Subsequent Doses: When microbial control is evident, add 0.2-0.4 gal Busan 95/1000 gal of metalworking fluid per day, or as needed to maintain control. Additions can be made continuously or intermittently. Slug the system as required.

DANGER

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes severe burns of eyes. May burn the skin. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves when handling. Wash thoroughly after handling.

In case of eye contact, flush eyes immediately with plenty of water for 15 minutes and get medical attention. **In case of skin contact,** wash with plenty of water. Wash contaminated clothing before reuse. **If product is swallowed,** call a physician immediately. If patient is conscious, induce vomiting by tickling the patient's throat or far back on patient's tongue. Emetics such as 15 ml (10 ml) of ipecac syrup or 1 teaspoonful (5 ml) of dry mustard in water to form a paste or even soap in warm water can be used. Repeat until vomiting is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg, flour and water, or other nonoily demulcent. **Never induce vomiting or emesis by mouth to an unconscious person.**

Physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds. Permits may be required for discharges containing this pesticide into streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE & DISPOSAL

PRECAUTIONS: Do not contaminate water, food, or feed by storage or disposal. Emptying is prohibited. Do not reuse empty container.

REUSE AND DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or recycled should be disposed of in a landfill approved for pesticides or in a safe place away from water supplies.

FINAL DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator approved for pesticide containers, or bury in a safe place.

OTHER INFORMATION: Consult Federal, State, or local disposal authorities for approved alternative procedures such as limited open burning.

BEST DOCUMENT AVAILABLE

ACCEPTED
1448-71
MAR 3 1980
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

BUCKMAN LABORATORIES, INC.

MEMPHIS, TENN. 38108, U.S.A.

27-A 7179