



# BUSAN<sup>®</sup> 71

## INDUSTRIAL MICROBICIDE

<b>ACTIVE INGREDIENT:</b>	
2-(Thiocyanomethylthio)benzothiazole .....	60.0%
<b>INERT INGREDIENTS</b> .....	40.0%
TOTAL .....	100.0%

EPA REG. NO. 1448-82

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

### STATEMENT OF PRACTICAL TREATMENT

If product gets in eyes, flush with plenty of water for at least 15 minutes. Call a physician. In case of skin contact, wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. *Never induce vomiting or give anything by mouth to an unconscious person.*

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes eye damage. Causes severe skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Remove and wash contaminated clothing. Do not take internally.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance, contact the regional office of the Environmental Protection Agency.


**PHYSICAL AND CHEMICAL HAZARDS:** Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

Busan 71 is used to control the growth of fungi in the liquid ion exchange/solvent extraction processes used in the recovery of uranium, copper, and other metals from ores. An initial dose of 20 to 100 ppm Busan 71, based on the volume of solvent in the system, should be added daily until control is evident. Subsequent additions of 20 to 100 ppm Busan 71 should be made twice a week to maintain control. All additions of Busan 71 should be made over a period of time at a point of good agitation to ensure adequate dispersion throughout the system.

Busan 71 is used to control the growth of bacteria and fungi that cause the degradation of crude and refined oils during storage. It should be added to the oil as it is being transferred from the shipping container to the storage tank at the rate of 0.3 to 6.0 fl oz Busan 71 per 1000 gal of oil. Addition should be made batchwise where mixing occurs or continuously to the suction side of the transfer pump.



### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other approved state and local procedures

**BUCKMAN LABORATORIES, INC.**

1256 N. MCLEAN BLVD. MEMPHIS TENN. 38108 U.S.A.  
EPA ESTABLISHMENT NO. 1448 TN 1

Net Contents: As Marked on Container

3 82