



KEEP OUT OF REACH OF CHILDREN

DANGER
Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

FIRST AID

If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice.
If on Skin, Clothes	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center for treatment advice.
If Ingested	- Call poison control center or doctor immediately for treatment advice. - Have person sip a glass of water, if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If Inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-278-0330 or 1-800-BUCKMAN for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

DANGER: Corrosive. Causes eye damage. Causes severe skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Remove and wash contaminated clothing. Do not take internally.


ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

ACTIVE INGREDIENTS:	
2-(Thiocyanomethylthio)benzothiazole.....	60.0%
INERT INGREDIENTS:	40.0%
TOTAL	100.00%

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



Manufactured by
Buckman Laboratories, Inc.
1256 North McLean Blvd., Memphis, Tennessee 38108, USA
(901) 278-0330 or 1-800-BUCKMAN

EPA Est. No.	1448-TN-1	
EPA Reg. No.	1448-82	Net contents are marked on the container.
Product Weight	10.1 lbs/gal 1.21 kg/l	

HMIS / NPCA Ratings			Last Revision	
Health	3	Flammability 2	Reactivity 1	9/26/2002

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BUSAN 71 is used to control the growth of fungi in the liquid ion exchange/solvent extraction processes used in the recovery of uranium, copper, and other metals from ores. An initial dose of 20 to 100 ppm BUSAN 71, based on the volume of solvent in the system, should be added daily until control is evident. Subsequent additions of 20 to 100 ppm BUSAN 71 should be made twice a week to maintain control. All additions of BUSAN 71 should be made over a period of time at a point of good agitation to ensure adequate dispersion throughout the system. BUSAN 71 is used to control the growth of bacteria and fungi that cause the degradation of crude and refined oils during storage. It should be added to the oil as it is being transferred from the shipping container to the storage tank at the rate of 0.3 to 6.0 fl. oz BUSAN 71 per 1000 gal of oil. Addition should be made batchwise where mixing occurs or continuously to the suction side of the transfer pump.

1448-82

1-23-2003

11