1448-82

# -21-2004

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

APR 2 1 2004

Buckman Laboratories, Inc. 1256 N. McLean Blvd. Memphis, TN 38108

Attention: Kristin M. Miller **Regulatory Affairs Specialist** 

Subject: Busan 71 EPA Registration No. 1448-82 Amendment Dated January 22, 2004

The labeling, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

- To amend the First Aid statement

- To move the product name to the front panel

General Comments

A stamped copy of the accepted labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Juny been

Marshall Swindell Product Manager (33) **Regulatory Management Branch 1** Antimcrobials Division (7510C)

Enclosure

		CONCURRENC	: <b>E</b> \$			······································
SYMBOL					*	
SURNAME						
DATE			***********************	*************		
EPA Form 1320-1A (1/90)		Printed on Recycled	l Paper		OFFICI	AL FILE COPY

Printed on Recycled Paper



ACTIVE INGREDIENT(S)	
2-(Thiocyanomethylthio)benzothiazole	60.0%
INERT INGREDIENTS	40.0%
TOTAL	400.04/

#### Directions for Use

#### It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BUSAN 71 is used to control the growth of fungi in the liquid ion exchange/solvent extraction processess used in the recovery of uranium, copper, and other metals from ones. An initial dose of 20 to 100 ppm BUSAN 71, based on the volume of solvent in the system, should be added daily until control is evident. Subsequent additions of 20 to 100 ppm BUSAN 71 should be made twice a week to maintain control. All additions of BUSAN 71 should be made over a period of time at a point of good agitation to ensure adequate dispersion throughout the system. BUSAN 71 is used to control the growth of bacteria and fungi that cause the degradation of crude and refined ois during storage. It should be

added to the oil as it is being transferred from the shipping container to the storage tank at the rate of 0.3 to 6.0 fl. oz BUSAN 71 per 1000 gal of oil. Addition should be made batchwise where mixing occurs or continuously to the suction side of the transfer pump.

### KEEP OUT OF REACH OF CHILDREN DANGER

	FIRST AID
lf in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes.     - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.     - Call a poison control center or doctor for further treatment advice.
lf on Skin, Cloth <del>es</del>	Take off contaminated clothing.     Rinse skin immediately with plenty of water for 15-20 minutes.     Call a poison control center or doctor for treatment advice.
lf Swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water, if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
lf Inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
	HOT LINE NUMBER
	oduct container or label with you when calling a Poison Control Center or doctor or going for treatment. so contact 901-278-0330 or 1-800-BUCKMAN for emergency medical treatment information.
	NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

## **Precautionary Statements**

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage. Causes severe skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Remove and wash contaminated clothing. Do not take internally.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance, contact the regional office of the Environmental Protections Agency.

PHYSICAL AND CHEMICAL HAZARDS; Do not use or store near heat or open flame.

# ACCEPTED

APR 2 1 2004

Under die Federal Imacijotie, Funghride, and Rodunticide Act as anandinal, for the geneticide, registered utster EPR Reg. No. / 44 44 8-8