

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Before applying Busan 1020 always** read the entire label carefully. A summary of the most important information is given below. For complete information, read the entire label. **The step is essential for all methods of use.** Immediately before application, thoroughly clean the nozzle. To prevent the formation of a crust on the nozzle, use a brush or wire. Wash the nozzle with water after each use. Do not use the nozzle for any other purpose. The nozzle should be cleaned after each use. Do not use the nozzle for any other purpose. The nozzle should be cleaned after each use. Do not use the nozzle for any other purpose. The nozzle should be cleaned after each use.

The activity of Busan 1020 is increased by the use of a surfactant. (See label for details.) Do not use the product on plants that are stressed or damaged. Do not use the product on plants that are in bloom. Do not use the product on plants that are in fruit. Do not use the product on plants that are in seed.

**USE PROMPTLY AFTER MIXING WITH WATER. DO NOT ALLOW SOLUTION TO STAND.** If you are unable to use the solution immediately, use it within 24 hours. Do not use the solution after 24 hours.

**CULTIVATION AND PLANTING AFTER APPLICATION** Do not cultivate or plant in the treated area until the soil is dry. Do not cultivate or plant in the treated area until the soil is dry. Do not cultivate or plant in the treated area until the soil is dry.

**SPECIAL INSTRUCTIONS** When treating potted plants, use a spray nozzle. Do not use the product on plants that are in bloom. Do not use the product on plants that are in fruit. Do not use the product on plants that are in seed.

**USES: APPLICATION METHODS & RATES** FOR SHALLOW PESTS IN SEED BEDS, PLANT BEDS, LAWNS AND OTHER LIMITED AREAS. **SPRINKLING CAN METHOD:** For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**NOSE PROPORTIONER METHOD:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**SOIL INJECTION:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**ROTARY TILER:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**FIELD APPLICATION: WHERE ENTIRE AREA IS BEING TREATED** **SOIL INJECTION:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**SPRINKLER SYSTEM:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**POTATO FIELDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TOBACCO PLANT BEDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** Harmful if swallowed. Irritating to eyes and skin. Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves when handling. Avoid contamination of food or feed.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** Harmful if swallowed. Irritating to eyes and skin. Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves when handling. Avoid contamination of food or feed.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** Harmful if swallowed. Irritating to eyes and skin. Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves when handling. Avoid contamination of food or feed.

ACCEPTED  
JAN 25 1988  
U.S. DEPARTMENT OF AGRICULTURE  
WASHINGTON, D.C. 20250



# BUSAN® 1020

ACTIVE INGREDIENT Sodium Dimethylthiocarbamate 33%  
INERT INGREDIENTS 67%  
TOTAL 100%

Manufactured by  
**Buckman Laboratories, Inc.**  
Memphis, Tennessee 38108, U.S.A.

NET CONTENTS AS MARKED ON CONTAINER

EPA Reg. No. 144B-65

EPA Est. 144B TN 1

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Harmful if swallowed. Irritating to eyes and skin. Do not get in eyes, on skin, or on clothing. Wear goggles and rubber gloves when handling. Avoid contamination of food or feed.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not apply directly to lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

**PRODUCT INFORMATION**

Busan 1020 is a systemic insecticide and acaricide. It is effective against a wide range of insects and mites. It is used on lawns, plant beds, and tobacco plant beds. It is also used on potatoes and tobacco plants. It is effective against beet beetles, cutworms, and other insects. It is also effective against mites and ticks.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not use this pesticide on lawns, plant beds, or tobacco plant beds. Do not use this pesticide on potatoes or tobacco plants. Do not use this pesticide on lawns, plant beds, or tobacco plant beds. Do not use this pesticide on potatoes or tobacco plants.

**PESTICIDE DISPOSAL:** Do not dispose of this pesticide in the environment. Do not dispose of this pesticide in the environment. Do not dispose of this pesticide in the environment.

**CONTAINER DISPOSAL:** Do not reuse this container. Do not reuse this container. Do not reuse this container.

**USE PRECAUTIONS**

Do not use this pesticide on lawns, plant beds, or tobacco plant beds. Do not use this pesticide on potatoes or tobacco plants. Do not use this pesticide on lawns, plant beds, or tobacco plant beds. Do not use this pesticide on potatoes or tobacco plants.

**CHECK ON FLOOD IRRIGATION:** When using Busan 1020 on flood irrigation, check the water flow rate. The water flow rate should be 1.0 to 2.0 inches per hour. Do not use the product on flood irrigation if the water flow rate is less than 1.0 inch per hour.

**FIELD APPLICATION TO BEDS OR ROWS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**SOIL INJECTION:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**SOIL COVERING METHODS:** Do not use this pesticide on lawns, plant beds, or tobacco plant beds. Do not use this pesticide on potatoes or tobacco plants. Do not use this pesticide on lawns, plant beds, or tobacco plant beds. Do not use this pesticide on potatoes or tobacco plants.

**TREATMENT OF TREE REPLANT SITES:** After removing dead or damaged trees, use Busan 1020 on the remaining trees. Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TREATMENT OF POTTING SOIL:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**A. SPINNIER METHOD:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**B. CEMENT MIXER:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**C. SHREDDER:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TOBACCO PLANT BEDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**A. TARP METHOD:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**B. DRINCH METHOD:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**POTATO FIELDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TOBACCO PLANT BEDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**POTATO FIELDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TOBACCO PLANT BEDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**POTATO FIELDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TOBACCO PLANT BEDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**POTATO FIELDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**TOBACCO PLANT BEDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.

**POTATO FIELDS:** Use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For lawns, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area. For plant beds, use 1.0 lb. of Busan 1020 per 1,000 sq. ft. of area.