

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before applying Busan 1020 always... The steps are essential for all methods of use... The active ingredient is sodium methidathion.

USE FOR MIXTURE WITH WATER... The active ingredient is sodium methidathion.

CULTIVATION AND PLANTING AFTER APPLICATION

On seeded and planted crops... Cultivation should be delayed for 21 days after application.

SPECIAL INSTRUCTIONS... Avoid contact with treated areas... Do not apply to water.

USES, APPLICATION METHODS & RATES FOR SHALLOW PESTS IN SEED BEDS, PLANT BEDS, LAWNS AND OTHER LIMITED AREAS

SPRINKLING CAN METHOD... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

HOSE PROPORTIONER METHOD... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

SOIL INJECTION... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

ROTARY TILLER... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

FIELD APPLICATION WHERE ENTIRE AREA IS BEING TREATED... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

SOIL INJECTION... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

SPRINKLER SYSTEM... Apply 1.0 to 2.0 gallons of water per 100 sq ft.



BUSAN® 1020

ACTIVE INGREDIENT Sodium methidathion 53%
INERT INGREDIENTS 47%
TOTAL 100%

This product contains 1.1 lbs. of active ingredient per gallon and weighs 9.5 lb. per gallon.

Manufactured by

Buckman Laboratories, Inc.
Memphis, Tennessee 38108, U.S.A.

NET CONTENTS: AS MARKED ON CONTAINER

EPA Reg. No. 1448-B

EPA EST. 1448-TN-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of skin contact... Wash with plenty of soap and water... If product gets in the eyes... flush immediately with copious amount of clean water for at least 15 minutes.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed... Irritating to eyes and skin... Do not get in eyes, on skin, or clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish... Do not apply directly to lakes, streams, or ponds... Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water.

PRODUCT INFORMATION

Busan 1020 is a water-soluble... It is a systemic insecticide... It is effective against a wide range of insects.

STORAGE AND DISPOSAL

Prohibited... Pesticide disposal... Containers should be disposed of properly.

USE PRECAUTIONS

Do not apply to water... Do not apply to crops intended for human consumption.

FIELD APPLICATION TO BEDS OR ROWS... SOIL INJECTION... SOIL COVERING METHODS... TREATMENT OF TREE REPLANT SITES... TREATMENT OF POTTING SOIL

SOIL INJECTION... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

SOIL COVERING METHODS... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

TREATMENT OF TREE REPLANT SITES... Apply 1.0 to 2.0 gallons of water per 100 sq ft.

TREATMENT OF POTTING SOIL

A. SPRINKLE METHOD

1. Use 1.0 to 2.0 gallons of water per 100 sq ft.

B. CEMENT MIXER

1. Use 1.0 to 2.0 gallons of water per 100 sq ft.

C. SHREDDER

1. Use 1.0 to 2.0 gallons of water per 100 sq ft.

TOBACCO PLANT BEDS

Apply 1.0 to 2.0 gallons of water per 100 sq ft.

A. TARP METHOD

Apply 1.0 to 2.0 gallons of water per 100 sq ft.

B. GRENCH METHOD

Apply 1.0 to 2.0 gallons of water per 100 sq ft.

POTATO FIELDS

Apply 1.0 to 2.0 gallons of water per 100 sq ft.

RECEIVED
JUL 27 1983
Office of the Federal Insecticide, Fungicide, and Rodenticide Administrator
EPA Reg. No. 1448-B