3, 1174

Dennis L. Barbee Buckman Laboratories, Inc. 1256 McLean Blvd. Memphis, TN 38108

Dear Mr. Barbee:

Subject: Revised Labels

BUSAN 11-M1

EPA Registration No. 1448-17

BUSAN 1009

EPA Registration No. 1448-81

BUSAN 1072

EPA Registration No. 1448-101

BUSAN 11-M3

EPA Registration No. 1448-105

BUSAN 1126

EPA Registration No. 1448-344

Your Submissions Dated April 22, 1994

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

15/

Cynthia Giles-Parker Product Manger (22) Fungicide Herbicide Branch Registration Division (7505C)

Enclosure



BUSAN 11-M3

BUSAN is a registered trademark.

ACTIVE INGREDI Barium metaborate ini (as BaB2O4 H2O (mo metaborate)) INERT INGREDIE

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, inhaled, and causes eye injury. Avoid breathing dust. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT: If in eyes: flush with plenty of water. If swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth—to—mouth. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, esturaries oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store on pallets off of floor or ground in a covered area. Prevent moisture from penetrating bags. Damaged bags should be placed in a larger container to prevent spread of dust. Product should be used immediately or disposed of as below.


BUSAN 11-M3 DISPOSAL: Product wastes are toxic. Improper disposal of excess product is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfull or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To preserve water thinned coatings in their container, Busan 11–M3 should be mixed with other pigments in the pigment grind at concentrations of 1 to 3% based on total weight of the coating. To provide fungal resistance to paint films, Busan 11–M3 is added in the same way at concentrations of 5 to 20% based on total weight of the coating. The exact amount will be determined by the geographical location in which the coating will be exposed.



BEST AVAILA

N!

Manufactured By EPA Est. No. BUCKMAN LABORATORI 1256 N. McLEAN BLVD., MEMPHIS, (901) 278-0330 or 1-800-BUC

BUSAN 11-M3

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, inhaled, and causes eye injury. Avoid breathing dust. Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT: If in eyes: flush with plenty of water, If swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth—to-mouth. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Do no. discharge effluent containing this product into takes, streams, ponds, esturaries oceans or public waters unless in accordance with to requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store on pallets off of floor or ground in a covered area. Prevent moisture from penetrating bags. Damaged bags should be placed in a larger container to prevent spread of dust. Product should be used immediately or disposed of as below.

BUSAN 11-M3 DISPOSAL: Product wastes are toxic, Improper disposal of excess product is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To preserve water thinned coatings in their container, Busan 11–M3 should be mixed with other pigments in the pigment grind at concentrations of 1 to 3% based on total weight of the coating. To provide furigal resistance to paint films, Busan 11–M3 is added in the same way at concentrations of 5 to 20% based on total weight of the coating. The exact amount will be determined by the geographical location in which the coating will be exposed.

BEST AVAILABLE COPY



Product Weight: 24 lbs./gal. 2.87 kg/l
NET CONTENTS MARKED ON CONTAINER
EPA Reg. No. 1448-105

Manufactured By EPA Est. No. 1448-TN-1 BUCKMAN LABORATORIES, INC. 1256 N. McLEAN BLVD., MEMPHIS, TN 38108 USA

(901) 278-0330 or 1-800-BUCKMAN

