



WASHINGTON, D.C. 20460

AUG 2 0 2014

Office of Chemical Safety and Pollution Prevention

Buckman Laboratories, Inc.

1256 N. McLean Blvd

Bridgewater, N.J. 08807 Attn: Jeffrey M. Thorne

Subject:

Amended Reregistration Label

Metam Concentrate

EPA Registration Number 1448-107

EPA Decision Number 386245

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF, dated April 22, 2011

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Melba Morrow at morrow.melba@epa.gov.

Sincerely,

Midulall

Regulatory Management Branch I Antimicrobials Division (7510P)

METAM CONCENTRATE

Buckman

ACTIVE INGREDIENT(S)	
Sodium N-methyldithiocarbamate	42.5%
INERT INGREDIENTS	57.5%
TOTAL	100.0%

DANGER

	FIRST AID	EG.	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for further treatment advice. 		
If on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control center or doctor for treatment advice. 		
If Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respirat preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
If Swallowed	 Call a poison control center or doctor immediately for treatment Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control Do not give anything by mouth to an unconscious person. 		
	HOT LINE NUMBER		

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-767-2722 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate gastric lavage. Treat symptomatically. No known antidote.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes skin burns. May be fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear appropriate eyewear, such as goggles or face shield. Wear coveralls over long-sleeved shirt and long pants, socks, and chemical-resistant footwear, and chemical-resistant water-proof gloves. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Wear a respirator with either an organic vapor removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G). RESPIRATOR REQUIREMENTS: When a respirator is required for use with this product, the following criteria must be met: a.) Cartridges or canisters

METAM CONCENTRATE Buckman

must be replaced daily or when odor or irritation from this product becomes apparent, whichever is sooner, and b.) Respirators must be fit-tested and fit-checked using a program that conforms to OSHA requirements (described in 29 CFR 1910.134).

ENVIRONMENTAL HAZARDS: This pesticide is toxic to mammals, birds, aquatic invertebrates and fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the Environmental Protection Agency (EPA).

PHYSICAL HAZARDS: Avoid contact with metals such as: aluminum, copper-nickel, and brass.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR FORMULATING USE ONLY

For formulation into end-use products only for use as: Fumigant solutions for control of decay and insects in wood and wood products; and antimicrobial agents. This product is NOT to be used for formulation into end-use products to control roots and fungi in sewer systems.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than 4 drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER HANDLING:

{Liquid residue removal statement for nonrefillable containers with capacity of 5 gallons or less}

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{Liquid residue removal statement for nonrefillable containers with capacity of of >5 gallons}

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and

METAM CONCENTRATE Buckman

tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{For containers larger than 5 gallons}

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120°F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

{For containers 5 gallons and smaller}

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

LIMITED WARRANTY AND LIMITATION OF LIABILITY AND REMEDIES

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the directions for use when used in accordance with the directions under normal conditions. But assumes the risk of any use contrary to such directions or resulting from extreme weather conditions.

To the extent consistent with applicable law, seller makes no other warranty or representation of any kind, express or implied, concerning the product, including NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in

6/6

METAM CONCENTRATE Buckman

any way except in writing with a specific reference to this warranty.

The exclusive remedy against seller shall be a claim for damages not to exceed the purchase price of the product, without regard to whether such a claim is based upon breach of warranty or tort.

Batch	code:		
Daton	COUC.		

Manufactured by: **Buckman Laboratories, Inc.**1256 N. McLean Blvd., Memphis, Tennessee 38108, U.S.A.
(901) 278-0330 or 1-800-282-5626

EPA Est. No. 1448-TN-1

EPA Reg. No. 1448-107

Product Weight: 10.1 lbs./gal. 1.21 kg/L

HMIS/NPCA RATING

Health 2 Flammability 1 Reactivity 1

Revised: 04/22/14