492010



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

APR - 9 2010

OFFICE OF PREVENTION, PESTICIDE AND TOXIC SUBSTANCES

Carl F. Watson Buckman Laboratories, Inc. 1256 N. McLean Blvd Memphis, TN 38108

Subject:

W-60-2 EPA Registration No. 1448-113 Application Date: November 19, 2009 Receipt Date: January 12, 2010

Dear Mr. Watson:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted with conditions.

Proposed Amendment:

- Update label as PR Notice 2007-4
- Update the FIRST AID chart
- Update the Precautionary Statements language
- Update Directions for Use

Conditions

Revise label as follows:

1.) According to PRN 2001-1, First Aid Statements must be organized so that the most severe routes of exposure, as demonstrated by the toxicity classification, are listed first. Therefore, reorder the First Aid Statement as follows:

- 1. If swallowed
- 2. If in eyes
- 3. If inhaled
- 4. If on skin or clothing

2.) The "Precautionary Statements" like the "First Aid" Statements must be organized by the most severe routes of exposure. Therefore revise this section to read:

"CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Wear chemical-resistant eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash clothing before reuse."

		 CONCURRENC	ZS	 	
SYMBOL					
SURNAME					
DATE					
	•			OFFICI	AL EUE CORY

3.) Revise the subheading "Container Disposal" to read "Container Handling" on pages 4, 5, and 6.

4.) Delete the third sentence, "offer for recycling if available," under Container Handling for non-refillable containers with a capacity of 5 gallons or less and greater than 5 gallons on pages 4 and 5.

5.) Revise the last statement under Container Handling for all container sizes on pages 4, 6, and 6 to read: "Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities." Since your product is packaged in both plastic and metal containers, you must remove the reference to burning as you can not burn metal containers.

6.) Revise the refillable containers with a capacity of 55 gallons or less and greater than 55 gallons on paes 5 and 6 by deleting the last paragraph because it appears in the Environmental Hazards section.

General Comment:

A stamped label with conditions is enclosed for your records. Submit a copy of your final printed label before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at <u>campbell-mcfarlane.jacqueline@epa.gov</u> or Stacey Grigsby by telephone at (703) 308-6346 or by e-mail at <u>swift.killian@epa.gov</u> during the hours of 8:00am to 4:00pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely.

Jacqueline McFarlane (Acting) Product Manager (34) Regulatory Management Branch II Antimicrobials Division (7510P)

Enclosure: EPA stamped accepted labeling

CONCURRENCES								
SYMBOL								
SURNAME				;				
DATE				2				

W-60-2

TOTAL.....

using the toilet.

ACTIVE INGREDIENT(S) Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride]...... INERT INGREDIENTS......

Buckman

JCKIIIQI

60.0% 40.0% 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
lf in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
lf on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
lf Swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
	product container or label with you when calling a Poison Control Center or doctor or going for treatment. also contact 901-767-2722 for emergency medical treatment information.

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates and clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant

ACCEPTED with COMMENTS in EPA Letter Dated:

authority. For guidance contact your State Water Board or Regional Office of the EPA.

APR -9 2010

Under the Federal Insectivide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 1448-113

W-60-2

Buckman

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

W-60-2 is used to control the growth of algae in swimming pools, heated swimming pools, exterior spas, whirlpools, hot tubs and decorative fountains that do not contain fish. It is also used to control algae, bacteria, fungi in recirculating commercial and industrial water cooling towers and recirculating cooling systems.

WATER COOLING SYSTEMS: Prior to the use of W-60-2 in water cooling towers, clean the systems to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 0.9 to 2.2 fluid ounces of W-60-2 per 1000 gallons of water to provide 8 to 20 ppm W-60-2, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 0.2 to 2.2 fluid ounces of W-60-2 per 1000 gallons of water (2 to 20 ppm W-60-2) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Make slug additions in the sump of water cooling towers.

INDUSTRIAL AIR WASHING SYSTEMS: W-60-2 is used to control bacteria in industrial air washing systems that maintain effective mist eliminating components. Prior to its use, clean the systems to remove bacterial slime and other deposits. An initial slug dose of 3.33 to 5.55 fluid ounces of W-60-2 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Make subsequent slug additions of 2.25 to 5.55 fluid ounces of W-60-2 per 1000 gallons of water each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Make slug additions into the sump or into the water collection trays of the airwash system.

SWIMMING POOLS, EXTERIOR SPAS, WHIRLPOOLS AND HOT TUBS: For maximum effectiveness of W-60-2 in swimming pools, heated swimming pools, exterior spas, whirlpools and hot tubs, clean those systems with heavy growth of algae prior to using W-60-2.

For pools having just visible algae growth, add an initial dose of 11 to 17 fluid ounces of W-60-2 per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool, add initially 6 to 11 fluid ounces of W-60-2 per 10,000 gallons of water. To maintain pools free of visible algae growth, make subsequent additions of 2 to 4 fluid ounces of W-60-2 per 10,000 gallons of water in the pool is necessary for maximum effectiveness.

Spas, whirlpools and hot tubs having just visible algae growth require an initial dose of 1 to 2 fluid ounces of W-60-2 per 1000 gallons of water. For treatment of a freshly cleaned spa, whirlpool or hot tub, add 0.6 to 1.1 fluid ounces of W-60-2 per 1,000 gallons of water. Make subsequent additions of 0.2 to 0.4 fluid ounces of W-60-2 every 5 to 7 days after initial treatment for maintenance.

W-60-2 will prevent growth of most algae during the off-season winter months when pools are not in use. For pools, which have been properly treated during the swimming season and are free of visible algae, add 6 to 10 fluid ounces of algaecide per 10,000 gallons of water. If, at the end of the swimming season, pools have some visible algae growth, add 12 to 17 fluid ounces per 10,000 gallons. It is necessary that a uniform distribution of algaecide throughout the water and the pool be made for maximum effectiveness. If pool is not covered, it may be necessary to repeat the treatment one or more times during the season.

W-60-2 is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. W-60-2 can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix W-60-2 with concentrated dry or liquid chlorine products.

DECORATIVE FOUNTAINS: W-60-2 is used to control the growth of algae in decorative fountains that do not contain fish. Manually clean heavy growths of algae prior to treatment. Fountains with just visible algae growth require an initial dose of 1.0 to 2.0 fluid ounces of W-60-2 per 1000 gallons of water. To treat a freshly cleaned and filled fountain, add 0.5 to 1.5 fluid ounces of W-60-2 per 1000 gallons of water. For maintenance dosages, add 0.2 to 0.5 fluid ounces of W-60-2 per 1000 gallons of vater. For maintenance dosages, add 0.2 to 0.5 fluid ounces of W-60-2 per 1000 gallons of vater. For maintenance dosages, add 0.2 to 0.5 fluid ounces of W-60-2 per 1000 gallons of vater every 5 to 7 days as needed. Make sure W-60-2 is added at a point where it can be uniformly distributed. W-60-2 may be used in fountains treated with chlorine chemicals, but do not mix W-60-2 with concentrated dry or liquid chlorine products.



e .!

Buckman

 $\left(\begin{array}{c} \\ \end{array} \right)$

	Storag	e and Disposal	
See attached do	ocument for Storage and Dispos		
Manufactured by	Buckman Laboratories, li	nc.	
		emphis, Tennessee 38108, USA	
PA Est. No.	1448-TN-1		
EPA Reg. No.	1448-113		
Product Weight	9.6 lbs./gal. 1.15 kg/L	Net contents are marked on the container	•
HMIS /	Last		
Health 1 Flammability 1 Reactivity 0			
Health 1 Flam	mability 1 Reactivity 0		Revision

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Keep container closed when not in use. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

(Nonrefillable Containers, capacity of greater than 5 gallons)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

(Refillable Containers, capacity of 55 gallons or less)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Keep container closed when not in use. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

(Refillable Plastic Containers, capacity of greater than 55 gallons)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.