



United States
Environmental Protection Agency
Washington, DC 20460

Registration
Amendment
Other

OPP Identifier Number

215217

Application for Pesticide - Section I

1. Company/Product Number 1448-171-64864	2. EPA Product Manager	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Microcide MB-34	PM#	
5. Name and Address of Applicant (Include ZIP Code) Pace International LP P.O. Box 558 Kirkland, WA 98033 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 1448-171-64864 Product Name Microcide MB-34	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

In accordance with PR Notice 93-10

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Connie Steimle	Title Regulatory Analyst	Telephone No. (Include Area Code) (206) 827-8711	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature Connie Steimle	3. Title Regulatory Analyst		
4. Typed Name Connie Steimle	5. Date 9/28/95		

MICROCID

INDUSTRIAL MICROBIOCID

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

COOLING WATER:

MICROCID MB-34 is used to control algae, bacteria, and fungi in industrial recirculating cooling water systems. Before treatment is begun, the system should be cleaned thoroughly to remove old algal growth, microbiological slime, and other deposits. The system should then be drained, flushed, refilled with water, and treated with an initial dose of 2.4 to 14.8 fl. oz. **MICROCID MB-34** per 1000 gallons of water in the system. Subsequent additions of 0.8 to 4.8 fl. oz. per 1000 gallons should be made every 1 to 5 days, depending on amount of bleedoff and severity of microbiological fouling.

COOLING TOWERS:

MICROCID MB-34 is used to protect cooling tower wood against soft or surface rot and internal or dry rot. It is applied by painting a dispersion containing 2.0 to 2.8% **MICROCID MB-34** in water onto the clean wood surfaces. The amount applied should provide 2.4 to 3.2 lb **MICROCID MB-34** per 1000 ft² of wood surface. Soft or surface rot can also be inhibited by periodic shock doses of **MICROCID MB-34** to the recirculating cooling water at the tower basin or cold well. The dosage should provide 5.0 lb of **MICROCID MB-34** per 1000 gal of water and the bleedoff should be stopped for 4 to 6 hr after treatment. The shock treatment should be repeated every 4 months.

EPA REG. NO. 1448-171-64864

EPA EST. NO. 64864-WA-1

ACTIVE INGREDIENTS:

Methylene bis(thiocyanate)

2-(Thiocyanomethylthio)benzothiazole

INERT INGREDIENTS: 9

This product weighs 7.99 pound per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: *In case of skin contact*, wash promptly and thoroughly with soap and water and finally with glycerin. *If product gets in the eyes*, immediately with copious amounts of clean, cool water for 15 minutes. Get medical attention immediately. *If product is swallowed*, call a physician or Poison Control Center. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

NET CONTENTS: 55 GALLONS

PRECAUTIONARY STATEMENTS CONTINUED ON RIGHT SIDE