
3/2/2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



Buckman Laboratories, Inc. 256 N. McLean Blvd. Memphis, TN 38108

MAR 0 2 2010

Attention: Carl F. Watson, Ph.D.

Subject: NM-175-1

EPA Registration No. 1448-180 Amendment Dated January 15, 2010

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

- Revise Storage and Disposal Section per PR Notice 2007-4

General Comment

A stamped copy of the "accepted" label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510P)

Enclosure



ACCEPT with COMMENTS
EPA Letter Dated:

registered under EPA Reg. No. 1448-180



ACTIVE INGREDIENT(S)	11.60	
Disodium cyanodithioimidocarbonate	MAR - 2 2010	7.35%
Potassium N-methyldithiocarbamate		10.15%
INERT INGREDIENTS	Under the Federal Insecticide,	82.50%
TOTAL	Functione, and Rodenticide, amended for the same reduction amended for the same reduction amended for the same reduction and the same red	100.00%
	amended, for the posticide	

DANGER

	FIRST AID					
If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for further treatment advice.					
If on Skin, Clothes	- Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.					
If Swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 					
lf Inhaled	 - Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice. 					
HOT LINE NUMBER						
	product container or label with you when calling a Poison Control Center or doctor or going for treatment. also contact 901-767-2722 for emergency medical treatment information.					
	NOTE TO PHYSICIAN					
Probable	e mucosal damage may contraindicate the use of gastric lavage.					

Precautionary Statements HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skir Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber glove and protective clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in somindividuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Removementation of the contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing thi product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.



ACCEPTED 3
wit OMMENTS BUCKMON 4

dian .

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 144X-18D

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(Text for all nonrefillable containers)

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

{Liquid residue removal statement for nonrefillable containers with capacity of 5 gals or less}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(Liquid residue removal statement for nonrefillable containers with capacity of >5 gals)

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 36 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Repeat this procedure two more times.

(Text for all nonrefillable containers)

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

{Text for refillable containers}

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

For containers larger than 55 gallons:

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.

For containers 55 gallons and smaller:

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.

Do not discharge rinsate containing this product unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge rinsate containing this product to sewer systems without prior approval from the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Batch code:					
Manufactured by	Buckman Laboratories, Inc. 1256 North McLean Blvd., Memphis, Tennessee 38108, USA (901) 278-0330 or 1-800-282-5626				
EPA Est. No.	1448-TN-1				
EPA Reg. No.	1448-180				
Product Weight	9.3 lbs/gal	1.11 kg/l	Net contents are marked on the container.		
HMIS / NPCA Ratings				Last Revision	

Health 3 Flammability 1 Reactivity 1

12/10/2009

NM-175-1



Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

COOLING WATER SYSTEMS: NM-175-1 is used to inhibit the growth of microorganisms in industrial, commercial, and institutional cooling water systems. In noticeably fouled systems, NM-175-1 should be added at a rate of 3.3 to 6.6 fl. oz. of NM-175-1 per 1000 gallons of system water (30-60 ppm) until control is evident. Subsequent additions of NM-175-1 should be made to the system as needed at a rate of 1.1 to 6.6 fl. oz. of NM-175-1 per 1000 gallons of system water (10-60 ppm) to maintain control. The frequency of treatment depends upon the severity of the microbiological problem. For best results, the system should be cleaned prior to treatment. Not for use in once-through cooling systems.

INDUSTRIAL WATER PURIFICATION SYSTEMS: NM-175-1 is used to control microbiological fouling in industrial water purification systems including reverse osmosis systems, filters, clarifiers, and ion exchange equipment. For off-line treatment, NM-175-1 should be fed at a concentration of 11.5 to 23.0 fl. oz. per 1000 gallons of water (100-200 ppm) for 4 to 8 hours. For on-line maintenance treatment, dosing of 2.3 to 4.6 fl. oz. NM-175-1 per 1000 gallons of water (20-40 ppm) for 6 to 12 hours should be made once a week or as needed to maintain control. Not intended for use in potable water systems. Not registered for this use in California.

ACCEPTED with COMMENTS EPA Letter Dated:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 1448–180