

1448-211

06/02/2011

1/8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

JUN - 2 2011

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Carl F. Watson, Ph.D.
Buckman Laboratories, Inc.
1256 North McLean Boulevard
Memphis, TN 38108

Subject: W-15-1
EPA Registration Number: 1448-211
Application Date: April 12, 2011
Application Receipt: April 12, 2011

Dear Dr. Watson:

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable with conditions.

Proposed Amendment

Update Container Handling Instructions per PR Notice 2007-4

Conditions

Revise the label as follows:

- 1.) Correct the spelling of "drinking" to the word, "drinking" in the Precautionary statement.
- 2.) Revise "recommended" in the Directions for Use in the 3rd sentence of Industrial Air Washing Systems. This is to comply with PR Notice 2000-5. You could say that the direction is intended, if this is what you mean to say.
- 3.) In the two Pesticide Storage statements, delete the word "should" to comply with PR Notice 2000-5. A possible wording of the sentence could be: "Absorb spilled contents in sawdust or sand; then dispose in a sanitary landfill."
- 4.) In the second Pesticide Disposal statement, revise the first sentence to read "Pesticide wastes may be hazardous." This is the statement appropriate for the signal word, "Caution." The phrase, "acutely hazardous," is intended to accompany the signal word "Danger."

CONCURRENCES


SYMBOL								
SURNAME								
DATE								

General Comments:

A stamped label is enclosed for your records. Submit a final printed label before distributing or selling this product bearing the revised labeling.

Should you have questions concerning this letter, please contact me at 703-308-6416 or by email at campbell-mcfarlane.jacqueline@epa.gov or Killian Swift by telephone at 703-308-6346 or by email at swift.killian@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,



Jacqueline Campbell-McFarlane
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)

Enclosure: EPA stamped label

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

W-15-1

Buckman

ACTIVE INGREDIENT(S)

Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride].....

15.0%

INERT INGREDIENTS.....

85.0%

TOTAL.....

100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice.
If on Skin, Clothes	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
If Swallowed	- Call poison control center or doctor immediately for treatment advice. - Have person sip a glass of water, if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If Inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 901-767-2722 for emergency medical treatment information.	

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wear chemical-resistant eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic organisms and clams. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED

JUN - 2 2011

Under the Federal Insecticide, Fungicide and
Rodenticide Act as amended 1950 to 1996
EPA Reg. 40 CFR 158.101
1748-211

W-15-1

Buckman

Storage and Disposal

See attached document for Storage and Disposal.

Manufactured by **Buckman Laboratories, Inc.**
1256 North McLean Blvd., Memphis, Tennessee 38108, USA
(901) 278-0330 or 1-800-282-5626

EPA Est. No. 1448-TN-1
EPA Reg. No. 1448-211
Product Weight **8.6 lbs/gal.** **1.03 kg/l** Net contents are marked on the container.

HMIS / NPCA Ratings
Health 1 Flammability 1 Reactivity 0

**Last
Revision
3/23/2011**

W-15-1

Buckman

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

W-15-1 is used to control the growth of algae in swimming pools, heated swimming pools, exterior spas, whirlpools, hot tubs and decorative fountains that do not contain fish. It is also used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers and recirculating cooling systems.

WATER COOLING TOWERS: Prior to the use of W-15-1 in water cooling towers, clean the systems to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 4 to 10 fluid ounces of W-15-1 per 1000 gallons of water to provide 32 to 80 ppm W-15-1, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 1.0 to 10.0 fluid ounces of W-15-1 per 1000 gallons of water (8 to 80 ppm W-15-1) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Make slug additions into the sump of water cooling towers.

SWIMMING POOLS, HEATED SWIMMING POOLS, EXTERIOR SPAS, WHIRLPOOLS AND HOT TUBS: For maximum effectiveness of W-15-1 in pools, spas, whirlpools and hot tubs, clean those systems with heavy growth of algae prior to using W-15-1.

For pools having just visible algae growth, add an initial dose of 50 to 77 fluid ounces of W-15-1 per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool, add initially 27 to 50 fluid ounces of W-15-1 per 10,000 gallons of water. To maintain pools free of visible algae growth, make subsequent additions of 9 to 18 fluid ounces of W-15-1 per 10,000 gallons of water every 5 to 7 days after initial treatment. Uniform distribution of W-15-1 throughout the water in the pool is necessary for maximum effectiveness.

Spas, whirlpools and hot tubs having just visible algae growth require an initial dose of 5 to 8 fluid ounces of W-15-1 per 1000 gallons of water. For treatment of a freshly cleaned spa, whirlpool and hot tub, add initially 3 to 5 fluid ounces of W-15-1 per 1000 gallons of water. Make subsequent additions of 1 to 2 fluid ounces W-15-1 every 5 to 7 days after the initial dose for maintenance.

W-15-1 will prevent growth of most algae during the off-season winter months when pools are not in use. For pools which have been properly treated during the swimming season and are free of visible algae, add 27 to 43 fluid ounces of algaecide per 10,000 gallons of water. If, at the end of swimming season, pools have some visible algae growth, add 50 to 77 fluid ounces per 10,000 gallons of water. It is necessary that a uniform distribution of algaecide throughout the water and the pool be made for maximum effectiveness. If the pool is not covered, it may be necessary to repeat the treatment one or more times during the season.

W-15-1 is compatible with those chemicals normally used to treat pools and spas and is effective at both acid and alkaline pH. W-15-1 can be used in pools and spas treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix W-15-1 with concentrated dry or liquid chlorine products.

DECORATIVE FOUNTAINS: W-15-1 is used to control the growth of algae in decorative fountains that do not contain fish. Manually clean heavy growths of algae prior to treatment. Fountains with just visible algae growth require an initial dose of 5 to 8 fluid ounces of W-15-1 per 1000 gallons of water. To treat a freshly cleaned and filled fountain, add 3 to 5 fluid ounces of W-15-1 per 1000 gallons of water. For maintenance dosages, add 1 to 2 fluid ounces of W-15-1 per 1000 gallons of water every 5 to 7 days as needed. Make sure W-15-1 is added at a point where it can be uniformly distributed. W-15-1 may be used in fountains treated with chlorine chemicals, but do not mix W-15-1 with concentrated dry or liquid chlorine products.

INDUSTRIAL AIR WASHING SYSTEMS: W-15-1 is used to control bacteria in industrial air washing systems that maintain effective mist eliminating components. Prior to its use, clean the systems to remove bacterial slime and other deposits. Make an initial slug dose of 14.8 to 24.7 fluid ounces of W-15-1 per 1000 gallons of water. Repeat initial dosage until control is evident. Make subsequent slug additions of 10.1 to 24.7 fluid ounces of W-15-1 per 1000 gallons of water each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Make slug additions into the sump or into the water collection trays of the airwash system.

(Nonrefillable Containers, capacity of 5 gallons or less)

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Keep container closed when not in use. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for the later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning, if appropriate, or by other procedures if approved by state and local authorities.

(Nonrefillable Containers, capacity of greater than 5 gallons)

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.


PESTICIDE STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into

application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or, by other procedures if approved by state and local authorities.



(Refillable Plastic Containers, capacity of greater than 55 gallons)

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a pressure wash as follows: Empty the remaining contents into application equipment or a mix tank. Use a pressure wash system that rinses all interior sides with water and that is rated at >40 psi and >120F. Pressure wash the container for a length of time that ensures that a minimum 25% of the container volume of water is used. During the pressure wash, ensure that the container valve is left open for continuous draining. Collect the rinsate and empty into application equipment or a mix tank or store rinsate for later use or disposal. Allow container to drain for 10 minutes after pressure wash is completed.



(Refillable Plastic Containers, capacity of 55 gallons or less)

Do not contaminate water, food, or feed by storage or disposal. Do not ship with Food, Feed, Drugs, or Clothing.

PESTICIDE STORAGE: Keep container closed when not in use. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to refilling or disposal, use a triple rinse wash as follows: Empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously. Pour or pump rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this rinsing procedure two more times.