

B-30-6

ACTIVE INGREDIENT(S)	
2-(Thiocyanomethy)thio)benzothiazole	30.0%
NERT INGREDIENTS	70.0%
FOTAL	100.0%

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CUTTING FLUIDS: 8-30-6 is used to inhibit bacterial and fungal degradation of water-based and water-coluble or emulsifiable cutting fluids and coolants used in metahworking operations, it should be added to the cutting fluid at a rate that will provide 150 ppm to 250 ppm (1.3 pt/1000 gal water - 2.2 pt/1000 gal water) B-30-6 (weight/weight) after final dilution with water. B-30-6 can be added after the dilution or can be added to the concentrate before dilution. To prevent fungal growth on the inside walts of the diluted metahworking fluid storage tanks, higher concentrations of B-30-6 are needed. For this application, it is recommended that B-30-6 be added to the diluted fluid as it is prepared to provide a concentration of 1000 ppm to 1250 ppm (1.08 g/1000 gal water to 1.35 g/1000 gal water).

KEEP OUT OF REACH OF CHILDREN DANGER

DANGER		
FIRST AID		
If in Eyes	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for further treatment advice.	
if on Skin, Clothes	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
If Swallowed	- Call poison control center or doctor immediately for treatment advice Have person sip a glass of water, if able to swallow Do not induce vorniting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person.	
if inhaled	- Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible Call a poison control center or doctor for further treatment advice.	
	HOT LINE NUMBER	
or going fo	roduct container or label with you when calling a Poison Control Center or doctor or treatment. You may also contact 901-278-0330 or 1-800-BUCKMAN for medical treatment information.	
	NOTE TO PHYSICIAN	
Probable m	ucosal damage may contraindicate the use of gastric layage.	

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage. Causes skin irritation. This product may cause allergic skin reactions. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not use in offshore or estuarine drilling operations. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not discharge effluent containing this product into lakes, streams, ponds, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.



SEP 0 2 2003

Under the Federal Inencipide. Fungicide. and Rodenticide Act as amedied, for the pesticide, registered under EPA Reg. No. 1 44 48 465

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mbdure, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

And the Marketter Buckman Laboratories, Inc. 1256 North McLean Blvd., Memphis, Tennessee 38108, USA (901) 278-0330 or 1-800-BUCKMAN 1448-TN-1 EPA Est. No. EPA Reg. No. 1448-265 Net contents are marked on the container. **Product Weight** 9 lbs/gal 1.08 kg/l HMIS/NPCA Ratings Last Revision 7/30/2003 Health 3 Flammability 2 Reactivity