ACCEPTEDD-10-14

FEB 0 6 2003

Under the Federal Insecticide, Fungicide, and Redunticide Act as amended, for the

posticide, registered under

EPA Beg No 1448-383 KEEP OUT OF REACH OF CHILDREN **DANGER**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

FIRST AID		
If Swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person large quantities of water if able to swallow. Do not induce vomiting. Avoid alcohol. Do not give anything by mouth to an unconscious person. 	
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If on Skin or Clothing	 Brush off excess chemical Take off contaminated clothing. Rinse skin immediately with soap and water for at least 15 minutes. Call a poison control center or doctor for treatment advice. 	
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-282-5626 for emergency medical treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear googles or face shield and rubber gloves when handling. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries,

oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not expose to extreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be

ACTIVE INGREDIENTS:

Potassium dimethyldithiocarbamate	10.0 %
INERT INGREDIENTS:	90.0 %
TOTAL:	100.0%
This product contains 0.87 lb. Of acti	ve ingredient per gallon.

absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or State Pesticide or Environmental Control Agency (Control Agency) and Control Agency (Control Agency (Cont the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. METAL: Triple rinse (or equivalent). Tr. offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

D-10-14 is used in industrial and/or commercial recirculating cooling tower systems and industrial airwashing systems to control microbiological slime. Prior to the use of D-10-14 in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 12.0 to 17.9 fl oz of D-10-14 per 1000 gal. of water to provide 100 to 100 ppm or p-10-14, pages on 100 in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 6.0 to 100 to D-10-14 per 1000 gal. of water to provide 100 to 150 ppm of D-10-14, based on total weight of water 17.9 ft oz of D-10-14 per 1000 gal. of water (50 to 150 ppm D-10-14) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems. D-10-14 is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 28.1 to 35.9 fl oz of D-10-14 per 1000 gal. of water is recommended. Repeat Initial dosage until control is evident. Subsequent slug additions of 21.0 to 35.9 fl oz of D-10-14 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. SI additions may be made to the sump or the water collection trays of the airwash system.

HMIS/NPCA RATING

Health 3 Flammability 1 Reactivity 1

Product Weight: 8.68 lbs./gal. 1.03 kg/NP NET CONTENTS MARKED ON CONTAINER

EPA Rea. No. 1448-283

Manufactured By: BUCKMAN LABORATORIES, INC. 1256 N. McLean Blvd., Memphis, TN 38108 USA (901) 278-0330 or 1-800-BUCKMAN EPA Est. No. 1448-TN-1

Rev. 12/26/02