

PA 32

1448-304

143

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION 1448-304	DATE OF ISSUANCE DEC 20 1988
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		

Buckman Laboratories, Inc.
 1265 North McLean Boulevard
 Memphis, TN 38108

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.
 Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 1448-304."
 - b. Revise "First Aid" and the first aid statements to read as follows:

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Rinse mouth with copious amounts of water then drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

-2-

If In Eyes - Flush with plenty of water for 15 minutes. Get medical attention.

If On Skin - Wash with plenty of soap and water. Get medical attention if irritation persists.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jeff Kempter
Product Manager (32)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosures

W-60-11

ACCEPTED
with COMMENTS

DEC 20 1988

1448-304

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 60.0 %

INERT INGREDIENT 40.0 %

This product contains 5.76 lb. of active ingredient per gallon and weighs 9.6 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

W-60-11 is used to control bacteria and fungi in recirculating commercial and industrial water systems. Upon its use, systems must be cleaned to remove slimes, scale, and other deposits. An initial slug addition of W-60-11 fluid ounces of

per 1000 gallons of water to provide a concentration of 8 W-60-11 parts per million.

in the system, is recommended. Repeat initial slug additions of 0.2 W-60-11 per 1000

20 W-60-11 parts per million of W-60-11

should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions should be made in the supply lines to the

air-washing systems that maintain effective residual disinfectant levels. An initial slug dose of 3.33 W-60-11 is recommended. Repeat initial dosage until control levels of 2.25 to 5.55 fluid ounces of

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

per 1000 gallons of water should be employed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking drums should be disposed of. Spills should be absorbed in sawdust or similar material and disposed of in a sanitary landfill when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this pesticide should be disposed of at a registered waste disposal facility.

CONTAINER DISPOSAL

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or other recovery. Do not burn. Do not allow to enter municipal waste stream.

METAL: Triple rinse (or equivalent). Then offer for recycling or other recovery. Do not burn. Do not allow to enter municipal waste stream.

Manufacturer

Buckman Laboratories, Inc.

1256 N. McLean Blvd.

Memphis, TN 38108

EPA REG. NO. _____ E

NET CONTENTS _____