148.3

6/20/2011

UNITED STATED . JON BOR

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUN 20 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Buckman Laboratories, Inc. 1256 North McLean Blvd. Memphis, TN 38108-1241 USA

Attention: Jeffery M. Thorne Director, Compliance

Subject: D-33-1 EPA Reg. No.: 1448-337 Amendment Application Dated May 12, 2011

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. The Agency approves the changes made to the label per the Agency letter dated January 7, 2011.

A stamped copy of the accepted labeling is enclosed. Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

If you have any questions concerning this letter, please contact Abigail Downs at (703) 305-5259.

Sincerely,

Marshall Swindell

Product Manager (33) Regulatory Management Branch I Antimicrobials Division (7510P)

D-33-1

ŧ

Buckman

1577

c c

ACTIVE INGREDIENT(S)
Potassium dimethyldithiocarbamate
INERT INGREDIENTS
TOTAL

	66.7%
	100.0%
cee	
C C	

KEEP OUT OF REACH OF CHILDREN

DANGER

		<u>0 0 0</u>	
	FIRST AID	<u>ς</u> τη τ	
lf in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. 	9 9 9993393 9 2 2 3 9 2 2 3 9 2 3 3 3 9 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	······
lf on Skin, Clothes	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
lf Swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
lf Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably b Call a poison control center or doctor for further treatment advice. 	by mouth-to-mouth	if possible.
	HOT LINE NUMBER		
	product container or label with you when calling a Poison Control Center or doct also contact 901-767-2722 for emergency medical treatment information.	tor or going for t	reatment.
	NOTE TO PHYSICIAN		

Probable mucosal damage may contraindicate gastric lavage.

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED with COMMENTS in EPA Letter Dated: JUN 20 2011

⁵nder the Federal Insecticide, Fingicide, and Rodenticide Act a. amended, for the pesticide, registered under EPA Reg. No 1448 - 337 D-33-1

Buckman

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PETROLEUM SECONDARY-RECOVERY WATERFLOODING OPERATIONS: D-33-1 iscused to control sulfate-reducing bacteria in petroleum secondary-recovery waterflooding operations. In systems fouled with microbiological deposits, D-33-1 should be added as a slug dose to provide a concentration of 12 to 24 ppm (1.4 to 3.0 fl. oz. of D-33-1 per 1000 gallons of water treated). This should be followed by a continuous addition of D-33-1 employing a chemical metering pump to maintain a concentration of D-33-1 should be made at the heater-treater dump, gathering lines, or receiving tanks. Additions should advars be made upstream of the filter. D-33-1 is also used to inhibit the growth of fungi and bacteria in water-based drilling muds, completion fluids, packer fluids, and other water-based fluids containing starch, gums, sugars, or other organic materials. For these purposes, D-33-1 is added at rates of 4.1 to 6.89 gallons per100 barrels of fluid (0.10 to 0.16% by volume).

INDUSTRIAL WATER PURIFICATION SYSTEMS: D-33-1 is used to control microbiological fouling in industrial water purification systems including reverse osmosis, filters, clarifiers, and ion exchange equipment. For off-line treatment, D-33-1 should be fed at a concentration of 6.4 to 16.0 fl. oz. per 1,000 gallons of water (60-150 ppm) for 4 to 8 hours. For on-line maintenance treatment, feeding 1.6 to 3.2 fl. oz. D-33-1 per 1,000 gallons of water (15-30 ppm) for 6 to 12 hours should be made once a week or as needed to maintain control. Not intended for use in potable water systems.

ACCEPTED with COMMENTS in EPA Letter Dated:

JUN 2 0 2011

Index the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Req. No.

1448-337

	_ (TED			
D-33	with CC	MARINTS	(
D - 33	in EPA L	otter Dated:	Buckman		
	JUN 2	2 0 2011	DUCKIIIUII		
· ·		y EPA Req. No			
	Sto	rage and Dianes			
	r, food or feed by storage or disposal.	rage and Dispos	tr د		
PESTICIDE STORAGE:	Do not expose to extreme temperatures		drums high. Leaking or damaged drums should be placeo in sanitary landfill. Keep container closed when not in uses of		
Law. If these wastes car	Pesticide wastes are acutely hazardous not be disposed of by use according to entative at your EPA Regional Office for	o label instructions, contact y	es pesticide, spray mixture, or rinsatc is a violation of Federal our State Pesticide or Environmental Control Agency; or the		
CONTAINER DISPOSAL	, ,		с с с с с с с с		
(Text for all nonrefillable	containers}	· · · · · · · · · · · · ·	ble rinse container (or equivalent) promptly after emptying.		
{Liquid residue removal s Triple rinse as follows: E container ¼ full with wai disposal. Drain for 10 se {Liquid residue removal s Triple rinse as follows: I closures. Tip container o it back and forth several two more times. (Text for all nonrefillable Then offer for recycling authorities by burning. If {Text for refillable container Refillable container. Refi is the responsibility of the For containers larger than To clean the container pu Use a pressure wash sys that ensures that a minii continuous draining. Col for 10 minutes after press For containers 55 gallons To clean the container p equipment or a mix tank. tank or store rinsate for la Do not discharge rinsate permit and the permitting	tatement for nonrefillable containers with mpty the remaining contents into applica er and recap. Shake for 10 seconds. conds after the flow begins to drip. Rep tatement for nonrefillable containers with mpty the remaining contents into appli- n its side and roll it back and forth, ensu times. Empty the rinsate into applicatio containers) if available or reconditioning, if approp burned, stay out of smoke. ers} If this container with pesticide only. Do person disposing of the container. Clea 55 gallons: for to refilling or disposal, use a pressur tem that rinses all interior sides with wat num 25% of the container volume of w ect the rinsate and empty into applicatio ure wash is completed. and smaller: for to refilling or disposal, use a triple Fill the container about 10 percent full ter use or disposal. Repeat this rinsing containing this product unless in accord authority has been notified in writing pri- cal sewage treatment plant authority. For	In capacity of 5 gals or less} ation equipment or a mix tank Pour rinsate into application eat this procedure two more tin capacity of >5 gals} ication equipment or a mix tan ring at least one complete rev n equipment or a mix tank or oriate, or puncture and dispon not reuse this container for an ning before refilling is the resp e wash as follows: Empty the er and that is rated at >40 psi vater is used. During the pre- in equipment or a mix tank or rinse wash as follows: Empty l with water. Agitate vigorous procedure two more times. ance with the requirements of or to discharge. Do not disch	and drain for 10 seconds after the flow begins to drip. Fill the equipment or a mix tank or store rinsate for the later use or mes. nk. Fill the container ¼ full with water. Replace and tighten rolution, for 30 seconds. Stand the container on its end and tip store rinsate for later use of disposal. Repeat this procedure use of in a sanitary landfill, or, if allowed by state and local by other purpose. Cleaning the container before final disposal		
			· · · · · · · · · · · · · · · · · · ·		
Manufactured by	Buckman Laboratorie 1256 North McLean Blvd. (901) 278-0330 or 1-800-2	, Memphis, Tennes	see 38108, USA		
EPA Est. No.	1448-TN-1				
EPA Reg. No.	1448-337				
Product Weight	9.6 lbs/gal 1.15 kg/L	Net content	ts are marked on the container.		
HMIS / NPCA Ratings					
	-		Last Revision		
Health 3 Flam	nability 1 Reactivity 1		2/26/2011		

40f4

(